

# Package ‘BufferedMatrixMethods’

October 18, 2022

**Type** Package

**Title** Microarray Data related methods that utilize BufferedMatrix objects

**Version** 1.60.0

**Date** 2012-09-14

**Author** Ben Bolstad <bmb@bmbolstad.com>

**Maintainer** Ben Bolstad <bmb@bmbolstad.com>

**Depends** R (>= 2.6.0), BufferedMatrix (>= 1.3.0), methods

**Suggests** affyio, affy

**LinkingTo** BufferedMatrix

**LazyLoad** Yes

**Description** Microarray analysis methods that use BufferedMatrix objects

**License** GPL (>= 2)

**URL** <https://github.com/bmbolstad/BufferedMatrixMethods>

**biocViews** Infrastructure

**git\_url** <https://git.bioconductor.org/packages/BufferedMatrixMethods>

**git\_branch** RELEASE\_3\_15

**git\_last\_commit** 2da9528

**git\_last\_commit\_date** 2022-04-26

**Date/Publication** 2022-10-18

## R topics documented:

|   |   |
|---|---|
| BufferedMatrix.justRMA . . . . .          | 2 |
| BufferedMatrix.read.celfiles . . . . .    | 3 |
| BufferedMatrix.read.probematrix . . . . . | 3 |
| RMA preprocess BufferedMatrix . . . . .   | 4 |

|              |          |
|--------------|----------|
| <b>Index</b> | <b>6</b> |
|--------------|----------|

---

BufferedMatrix.justRMA

*Use BufferedMatrix objects to facilitate RMA computation with low memory overhead*

---

## Description

Read CEL data into [BufferedMatrix](#) objects.

## Usage

```
BufferedMatrix.justRMA(..., filenames=character(0), celfile.path=NULL,  
                        phenoData=new("AnnotatedDataFrame"),  
                        description=NULL,  
                        notes="",  
                        verbose=FALSE, background=TRUE, normalize=TRUE,  
                        cdfname = NULL)
```

## Arguments

|              |   |
|--------------|---|
| ...          | file names separated by comma.  |
| filenames    | file names in a character vector.   |
| celfile.path | path where CEL files are located  |
| phenoData    | a <a href="#">AnnotatedDataFrame</a> object   |
| description  | a <a href="#">MIAME</a> object  |
| notes        | notes   |
| verbose      | verbosity flag  |
| normalize    | logical value. If TRUE normalize data using quantile normalization  |
| background   | logical value. If TRUE background correct using RMA background correction   |
| cdfname      | Used to specify the name of an alternative cdf package. If set to NULL, the usual cdf package based on Affymetrix' mappings will be used. |

## Value

An ExpressionSet object, containing expression values identical to what one would get from running [rma](#) on an [AffyBatch](#).

## Author(s)

Ben Bolstad <bmb@bmbolstad.com>

## See Also

[BufferedMatrix](#), [BufferedMatrix.read.probematrix](#)

---

`BufferedMatrix.read.celfiles`*Read CEL file data into PM or MM BufferedMatrix*

---

**Description**

Read CEL data into [BufferedMatrix](#) objects.

**Usage**

```
BufferedMatrix.read.celfiles(..., filenames = character(0), celfile.path=NULL)
```

**Arguments**

|                           |                                   |
|---------------------------|-----------------------------------|
| <code>...</code>          | file names separated by comma.    |
| <code>filenames</code>    | file names in a character vector. |
| <code>celfile.path</code> | path where CEL files are located  |

**Value**

A [BufferedMatrix](#) object containing the CEL file intensities.

**Author(s)**

Ben Bolstad <bmb@bmbolstad.com>

**See Also**

[BufferedMatrix](#), [BufferedMatrix.read.probematrix](#)

---

`BufferedMatrix.read.probematrix`*Read CEL file data into PM or MM BufferedMatrix*

---

**Description**

Read CEL data into [BufferedMatrix](#) objects.

**Usage**

```
BufferedMatrix.read.probematrix(..., filenames = character(0), celfile.path=NULL, rm.mask = FALSE, rm.o
```

**Arguments**

|              |   |
|--------------|---|
| ...          | file names separated by comma.  |
| filenames    | file names in a character vector.   |
| celfile.path | path where CEL files are located  |
| rm.mask      | should the spots marked as 'MASKS' set to NA ?  |
| rm.outliers  | should the spots marked as 'OUTLIERS' set to NA   |
| rm.extra     | if TRUE, overrides what is in rm.mask and rm.outliers   |
| verbose      | verbosity flag  |
| which        | should be either "pm", "mm" or "both"   |
| cdfname      | Used to specify the name of an alternative cdf package. If set to NULL, the usual cdf package based on Affymetrix' mappings will be used. |

**Value**

A list of one or two [BufferedMatrix](#) objects. Each [BufferedMatrix](#) objects is either PM or MM data. No [AffyBatch](#) is created.

**Author(s)**

Ben Bolstad <bmb@bmbolstad.com>

**See Also**

[AffyBatch](#), [read.affybatch](#)

---

RMA preprocess BufferedMatrix

*RMA preprocessing functions that work on BufferedMatrix objects*

---

**Description**

This group of functions can be used to apply the RMA background correction, Quantile normalization and Median polish summarization to data stored in a [BufferedMatrix](#) object.

**Usage**

```
bg.correct.BufferedMatrix(x, copy=TRUE)
normalize.BufferedMatrix.quantiles(x, copy=TRUE)
BufferedMatrix.bg.correct.normalize.quantiles(x, copy=TRUE)
```

**Arguments**

|      |   |
|------|---|
| x    | a <a href="#">BufferedMatrix</a> containing data to be processed                                    |
| copy | should the <a href="#">BufferedMatrix</a> be copied or should the input object be changed on output |

**Value**

In the case of `normalize.BufferedMatrix.quantiles` and `bg.correct.BufferedMatrix` a [BufferedMatrix](#) is returned. The function `median.polish.summarize` returns a [matrix](#).

The function `BufferedMatrix.bg.correct.normalize.quantiles` carries out both pre-processing steps with a single command.

**Author(s)**

B. M. Bolstad <[bmb@bmbolstad.com](mailto:bmb@bmbolstad.com)>

**See Also**

[rma](#)

# Index

## \* **manip**

- RMA preprocess BufferedMatrix, 4
- AffyBatch, 2, 4
- AnnotatedDataFrame, 2
- bg.correct.BufferedMatrix (RMA preprocess BufferedMatrix), 4
- BufferedMatrix, 2–5
- BufferedMatrix.bg.correct.normalize.quantiles (RMA preprocess BufferedMatrix), 4
- BufferedMatrix.justRMA, 2
- BufferedMatrix.read.celfiles, 3
- BufferedMatrix.read.probematrix, 2, 3, 3
- matrix, 5
- median.polish.summarize (RMA preprocess BufferedMatrix), 4
- median.polish.summarize, BufferedMatrix-method (RMA preprocess BufferedMatrix), 4
- MIAME, 2
- normalize.BufferedMatrix.quantiles (RMA preprocess BufferedMatrix), 4
- read.affybatch, 4
- rma, 2, 5
- RMA preprocess BufferedMatrix, 4