

# Package ‘cancerdata’

July 2, 2024

**Type** Package

**Version** 1.43.0

**Date** 2011-10-26

**Title** Development and validation of diagnostic tests from  
high-dimensional molecular data: Datasets

**Author** Jan Budczies, Daniel Kosztyla

**Maintainer** Daniel Kosztyla <danielkossi@hotmail.com>

**Description** Dataset for the R package cancerclass

**Depends** R (>= 2.10.1), Biobase

**License** GPL (>= 2)

**biocViews** CancerData, MicroarrayData

**git\_url** <https://git.bioconductor.org/packages/cancerdata>

**git\_branch** devel

**git\_last\_commit** 63ca809

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.20

**Date/Publication** 2024-07-02

## Contents

cancerdata-package . . . . .	2
VEER . . . . .	2
VIJVER . . . . .	3
YOUNG . . . . .	4
<b>Index</b>	<b>5</b>

---

cancerdata-package      *Development and validation of diagnostic tests from high-dimensional molecular data: Datasets*

---

### Description

This package contains dataset for the R package cancerclass.

### Details

Package: cancerdata  
Type: Package  
Version: 1.1.0  
Date: 2010-10-26  
License: GPL (>=2)

### Author(s)

Jan Budczies <jan.budczies@charite.de>, Daniel Kosztyla <danielkossi@hotmail.com>

### References

[1] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

### See Also

[VEER1](#)

### Examples

```
### see: help(VEER1);
```

---

VEER      *Breast cancer gene expression data (van't Veer)*

---

### Description

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 78 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 78 tumor samples).

**Usage**

```
data(VEER)
data(VEER1)
```

**Value**

Data and annotations are organized in a ExtresenSet of the package Biobase.

VEER	ExpressionSet
VEER1	ExpressionSet

**References**

- [1] van 't Veer LJ et al. (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-536.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

**Examples**

```
### see: help(GOLUB);
```

---

VIJVER	<i>Breast cancer gene expression data (Vijver)</i>
--------	--

---

**Description**

Gene expression data from the breast cancer microarray study of Vijver et al. [1]. The data set VIJVER includes expression values of 24481 genes in 295 tumor samples. The data set VIJVER1 is a filtered version of VIJVER [2] including expression values of 4948 genes in 295 tumor samples.

**Usage**

```
data(VIJVER)
data(VIJVER1)
```

**Value**

Data and annotations are organized in a ExtresenSet of the package Biobase.

VIJVER	ExpressionSet
VIJVER1	ExpressionSet

**References**

- [1] van de Vijver MJ, He YD, van't Veer LJ, et al. (2002): *A gene-expression signature as a predictor of survival in breast cancer*. N Engl J Med, 347:1999-2009.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-493.

**Examples**

```
### see: help(GOLUB);
```

---

YOUNG

*Breast cancer gene expression data (van't Veer, young patients)*

---

**Description**

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 19 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 19 tumor samples).

**Usage**

```
data(YOUNG)
data(YOUNG1)
```

**Value**

Data and annotations are organized in a ExtressenSet of the package Biobase.

YOUNG	ExpressionSet
YOUNG1	ExpressionSet

**References**

- [1] van 't Veer LJ et al (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-56.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

**Examples**

```
### see: help(GOLUB);
```

# Index

\* **datasets**

VEER, [2](#)

VIJVER, [3](#)

YOUNG, [4](#)

\* **package**

cancerdata-package, [2](#)

cancerdata (cancerdata-package), [2](#)

cancerdata-package, [2](#)

VEER, [2](#)

VEER1, [2](#)

VEER1 (VEER), [2](#)

VIJVER, [3](#)

VIJVER1 (VIJVER), [3](#)

YOUNG, [4](#)

YOUNG1 (YOUNG), [4](#)