

Package ‘eulerr’

March 28, 2024

Title Area-Proportional Euler and Venn Diagrams with Ellipses

Version 7.0.2

Description Generate area-proportional Euler diagrams using numerical optimization. An Euler diagram is a generalization of a Venn diagram, relaxing the criterion that all interactions need to be represented. Diagrams may be fit with ellipses and circles via a wide range of inputs and can be visualized in numerous ways.

Depends R (\geq 3.3.0)

Imports GenSA, graphics, grDevices, grid, polyclip, polylabelr, Rcpp, stats, utils

Suggests covr, knitr, lattice, pBrackets, RConics, rmarkdown, testthat, spelling

LinkingTo Rcpp (\geq 0.12.12), RcppArmadillo (\geq 0.7.600.1.0)

License GPL-3

Encoding UTF-8

LazyData true

VignetteBuilder knitr

URL <https://github.com/jolars/eulerr>, <https://jolars.github.io/eulerr/>

BugReports <https://github.com/jolars/eulerr/issues>

RoxygenNote 7.2.3

Language en-US

NeedsCompilation yes

Author Johan Larsson [aut, cre] (<<https://orcid.org/0000-0002-4029-5945>>),
A. Jonathan R. Godfrey [ctb],
Peter Gustafsson [ctb],
David H. Eberly [ctb] (geometric algorithms),
Emanuel Huber [ctb] (root solver code),
Florian Privé [ctb]

Maintainer Johan Larsson <johanlarsson@outlook.com>

Repository CRAN

Date/Publication 2024-03-28 15:40:09 UTC

R topics documented:

error_plot	2
euler	3
eulerr_options	7
fruits	8
organisms	9
pain	9
plants	10
plot.euler	10
plot.eulergram	13
print.euler	14
print.venn	15
venn	15
Index	18

error_plot	<i>Error plot for euler objects</i>
------------	-------------------------------------

Description

This is a diagnostic tool for evaluating the fit from a call to `euler()` visually. A color key is provided by default, which represents the chosen error metric so that one can easily detect which areas in the diagram to be skeptical about.

Usage

```
error_plot(
  x,
  type = c("regionError", "residuals"),
  quantities = TRUE,
  pal = NULL,
  ...
)
```

Arguments

<code>x</code>	an object of class <code>euler</code> , typically the result of a call to <code>euler()</code> .
<code>type</code>	error metric. 'regionError' is the difference in <i>percentage points</i> from the input
<code>quantities</code>	whether to draw the error metric on the plot
<code>pal</code>	color palette for the fills in the legend
<code>...</code>	arguments passed down to <code>plot.euler()</code> . Currently, providing fills, legend, or strips are not allowed and will return a warning.

Details

Notice that this function is purely provided for diagnostic reasons and does not come with the same kind of customization that `plot.euler()` provides: the color legend can only be customized in regards to its color palette and another key (instead of labels) is completely turned off.

Value

Returns an object of class `eulergram`, which will be plotted on the device in the same manner as objects from `plot.euler()`. See `plot.eulergram()` for details.

See Also

`plot.euler()`, `euler()`, `plot.eulergram()`

Examples

```
error_plot(euler(organisms), quantities = FALSE)
```

euler

Area-proportional Euler diagrams

Description

Fit Euler diagrams (a generalization of Venn diagrams) using numerical optimization to find exact or approximate solutions to a specification of set relationships. The shape of the diagram may be a circle or an ellipse.

Usage

```
euler(combinations, ...)  
  
## Default S3 method:  
euler(  
  combinations,  
  input = c("disjoint", "union"),  
  shape = c("circle", "ellipse"),  
  loss = c("square", "abs", "region"),  
  loss_aggregator = c("sum", "max"),  
  control = list(),  
  ...  
)  
  
## S3 method for class 'data.frame'  
euler(  
  combinations,  
  weights = NULL,  
  by = NULL,
```

```

    sep = "_",
    factor_names = TRUE,
    ...
)

## S3 method for class 'matrix'
euler(combinations, ...)

## S3 method for class 'table'
euler(combinations, ...)

## S3 method for class 'list'
euler(combinations, ...)

```

Arguments

combinations	set relationships as a named numeric vector, matrix, or data.frame (see methods (by class))
...	arguments passed down to other methods
input	type of input: disjoint identities ('disjoint') or unions ('union').
shape	geometric shape used in the diagram
loss	type of loss to minimize over. If "square" is used together with the value "sum" for loss_aggregator, then the resulting loss function is the sum of squared errors, which is the default.
loss_aggregator	how the final loss is computed. "sum" indicates that the sum of the losses computed by loss are summed up. "max" indicates
control	a list of control parameters. <ul style="list-style-type: none"> • extraopt: should the more thorough optimizer (currently <code>GenSA::GenSA()</code>) kick in (provided <code>extraopt_threshold</code> is exceeded)? The default is TRUE for ellipses and three sets and FALSE otherwise. • extraopt_threshold: threshold, in terms of <code>diagError</code>, for when the extra optimizer kicks in. This will almost always slow down the process considerably. A value of 0 means that the extra optimizer will kick in if there is <i>any</i> error. A value of 1 means that it will never kick in. The default is 0.001. • extraopt_control: a list of control parameters to pass to the extra optimizer, such as <code>max.call</code>. See <code>GenSA::GenSA()</code>.
weights	a numeric vector of weights of the same length as the number of rows in combinations.
by	a factor or character matrix to be used in <code>base::by()</code> to split the data.frame or matrix of set combinations
sep	a character to use to separate the dummy-coded factors if there are factor or character vectors in 'combinations'.
factor_names	whether to include factor names when constructing dummy codes

Details

If the input is a matrix or data frame and argument `by` is specified, the function returns a list of euler diagrams.

The function minimizes the residual sums of squares,

$$\sum_{i=1}^n (A_i - \omega_i)^2,$$

by default, where ω_i the size of the i th disjoint subset, and A_i the corresponding area in the diagram, that is, the unique contribution to the total area from this overlap. The loss function can, however, be controlled via the `loss` argument.

`euler()` also returns `stress` (from **venneuler**), as well as `diagError`, and `regionError` from **eulerAPE**.

The *stress* statistic is computed as

$$\frac{\sum_{i=1}^n (A_i - \beta \omega_i)^2}{\sum_{i=1}^n A_i^2},$$

where

$$\beta = \frac{\sum_{i=1}^n A_i \omega_i}{\sum_{i=1}^n \omega_i^2}.$$

`regionError` is computed as

$$\left| \frac{A_i}{\sum_{i=1}^n A_i} - \frac{\omega_i}{\sum_{i=1}^n \omega_i} \right|.$$

`diagError` is simply the maximum of `regionError`.

Value

A list object of class 'euler' with the following parameters.

<code>ellipses</code>	a matrix of h and k (x and y-coordinates for the centers of the shapes), semiaxes a and b , and rotation angle ϕ
<code>original.values</code>	set relationships in the input
<code>fitted.values</code>	set relationships in the solution
<code>residuals</code>	residuals
<code>regionError</code>	the difference in percentage points between each disjoint subset in the input and the respective area in the output
<code>diagError</code>	the largest <code>regionError</code>
<code>stress</code>	normalized residual sums of squares

Methods (by class)

- `euler(default)`: a named numeric vector, with combinations separated by an ampersand, for instance `A&B = 10`. Missing combinations are treated as being 0.
- `euler(data.frame)`: a `data.frame` of logicals, binary integers, or factors.
- `euler(matrix)`: a matrix that can be converted to a `data.frame` of logicals (as in the description above) via `base::as.data.frame.matrix()`.
- `euler(table)`: A table with `max(dim(x)) < 3`.
- `euler(list)`: a list of vectors, each vector giving the contents of that set (with no duplicates). Vectors in the list must be named.

References

Wilkinson L. Exact and Approximate Area-Proportional Circular Venn and Euler Diagrams. IEEE Transactions on Visualization and Computer Graphics (Internet). 2012 Feb (cited 2016 Apr 9);18(2):321-31. Available from: [doi:10.1109/TVCG.2011.56](https://doi.org/10.1109/TVCG.2011.56)

Micallef L, Rodgers P. eulerAPE: Drawing Area-Proportional 3-Venn Diagrams Using Ellipses. PLOS ONE (Internet). 2014 Jul (cited 2016 Dec 10);9(7):e101717. Available from: [doi:10.1371/journal.pone.0101717](https://doi.org/10.1371/journal.pone.0101717)

See Also

[plot.euler\(\)](#), [print.euler\(\)](#), [eulerr_options\(\)](#), [venn\(\)](#)

Examples

```
# Fit a diagram with circles
combo <- c(A = 2, B = 2, C = 2, "A&B" = 1, "A&C" = 1, "B&C" = 1)
fit1 <- euler(combo)

# Investigate the fit
fit1

# Refit using ellipses instead
fit2 <- euler(combo, shape = "ellipse")

# Investigate the fit again (which is now exact)
fit2

# Plot it
plot(fit2)

# A set with no perfect solution
euler(c(
  "a" = 3491, "b" = 3409, "c" = 3503,
  "a&b" = 120, "a&c" = 114, "b&c" = 132,
  "a&b&c" = 50
))
```

```
# Using grouping via the 'by' argument through the data.frame method
euler(fruits, by = list(sex, age))

# Using the matrix method
euler(organisms)

# Using weights
euler(organisms, weights = c(10, 20, 5, 4, 8, 9, 2))

# The table method
euler(pain, factor_names = FALSE)

# A euler diagram from a list of sample spaces (the list method)
euler(plants[c("erigenia", "solanum", "cynodon")])
```

eulerr_options

Get or set global graphical parameters for eulerr

Description

This function provides a means to set default parameters for functions in eulerr. Query [eulerr_options\(\)](#) (without any argument) to see all the available options and read more about the plot-related ones in [grid::gpar\(\)](#) and [graphics::par\(\)](#).

Usage

```
eulerr_options(...)
```

Arguments

... objects to update the global graphical parameters for **eulerr** with.

Details

Currently, the following items will be considered:

pointsize size in pts to be used as basis for font sizes and some margin sizes in the resulting plot#'

fills a list of items fill and alpha

edges a list of items col, alpha, lex, lwd, and lty

labels a list of items rot, col, alpha, fontsize, cex, fontfamily, fontface, lineheight, and font

quantities a list of items type, rot, col, alpha, fontsize, cex, fontfamily, lineheight, and font

strips col, alpha, fontsize, cex, fontfamily, lineheight, and font

legend arguments to [grid::legendGrob\(\)](#) as well as col, alpha, fontsize, cex, fontfamily, lineheight, and font

main arguments to `grid::textGrob()`

padding a `grid::unit()` giving the padding between various elements in plots from `plot.euler()`, which you can change if you, for instance, want to increase spacing between labels, quantities, and percentages.

Value

This function gets or sets updates in the global environment that are used in `plot.euler()`.

See Also

`plot.euler()`, `grid::gpar()`, `graphics::par()`

Examples

```
eulerr_options(edges = list(col = "blue"), fontsize = 10)
eulerr_options(n_threads = 2)
```

fruits

Fruits

Description

A synthetic data set of preferences for fruits and their overlaps, generated only to be a showcase for the examples for this package.

Usage

```
fruits
```

Format

A `data.frame` with 100 observations of 5 variables:

banana whether the person likes bananas, a logical

apple whether the person likes apples, a logical

orange whether the person likes oranges, a logical

sex the sex of the person, a factor with levels 'male' and 'female'

age the age of the person, a factor with levels 'child' and 'adult'

organisms

Organisms

Description

Example data from the **VennMaster** package.

Usage

```
organisms
```

Format

A [matrix](#) with 7 observations, consisting of various organisms, and 5 variables: *animal*, *mammal*, *plant*, *sea*, and, *spiny*, indicating whether the organism belongs to the category or not.

Details

Note that this data is difficult to fit using an Euler diagram, even if we use ellipses, which is clear if one chooses to study the various overlaps in the resulting diagrams.

Source

```
https://github.com/sysbio-bioinf/VennMaster/blob/master/data\_examples/deploy/example1.list
```

pain

Pain distribution data

Description

Data from a study on pain distribution for patients with persistent neck pain in relation to a whiplash trauma.

Usage

```
pain
```

Format

A flat [table](#) (cross-table) with with sex in columns and pain distribution in rows and integer counts making up the cells of the table.

Disclaimer

Note that the maintainer of this package is an author of the source for this data.

Source

Westergren H, Larsson J, Freeman M, Carlsson A, Jöud A, Malmström E-M. Sex-based differences in pain distribution in a cohort of patients with persistent post-traumatic neck pain. *Disability and Rehabilitation*. 2017 Jan 27

plants

Plants

Description

Data on plants and the states in the US and Canada they occur in.

Usage

plants

Format

A [list](#) with 33,721 plants, each containing a character vector listing the states in the US and Canada in which they occur. The names in the list specify the species or genus of the plant.

Source

USDA, NRCS. 2008. The PLANTS Database (<http://plants.usda.gov/>, 31 December 2008). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

Dua, D. and Karra Taniskidou, E. (2017). UCI Machine Learning Repository <http://archive.ics.uci.edu/ml/>. Irvine, CA: University of California, School of Information and Computer Science.

plot.euler

Plot Euler and Venn diagrams

Description

Plot diagrams fit with `euler()` and `venn()` using `grid::Grid()` graphics. This function sets up all the necessary plot parameters and computes the geometry of the diagram. `plot.eulergram()`, meanwhile, does the actual plotting of the diagram. Please see the **Details** section to learn about the individual settings for each argument.

Usage

```
## S3 method for class 'euler'
plot(
  x,
  fills = TRUE,
  edges = TRUE,
  legend = FALSE,
  labels = identical(legend, FALSE),
  quantities = FALSE,
  strips = NULL,
  main = NULL,
  n = 200L,
  adjust_labels = TRUE,
  ...
)

## S3 method for class 'venn'
plot(
  x,
  fills = TRUE,
  edges = TRUE,
  legend = FALSE,
  labels = identical(legend, FALSE),
  quantities = TRUE,
  strips = NULL,
  main = NULL,
  n = 200L,
  adjust_labels = TRUE,
  ...
)
```

Arguments

x	an object of class 'euler', generated from <code>euler()</code>
fills	a logical, vector, or list of graphical parameters for the fills in the diagram. Vectors are assumed to be colors for the fills. See <code>grid::grid.path()</code> .
edges	a logical, vector, or list of graphical parameters for the edges in the diagram. Vectors are assumed to be colors for the edges. See <code>grid::grid.polyline()</code> .
legend	a logical scalar or list. If a list, the item side can be used to set the location of the legend. See <code>grid::grid.legend()</code> .
labels	a logical, vector, or list. Vectors are assumed to be text for the labels. See <code>grid::grid.text()</code> .
quantities	a logical, vector, or list. Vectors are assumed to be text for the quantities' labels, which by default are the original values in the input to <code>euler()</code> . In addition to arguments that apply to <code>grid::grid.text()</code> , an argument type may also be used which should be a combination of "counts" and "percent". The first item

	will be printed first and the second will be printed thereafter inside brackets. The default is <code>type = "counts"</code> .
<code>strips</code>	a list, ignored unless the <code>'by'</code> argument was used in <code>euler()</code>
<code>main</code>	a title for the plot in the form of a character, expression, list or something that can be sensibly converted to a label via <code>grDevices::as.graphicsAnnot()</code> . A list of length one can be provided, in which case its only element is used as the label. If a list of longer length is provided, an item named <code>'label'</code> must be provided (and will be used for the actual text).
<code>n</code>	number of vertices for the edges and fills
<code>adjust_labels</code>	a logical. If TRUE, adjustment will be made to avoid overlaps or out-of-limits plotting of labels, quantities, and percentages.
<code>...</code>	parameters to update fills and edges with and thereby a shortcut to set these parameters <code>grid::grid.text()</code> .

Details

The only difference between `plot.euler()` and `plot.venn()` is that `quantities` is set to TRUE by default in the latter and FALSE in the former.

Most of the arguments to this function accept either a logical, a vector, or a list where

- logical values set the attribute on or off,
- vectors are shortcuts to commonly used options (see the individual parameters), and
- lists enable fine-grained control, including graphical parameters as described in `grid::gpar()` and control arguments that are specific to each argument.

The various `grid::gpar()` values that are available for each argument are:

	fills	edges	labels	quantities	strips	legend	main
<code>col</code>		x	x	x	x	x	x
<code>fill</code>	x						
<code>alpha</code>	x	x	x	x	x	x	x
<code>lty</code>		x					
<code>lwd</code>		x					
<code>lex</code>		x					
<code>fontsize</code>			x	x	x	x	x
<code>cex</code>			x	x	x	x	x
<code>fontfamily</code>			x	x	x	x	x
<code>lineheight</code>			x	x	x	x	x
<code>font</code>			x	x	x	x	x

Defaults for these values, as well as other parameters of the plots, can be set globally using `eulerr_options()`.

If the diagram has been fit using the `data.frame` or `matrix` methods and using the `by` argument, the plot area will be split into panels for each combination of the one to two factors.

For users who are looking to plot their diagram using another package, all the necessary parameters can be collected if the result of this function is assigned to a variable (rather than printed to screen).

Value

Provides an object of class 'eulergram', which is a description of the diagram to be drawn. `plot.eulergram()` does the actual drawing of the diagram.

See Also

`euler()`, `plot.eulergram()`, `grid::gpar()`, `grid::grid.polyline()`, `grid::grid.path()`, `grid::grid.legend()`, `grid::grid.text()`

Examples

```
fit <- euler(c("A" = 10, "B" = 5, "A&B" = 3))

# Customize colors, remove borders, bump alpha, color labels white
plot(fit,
     fills = list(fill = c("red", "steelblue4"), alpha = 0.5),
     labels = list(col = "white", font = 4))

# Add quantities to the plot
plot(fit, quantities = TRUE)

# Add a custom legend and retain quantities
plot(fit, quantities = TRUE, legend = list(labels = c("foo", "bar")))

# Plot without fills and distinguish sets with border types instead
plot(fit, fills = "transparent", lty = 1:2)

# Save plot parameters to plot using some other method
diagram_description <- plot(fit)

# Plots using 'by' argument
plot(euler(fruits[, 1:4], by = list(sex)), legend = TRUE)
```

plot.eulergram

Print (plot) Euler diagram

Description

This function is responsible for the actual drawing of 'eulergram' objects created through `plot.euler()`. `print.eulergram()` is an alias for `plot.eulergram()`, which has been provided so that `plot.euler()` gets called automatically.

Usage

```
## S3 method for class 'eulergram'
plot(x, newpage = TRUE, ...)

## S3 method for class 'eulergram'
print(x, ...)
```

Arguments

x	an object of class 'eulergram', usually the output of <code>plot.euler()</code>
newpage	if TRUE, opens a new page via <code>grid.newpage()</code> to draw on
...	ignored

Value

A plot is drawn on the current device using `grid::Grid()` graphics.

print.euler	<i>Print a summary of an Euler diagram</i>
-------------	--

Description

This function is responsible for printing fits from `euler()` and provides a summary of the fit. Prints a data frame of the original set relationships and the fitted values as well as `diagError` and stress statistics.

Usage

```
## S3 method for class 'euler'
print(x, round = 3, vsep = strep("-", 0.75 * getOption("width")), ...)
```

Arguments

x	'euler' object from <code>euler()</code>
round	number of decimal places to round to
vsep	character string to paste in between euler objects when x is a nested euler object
...	arguments passed to <code>base::print.data.frame()</code>

Value

Summary statistics of the fitted Euler diagram are printed to screen.

See Also

`euler()`, `base::print.data.frame()`

Examples

```
euler(organisms)
```

print.venn	<i>Print a summary of a Venn diagram</i>
------------	--

Description

This function is responsible for printing objects from `venn()` and provides a simple description of the number of sets and the specifications for the ellipses of the Venn diagram.

Usage

```
## S3 method for class 'venn'  
print(x, round = 3, vsep = strrep("-", 0.75 * getOption("width")), ...)
```

Arguments

x	an object of class 'venn'
round	number of digits to round the ellipse specification to
vsep	character string to paste in between euler objects when x is a nested euler object
...	arguments passed to <code>base::print.data.frame()</code>

Value

Summary statistics of the fitted Venn diagram are printed to screen.

See Also

`venn()`, `base::print.data.frame()`

Examples

```
venn(organisms)
```

venn	<i>Venn diagrams</i>
------	----------------------

Description

This function fits Venn diagrams using an interface that is almost identical to `euler()`. Strictly speaking, Venn diagrams are Euler diagrams where every intersection is visible, regardless of whether or not it is zero. In almost every incarnation of Venn diagrams, however, the areas in the diagram are also *non-proportional* to the input; this is also the case here.

Usage

```

venn(combinations, ...)

## Default S3 method:
venn(
  combinations,
  input = c("disjoint", "union"),
  names = letters[length(combinations)],
  ...
)

## S3 method for class 'table'
venn(combinations, ...)

## S3 method for class 'data.frame'
venn(
  combinations,
  weights = NULL,
  by = NULL,
  sep = "_",
  factor_names = TRUE,
  ...
)

## S3 method for class 'matrix'
venn(combinations, ...)

## S3 method for class 'list'
venn(combinations, ...)

```

Arguments

combinations	set relationships as a named numeric vector, matrix, or data.frame (see methods (by class))
...	arguments passed down to other methods
input	type of input: disjoint identities ('disjoint') or unions ('union').
names	a character vector for the names of each set of the same length as 'combinations'. Must not be NULL if combinations is a one-length numeric.
weights	a numeric vector of weights of the same length as the number of rows in combinations.
by	a factor or character matrix to be used in <code>base::by()</code> to split the data.frame or matrix of set combinations
sep	a character to use to separate the dummy-coded factors if there are factor or character vectors in 'combinations'.
factor_names	whether to include factor names when constructing dummy codes

Value

Returns an object of class 'venn', 'euler' with items

`ellipses` a matrix of h and k (x and y-coordinates for the centers of the shapes), semiaxes a and b, and rotation angle phi

`original.values` set relationships in the input

`fitted.values` set relationships in the solution

Methods (by class)

- `venn(default)`: a named numeric vector, with combinations separated by an ampersand, for instance `A&B = 10`. Missing combinations are treated as being 0.
- `venn(table)`: A table with `max(dim(x)) < 3`.
- `venn(data.frame)`: a `data.frame` of logicals, binary integers, or factors.
- `venn(matrix)`: a matrix that can be converted to a `data.frame` of logicals (as in the description above) via `base::as.data.frame.matrix()`.
- `venn(list)`: a list of vectors, each vector giving the contents of that set (with no duplicates). Vectors in the list do not need to be named.

See Also

[plot.venn\(\)](#), [print.venn\(\)](#), [euler\(\)](#)

Examples

```
# The trivial version
f1 <- venn(5, names = letters[1:5])
plot(f1)

# Using data (a numeric vector)
f2 <- venn(c(A = 1, "B&C" = 3, "A&D" = 0.3))

# The table method
venn(pain, factor_names = FALSE)

# Using grouping via the 'by' argument through the data.frame method
venn(fruits, by = list(sex, age))

# Using the matrix method
venn(organisms)

# Using weights
venn(organisms, weights = c(10, 20, 5, 4, 8, 9, 2))

# A venn diagram from a list of sample spaces (the list method)
venn(plants[c("erigenia", "solanum", "cynodon")])
```

Index

* datasets

- fruits, 8
- organisms, 9
- pain, 9
- plants, 10

`base::as.data.frame.matrix()`, 6, 17

`base::by()`, 4, 16

`base::print.data.frame()`, 14, 15

`data.frame`, 8

`error_plot`, 2

`euler`, 3

`euler()`, 2, 3, 5, 10–15, 17

`eulerr_options`, 7

`eulerr_options()`, 6, 7, 12

fruits, 8

`GenSA::GenSA()`, 4

`graphics::par()`, 7, 8

`grDevices::as.graphicsAnnot()`, 12

`grid.newpage()`, 14

`grid::gpar()`, 7, 8, 12, 13

`grid::Grid()`, 10, 14

`grid::grid.legend()`, 11, 13

`grid::grid.path()`, 11, 13

`grid::grid.polyline()`, 11, 13

`grid::grid.text()`, 11–13

`grid::legendGrob()`, 7

`grid::textGrob()`, 8

`grid::unit()`, 8

list, 10

matrix, 9

organisms, 9

pain, 9

plants, 10

`plot.euler`, 10

`plot.euler()`, 2, 3, 6, 8, 12–14

`plot.eulergram`, 13

`plot.eulergram()`, 3, 10, 13

`plot.venn(plot.euler)`, 10

`plot.venn()`, 12, 17

`print.euler`, 14

`print.euler()`, 6

`print.eulergram(plot.eulergram)`, 13

`print.eulergram()`, 13

`print.venn`, 15

`print.venn()`, 17

table, 9

venn, 15

`venn()`, 6, 10, 15