

# Package ‘HiCDOC’

November 22, 2024

**Title** A/B compartment detection and differential analysis

**Version** 1.9.0

**Date** 2022-11-30

**Description** HiCDOC normalizes intrachromosomal Hi-C matrices, uses unsupervised learning to predict A/B compartments from multiple replicates, and detects significant compartment changes between experiment conditions. It provides a collection of functions assembled into a pipeline to filter and normalize the data, predict the compartments and visualize the results. It accepts several type of data: tabular `.tsv` files, Cooler `.cool` or `.mcool` files, Juicer `.hic` files or HiC-Pro `.matrix` and `.bed` files.

**License** LGPL-3

**Encoding** UTF-8

**SystemRequirements** C++11

**Depends** InteractionSet, GenomicRanges, SummarizedExperiment, R ( $\geq$  4.1.0)

**Imports** methods, zlibbioc, ggplot2, Rcpp ( $\geq$  0.12.8), stats, S4Vectors, gtools, pbapply, BiocParallel, BiocGenerics, grid, cowplot, gridExtra, data.table, multiHiCcompare, GenomeInfoDb

**LinkingTo** Rcpp

**Suggests** knitr, rmarkdown, testthat, BiocStyle, BiocManager, rhdf5

**RoxygenNote** 7.2.3

**biocViews** HiC, DNA3DStructure, Normalization, Sequencing, Software, Clustering

**VignetteBuilder** knitr

**URL** <https://github.com/mzytnicki/HiCDOC>

**BugReports** <https://github.com/mzytnicki/HiCDOC/issues>

**git\_url** <https://git.bioconductor.org/packages/HiCDOC>

**git\_branch** devel

**git\_last\_commit** e5936a5

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.21

**Date/Publication** 2024-11-21

**Author** Kurylo Cyril [aut],  
 Zytnicki Matthias [aut],  
 Foissac Sylvain [aut],  
 Maigné Élise [aut, cre]

**Maintainer** Maigné Élise <elise.maigne@inrae.fr>

## Contents

HiCDOC-package . . . . .	3
detectCompartments . . . . .	3
exampleHiCDOCDataSet . . . . .	6
exampleHiCDOCDataSetProcessed . . . . .	6
filterSmallChromosomes . . . . .	7
filterSparseReplicates . . . . .	8
filterWeakPositions . . . . .	9
HiCDOC . . . . .	10
HiCDOCDataSet-class . . . . .	11
HiCDOCDataSet-methods . . . . .	12
HiCDOCDataSet-parameters . . . . .	14
HiCDOCDataSetFromCool . . . . .	15
HiCDOCDataSetFromHiC . . . . .	17
HiCDOCDataSetFromHiCPro . . . . .	18
HiCDOCDataSetFromTabular . . . . .	19
normalizeBiologicalBiases . . . . .	20
normalizeDistanceEffect . . . . .	20
normalizeTechnicalBiases . . . . .	21
plotCentroids . . . . .	23
plotCompartmentChanges . . . . .	23
plotCompartments . . . . .	24
plotConcordanceDifferences . . . . .	25
plotConcordances . . . . .	25
plotDistanceEffect . . . . .	26
plotInteractions . . . . .	27
plotSelfInteractionRatios . . . . .	28
reduceHiCDOCDataSet . . . . .	29

**Index**

**30**

---

HiCDOC-package	<i>A/B compartment detection and differential analysis</i>
----------------	--

---

## Description

HiCDOC normalizes intrachromosomal Hi-C matrices, uses unsupervised learning to predict A/B compartments from multiple replicates, and detects significant compartment changes between experiment conditions. It provides a collection of functions assembled into a pipeline to filter and normalize the data, predict the compartments and visualize the results. It accepts several type of data: tabular `.tsv` files, Cooler `.cool` or `.mcool` files, Juicer `.hic` files or HiC-Pro `.matrix` and `.bed` files.

## Author(s)

**Maintainer:** Maigné Élise <elise.maigne@inrae.fr>

Authors:

- Kurylo Cyril <cyril.kurylo@inrae.fr>
- Zytnicki Matthias <matthias.zytnicki@inrae.fr>
- Foissac Sylvain <sylvain.foissac@inrae.fr>

## See Also

Useful links:

- <https://github.com/mzytnicki/HiCDOC>
- Report bugs at <https://github.com/mzytnicki/HiCDOC/issues>

---

detectCompartments	<i>A and B compartments detection and differences across conditions.</i>
--------------------	--

---

## Description

Detects compartments for each genomic position in each condition, and computes p-values for compartment differences between conditions.

## Usage

```
detectCompartments(  
  object,  
  parallel = FALSE,  
  kMeansDelta = NULL,  
  kMeansIterations = NULL,  
  kMeansRestarts = NULL,  
  PC1CheckThreshold = NULL  
)
```

**Arguments**

object	A <code>HicDOCDataset</code> .
parallel	Whether or not to parallelize the processing. Defaults to FALSE See 'Details'.
kMeansDelta	The convergence stop criterion for the clustering. When the centroids' distances between two iterations is lower than this value, the clustering stops. Defaults to <code>object\$kMeansDelta</code> which is originally set to <code>defaultHicDOCPParameters\$kMeansDelta = 0.0001</code> .
kMeansIterations	The maximum number of iterations during clustering. Defaults to <code>object\$kMeansIterations</code> which is originally set to <code>defaultHicDOCPParameters\$kMeansIterations = 50</code> .
kMeansRestarts	The amount of times the clustering is restarted. For each restart, the clustering iterates until convergence or reaching the maximum number of iterations. The clustering that minimizes inner-cluster variance is selected. Defaults to <code>object\$kMeansRestarts</code> which is originally set to <code>defaultHicDOCPParameters\$kMeansRestarts = 20</code> .
PC1CheckThreshold	The minimum percentage of variance that should be explained by the first principal component of centroids to pass sanity check. Defaults to <code>object\$PC1CheckThreshold</code> which is originally set to <code>defaultHicDOCPParameters\$PC1CheckThreshold = 0.75</code>

**Details**

**Genomic positions clustering:** To clusterize genomic positions, the algorithm follows these steps:

1. For each chromosome and condition, get the interaction vectors of each genomic position. Each genomic position can have multiple interaction vectors, corresponding to the multiple replicates in that condition.
2. For each chromosome and condition, use constrained K-means to clusterize the interaction vectors, forcing replicate interaction vectors into the same cluster. The euclidean distance between interaction vectors determines their similarity.
3. For each interaction vector, compute its concordance, which is the confidence in its assigned cluster. Mathematically, it is the log ratio of its distance to each centroid, normalized by the distance between both centroids, and min-maxed to a [-1,1] interval.
4. For each chromosome, compute the distance between all centroids and the centroids of the first condition. The cross-condition clusters whose centroids are closest are given the same cluster label. This results in two clusters per chromosome, spanning all conditions.

**A/B compartments prediction:** To match each cluster with an A or B compartment, the algorithm follows these steps:

1. For each genomic position, compute its self interaction ratio, which is the difference between its self interaction and the median of its other interactions.
2. For each chromosome, for each cluster, get the median self interaction ratio of the genomic positions in that cluster.

3. For each chromosome, the cluster with the smallest median self interaction ratio is matched with compartment A, and the cluster with the greatest median self interaction ratio is matched with compartment B. Compartment A being open, there are more overall interactions between distant genomic positions, so it is assumed that the difference between self interactions and other interactions is lower than in compartment B.

**Significant differences detection:** To find significant compartment differences across conditions, and compute their p-values, the algorithm follows three steps:

1. For each pair of replicates in different conditions, for each genomic position, compute the absolute difference between its concordances.
2. For each pair of conditions, for each genomic position, compute the median of its concordance differences.
3. For each pair of conditions, for each genomic position whose assigned compartment switches, rank its median against the empirical cumulative distribution of medians of all non-switching positions in that condition pair. Adjust the resulting p-value with the Benjamini–Hochberg procedure.

**Parallel processing:** The parallel version of detectCompartments uses the `bpmapply` function. Before to call the function in parallel you should specify the parallel parameters such as:

- On Linux:  
`multiParam <- BiocParallel::MulticoreParam(workers = 10)`
- On Windows:  
`multiParam <- BiocParallel::SnowParam(workers = 10)`

And then you can register the parameters to be used by BiocParallel:

```
BiocParallel::register(multiParam, default = TRUE)
```

You should be aware that using MulticoreParam, reproducibility of the detectCompartments function using a RNGseed may not work. See this [issue](#) for more details.

## Value

A `HicDOCDataset`, with compartments, concordances, distances, centroids, and differences.

## Examples

```
data(exampleHicDOCDataset)
## Run all filtering and normalization steps (not run for timing reasons)
# object <- filterSmallChromosomes(exampleHicDOCDataset)
# object <- filterSparseReplicates(object)
# object <- filterWeakPositions(object)
# object <- normalizeTechnicalBiases(object)
# object <- normalizeBiologicalBiases(object)
# object <- normalizeDistanceEffect(object)

# Detect compartments and differences across conditions
object <- detectCompartments(exampleHicDOCDataset)
```

---

exampleHiCDOCDataset *Example HiCDOCDataset.*

---

**Description**

A S4 HiCDOCDataset object with 4 chromosomes, 3 conditions and 3 replicates.

**Usage**

```
data(exampleHiCDOCDataset)
```

**Format**

S4 HiCDOCDataset object with the following characteristics:

**chromosomes** 4 chromosomes: W, X, Y, Z

**conditions** 3 conditions: 1, 2, 3

**replicates** 3 replicates: R1, R2, R3

**binSize** A resolution of 137 bases

**Value**

A [HiCDOCDataset](#).

**Examples**

```
data(exampleHiCDOCDataset)
exampleHiCDOCDataset
```

---

exampleHiCDOCDatasetProcessed

*Example HiCDOCDataset, filtered, normalized and with compartments detected.*

---

**Description**

A S4 HiCDOCDataset object with 3 chromosomes, 3 conditions and 3 replicates. Can be retrieved by running: `data(exampleHiCDOCDataset); set.seed(123); exampleHiCDOCDatasetProcessed <- HiCDOC(exampleHiCDOCDataset)`

**Usage**

```
data(exampleHiCDOCDatasetProcessed)
```

**Format**

S4 HiCDOCDataset object with the following characteristics:

**chromosomes** 4 chromosomes: X, Y, Z

**conditions** 3 conditions: 1, 2, 3

**replicates** 3 replicates: R1, R2, R3

**binSize** A resolution of 137 bases

**Value**

A [HiCDOCDataset](#), already filtered and normalized.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
exampleHiCDOCDatasetProcessed
```

---

filterSmallChromosomes

*Filter small chromosomes.*

---

**Description**

Removes chromosomes whose length (in number of positions) is smaller than the threshold.

**Usage**

```
filterSmallChromosomes(object, threshold = NULL)
```

**Arguments**

**object** A [HiCDOCDataset](#).

**threshold** The minimum length (number of positions) for a chromosome to be kept. Defaults to `objectChromosomeThreshold` which is originally set to `defaultHiCDOCParametersSmallChromosomeThreshold` = 100.

**Value**

A filtered [HiCDOCDataset](#).

**See Also**

[filterSparseReplicates](#), [filterWeakPositions](#), [HiCDOC](#)

## Examples

```
data(exampleHiCDOCDataset)
object <- exampleHiCDOCDataset

chromosomes(object)
object <- filterSmallChromosomes(object)
chromosomes(object)
```

---

filterSparseReplicates

*Filter sparse replicates.*

---

## Description

Removes chromosome replicates whose percentage of non-zero interactions is smaller than the threshold.

## Usage

```
filterSparseReplicates(object, threshold = NULL)
```

## Arguments

object	A <a href="#">HiCDOCDataset</a> .
threshold	The minimum percentage of non-zero interactions for a chromosome replicate to be kept. If a chromosome replicate's percentage of non-zero interactions is lower than this value, it is removed. Defaults to <code>object\$smallChromosomeThreshold</code> which is originally set to <code>defaultHiCDOCParameters\$smallChromosomeThreshold = 30%</code> .

## Value

A filtered [HiCDOCDataset](#).

## See Also

[filterSmallChromosomes](#), [filterWeakPositions](#), [HiCDOC](#)

## Examples

```
data(exampleHiCDOCDataset)
object <- exampleHiCDOCDataset

object <- filterSparseReplicates(object)
```



---

filterWeakPositions     *Filter weak positions.*

---

## Description

Removes weak genomic positions whose interactions average is lower than the threshold.

## Usage

```
filterWeakPositions(object, threshold = NULL)
```

## Arguments

object	A <a href="#">HiCDOCDataset</a> .
threshold	The minimum average interaction for a position to be kept. If a position's average interaction with the entire chromosome is lower than this value in any of the replicates, it is removed from all replicates and conditions. Defaults to <code>object\$smallChromosomeThreshold</code> which is originally set to <code>defaultHiCDOCParameters\$smallChromosomeThreshold</code> = 1.

## Details

Detects weak genomic positions in each replicate, and removes them from all replicates to guarantee comparability across conditions when calling [detectCompartments](#).

## Value

A filtered [HiCDOCDataset](#).

## See Also

[filterSmallChromosomes](#), [filterSparseReplicates](#), [HiCDOC](#)

## Examples

```
data(exampleHiCDOCDataset)
object <- exampleHiCDOCDataset

object <- filterWeakPositions(object)
```

---

HiCDOC

*Default pipeline to run on the HiCDOC analysis.*


---

## Description

Runs the default filtering, normalization, and computational steps on a `HiCDOCDataSet`. To learn more about HiCDOC, browse the vignette: `browseVignettes(package = "HiCDOC")`.

## Usage

```
HiCDOC(object, parallel = FALSE)
```

## Arguments

<code>object</code>	A <code>HiCDOCDataSet</code> .
<code>parallel</code>	Whether or not to parallelize each step. Defaults to <code>FALSE</code> .

## Details

**HiCDOC pipeline:** The HiCDOC pipeline has seven steps:

**Three filtering steps:**

- `filterSmallChromosomes` to filter out small chromosomes
- `filterWeakPositions` to filter out weak positions with very few interactions
- `filterSparseReplicates` to filter out sparse replicates with many null interactions

**Three normalization steps:**

- `normalizeTechnicalBiases` to normalize technical biases in each replicates

- `normalizeBiologicalBiases` to normalize biological biases in each replicate
- `normalizeDistanceEffect` to normalize the distance effect in each chromosome

**One computational step:**

- `detectCompartments` to detect compartments in each condition and find significant changes between conditions.

**Parallel processing:** The parallel version of HiCDOC uses the `BiocParallel` package. Before to call the function in parallel you should specify the parallel parameters such as:

- On Linux:  
`multiParam <- BiocParallel::MulticoreParam(workers = 10)`
- On Windows:  
`multiParam <- BiocParallel::SnowParam(workers = 10)`

And then you can register the parameters to be used by `BiocParallel`:

```
BiocParallel::register(multiParam, default = TRUE)
```

You should be aware that using `MulticoreParam`, reproducibility of the `detectCompartments` function using a `RNGseed` may not work. See this [issue](#) for more details.

## Value

A `HiCDOCDataSet` with all slots filled.

**See Also**

[HiCDOCDataset](#), [filterSmallChromosomes](#), [filterWeakPositions](#), [filterSparseReplicates](#), [normalizeTechnicalBiases](#), [normalizeBiologicalBiases](#), [normalizeDistanceEffect](#), [detectCompartments](#)

**Examples**

```
data(exampleHiCDOCDataset)
# Default HiCDOC pipeline
# Not printing loess warnings for example purpose.
# Results should be inspected if there is any.
suppressWarnings(
  object <- HiCDOC(exampleHiCDOCDataset)
)

# Equivalent to
if(FALSE){
  object <- filterSmallChromosomes(exampleHiCDOCDataset)
  object <- filterSparseReplicates(object)
  object <- filterWeakPositions(object)
  object <- normalizeTechnicalBiases(object)
  object <- normalizeBiologicalBiases(object)
  object <- normalizeDistanceEffect(object)
  object <- detectCompartments(object)
}
```

---

HiCDOCDataset-class    HiCDOCDataset *S4* class.

---

**Description**

Data structure for a Hi-C experiment.

**Details**

An instance of `HiCDOCDataset` describes a Hi-C experiment with slots for path(s) to input file(s), interactions, pipeline parameters defaulting to `defaultHiCDOCParameters`, and computation results. It can be constructed from 4 different types of data:

- Tabular files: see [HiCDOCDatasetFromTabular](#)
- (m)Cool files: see [HiCDOCDatasetFromCool](#)
- HiC files: see [HiCDOCDatasetFromHiC](#)
- HiC-Pro matrices and bed files: see [HiCDOCDatasetFromHiCPro](#) An example `HiCDOCDataset` is also available, see [exampleHiCDOCDataset](#). The `HiCDOCDataset` object can be explored using the appropriate accessors.

## Accessors

The accessors for a HiCDOCDataset object are the following:

- [chromosomes](#) to retrieve the vector of chromosome names.
- [sampleConditions](#) to retrieve the vector of condition names, one for each sample.
- [sampleReplicates](#) to retrieve the vector of replicate names, one for each sample.

After the detection of compartments you can use this accessors:

- [compartments](#) returns a GenomicRange of the compartment of every position in every condition.
- [concordances](#) returns a GenomicRange of the significant compartment differences between conditions, and their p-values.
- [differences](#) returns a GenomicRange of the concordance (confidence in assigned compartment) of every position in every replicate.

See the [HiCDOCDataset-methods](#) man page for more details on methods and accessors.

## See Also

[HiCDOC](#), [exampleHiCDOCDataset](#), [HiCDOCDatasetFromTabular](#), [HiCDOCDatasetFromCool](#), [HiCDOCDatasetFromHiC](#), [HiCDOCDatasetFromHiCPro](#)

---

HiCDOCDataset-methods *Methods to access a HiCDOCDataset components.*

---

## Description

Retrieve information and results from a [HiCDOCDataset](#).

## Usage

```
## S4 method for signature 'HiCDOCDataset'
chromosomes(object)
```

```
## S4 method for signature 'HiCDOCDataset'
sampleConditions(object)
```

```
## S4 method for signature 'HiCDOCDataset'
sampleReplicates(object)
```

```
## S4 method for signature 'HiCDOCDataset'
compartments(object, passChecks = TRUE)
```

```
## S4 method for signature 'HiCDOCDataset'
differences(object, threshold = NULL)
```

```
## S4 method for signature 'HiCDOCDataset'
concordances(object, passChecks = TRUE)
```

```
## S4 method for signature 'HiCDOCDataset'
show(object)
```

### Arguments

object	a HiCDOCDataset object
passChecks	logical. Display only the concordances/compartments for the chromosomes passing sanity checks.
threshold	a numeric value between 0 and 1. If no threshold, all the differences will be printed even the non significant ones. Otherwise the differences printed are filtered to show the ones with an adjusted p-value $\leq$ threshold.

### Value

A character vector (for chromosomes, sampleConditions, sampleReplicates), or a GRanges object (for compartments, concordances, differences).

### Functions

- `chromosomes()`: Retrieves the vector of chromosome names.
- `sampleConditions()`: Retrieves the vector of condition names, one for each sample.
- `sampleReplicates()`: Retrieves the vector of replicate names, one for each sample.
- `compartments()`: Retrieves a GenomicRange of the compartment of every position in every condition.
- `differences()`: Retrieves a GenomicRange of the significant compartment differences between conditions, and their p-values.
- `concordances()`: Retrieves a GenomicRange of the concordance (confidence in assigned compartment) of every position in every replicate.

### Examples

```
# Load an example dataset already processed
# (i.e. after the detection of compartments)
data(exampleHiCDOCDatasetProcessed)

exampleHiCDOCDatasetProcessed
chromosomes(exampleHiCDOCDatasetProcessed)
sampleConditions(exampleHiCDOCDatasetProcessed)
sampleReplicates(exampleHiCDOCDatasetProcessed)
compartments(exampleHiCDOCDatasetProcessed)
differences(exampleHiCDOCDatasetProcessed)
concordances(exampleHiCDOCDatasetProcessed)
```

---

 HiCDOCDataset-parameters

*Access the parameters of a [HiCDOCDataset](#).*


---

## Description

Retrieves or sets parameters used for filtering, normalization, and prediction of compartments.

## Usage

```
defaultHiCDOCPParameters
```

```
## S4 method for signature 'HiCDOCDataset'
parameters(object)
```

```
## S4 replacement method for signature 'HiCDOCDataset'
parameters(object) <- value
```

## Arguments

object	A <a href="#">HiCDOCDataset</a> .
value	a named list containing the names and values of the parameters to change (see <a href="#">Details</a> ).

## Format

An object of class list of length 9.

## Details

A [HiCDOCDataset](#)'s parameters are automatically set to default values retrieved from [defaultHiCDOCPParameters](#). They are accessed by filtering, normalization, and compartment detection functions. If those functions are called with custom arguments, the object's parameters are updated to record the actual parameters used. If the object's parameters are customized before calling the functions, the custom parameters will be used.

See [filterSmallChromosomes](#), [filterSparseReplicates](#), [filterWeakPositions](#), [normalizeDistanceEffect](#), and [detectCompartments](#), for details on how these parameters are used.

### All parameters are listed here::

`smallChromosomeThreshold` The minimum length (number of positions) for a chromosome to be kept when filtering with [filterSmallChromosomes](#). Defaults to `defaultHiCDOCPParameters$smallChromosomeThreshold = 100`.

`sparseReplicateThreshold` The minimum percentage of non-zero interactions for a chromosome replicate to be kept when filtering with [filterSparseReplicates](#). If a chromosome replicate's percentage of non-zero interactions is lower than this value, it is removed. Defaults to `defaultHiCDOCPParameters$smallChromosomeThreshold = 30`

- weakPositionThreshold** The minimum average interaction for a position to be kept when filtering with `filterWeakPositions`. If a position's average interaction with the entire chromosome is lower than this value in any of the replicates, it is removed from all replicates and conditions. Defaults to `defaultHiCDOCParameters$smallChromosomeThreshold = 1`.
- cyclicLoessSpan** The span for cyclic loess normalization used in `normalizeTechnicalBiases`. This value is passed to `multiHiCcompare::cyclic_loess`. Defaults to NA indicating that span will be automatically calculated using generalized cross validation. For large dataset, it is highly recommended to set this value to reduce computing time and necessary memory.
- loessSampleSize** The number of positions used as a sample to estimate the effect of distance on proportion of interactions when normalizing with `normalizeDistanceEffect`. Defaults to `defaultHiCDOCParameters$loessSampleSize = 20000`.
- kMeansDelta** The convergence stop criterion for the clustering when detecting compartments with `detectCompartments`. When the centroids' distances between two iterations is lower than this value, the clustering stops. Defaults to `defaultHiCDOCParameters$kMeansDelta = 0.0001`.
- kMeansIterations** The maximum number of iterations during clustering when detecting compartments with `detectCompartments`. Defaults to `defaultHiCDOCParameters$kMeansIterations = 50`.
- kMeansRestarts** The amount of times the clustering is restarted when detecting compartments with `detectCompartments`. For each restart, the clustering iterates until convergence or reaching the maximum number of iterations. The clustering that minimizes inner-cluster variance is selected. Defaults to `defaultHiCDOCParameters$kMeansRestarts = 20`.
- PC1CheckThreshold** The minimum percentage of variance that should be explained by the first principal component of centroids to pass sanity check. Defaults to `defaultHiCDOCParameters$PC1CheckThreshold = 0.75`

## Examples

```
data(exampleHiCDOCDataSet)

# Retrieve parameters
parameters(exampleHiCDOCDataSet)

# Set parameters
parameters(exampleHiCDOCDataSet) <- list("smallChromosomeThreshold" = 50)
parameters(exampleHiCDOCDataSet) <- list(
  "weakPositionThreshold" = 10,
  "kMeansRestarts" = 30
)
```

---

HiCDOCDataSetFromCool [HiCDOCDataSet](#) constructor from Cool files.

---

## Description

Constructs a [HiCDOCDataSet](#) from a set of .cool or .mcool files.

**Usage**

```
HiCDOCDataSetFromCool(paths, replicates, conditions, binSize = NA)
```

**Arguments**

paths	A vector of paths to .cool or .mcool files.
replicates	A vector of replicate names repeated along the conditions.
conditions	A vector of condition names repeated along the replicates.
binSize	The resolution (span of each position in number of bases). Optionally provided to select the appropriate resolution in .mcool files. Defaults to NULL.

**Value**

A [HiCDOCDataSet](#).

**Examples**

```
## Not run:
# Path to each file
paths = c(
  'path/to/condition-1.replicate-1.cool',
  'path/to/condition-1.replicate-2.cool',
  'path/to/condition-2.replicate-1.cool',
  'path/to/condition-2.replicate-2.cool',
  'path/to/condition-3.replicate-1.cool'
)

# Replicate and condition of each file. Can be names instead of numbers.
replicates <- c(1, 2, 1, 2, 1)
conditions <- c(1, 1, 2, 2, 3)

# Resolution to select in .mcool files
binSize = 500000

# Instantiation of data set
object <- HiCDOCDataSetFromCool(
  paths,
  replicates = replicates,
  conditions = conditions,
  binSize = binSize # Specified for .mcool files.
)

## End(Not run)
```



---

HiCDOCDataSetFromHiC [HiCDOCDataSet](#) constructor from HiC files.

---

## Description

Constructs a [HiCDOCDataSet](#) from a set of .hic files.

## Usage

```
HiCDOCDataSetFromHiC(paths, replicates, conditions, binSize)
```

## Arguments

paths	A vector of paths to .hic files.
replicates	A vector of replicate names repeated along the conditions.
conditions	A vector of condition names repeated along the replicates.
binSize	The resolution (span of each position in number of bases) to select within the .hic files.

## Value

A [HiCDOCDataSet](#).

## Examples

```
## Not run:
#' # Path to each file
paths = c(
  'path/to/condition-1.replicate-1.hic',
  'path/to/condition-1.replicate-2.hic',
  'path/to/condition-2.replicate-1.hic',
  'path/to/condition-2.replicate-2.hic',
  'path/to/condition-3.replicate-1.hic'
)

# Replicate and condition of each file. Can be names instead of numbers.
replicates <- c(1, 2, 1, 2, 1)
conditions <- c(1, 1, 2, 2, 3)

# Resolution to select
binSize <- 500000

# Instantiation of data set
hic.experiment <- HiCDOCDataSetFromHiC(
  paths,
  replicates = replicates,
  conditions = conditions,
  binSize = binSize
```

```

    )
## End(Not run)

```

---

HiCDOCDataSetFromHiCPro

[HiCDOCDataSet](#) constructor from HiC-Pro files.

---

### Description

Constructs a [HiCDOCDataSet](#) from a set of HiC-Pro generated files.

### Usage

```
HiCDOCDataSetFromHiCPro(matrixPaths, bedPaths, replicates, conditions)
```

### Arguments

matrixPaths	A vector of paths to HiC-Pro matrix files.
bedPaths	A vector of paths to HiC-Pro bed files.
replicates	A vector of replicate names repeated along the conditions.
conditions	A vector of condition names repeated along the replicates.

### Value

A [HiCDOCDataSet](#).

### Examples

```

## Not run:
# Path to each matrix file
matrixPaths = c(
  'path/to/condition-1.replicate-1.matrix',
  'path/to/condition-1.replicate-2.matrix',
  'path/to/condition-2.replicate-1.matrix',
  'path/to/condition-2.replicate-2.matrix',
  'path/to/condition-3.replicate-1.matrix'
)

# Path to each bed file
bedPaths = c(
  'path/to/condition-1.replicate-1.bed',
  'path/to/condition-1.replicate-2.bed',
  'path/to/condition-2.replicate-1.bed',
  'path/to/condition-2.replicate-2.bed',
  'path/to/condition-3.replicate-1.bed'
)

```

```
# Replicate and condition of each file. Can be names instead of numbers.
replicates <- c(1, 2, 1, 2, 1)
conditions <- c(1, 1, 2, 2, 3)

# Instantiation of data set
hic.experiment <- HiCDOCDataSetFromHiCPro(
  matrixPaths = matrixPaths,
  bedPaths = bedPaths,
  replicates = replicates,
  conditions = conditions
)

## End(Not run)
```

---

HiCDOCDataSetFromTabular

[HiCDOCDataSet](#) constructor from a tabular file.

---

## Description

Constructs a [HiCDOCDataSet](#) from a tabular file.

## Usage

```
HiCDOCDataSetFromTabular(path, sep = '\t')
```

## Arguments

path	A path to a tabular file.
sep	The separator of the tabular file. Default to tabulation.

## Details

Accepts a tabular file with chromosome, position 1, position 2, and multiple replicate columns listing interaction counts. Null interactions do not have to be listed. Values must be separated by tabulations. The header must be chromosome position 1 position 2 x.y x.y x.y ... with x replaced by condition names and y replaced by replicate names.

## Value

A [HiCDOCDataSet](#).

## Examples

```
path <- system.file("extdata", "liver_18_10M_500000.tsv", package = "HiCDOC")
object <- HiCDOCDataSetFromTabular(path, sep = '\t')
```

---

`normalizeBiologicalBiases`*Normalize biological biases.*

---

**Description**

Normalizes biological biases such as GC content and repeated regions. Uses the Knight-Ruiz balancing algorithm to transform interaction matrices into doubly stochastic matrices, with sum of each row and sum of each column equal to 1.

**Usage**

```
normalizeBiologicalBiases(object, parallel = FALSE)
```

**Arguments**

`object`            A [HiCDOCDataSet](#).  
`parallel`          Should the normalization be run in parallel mode? Default to FALSE.

**Value**

A [HiCDOCDataSet](#) with normalized interactions.

**See Also**

[filterSparseReplicates](#), [filterWeakPositions](#), [normalizeTechnicalBiases](#), [normalizeDistanceEffect](#), [HiCDOC](#)

**Examples**

```
data(exampleHiCDOCDataSet)
object <- exampleHiCDOCDataSet
object <- filterSparseReplicates(object)
object <- filterWeakPositions(object)
object <- normalizeBiologicalBiases(object)
```

---

`normalizeDistanceEffect`*Normalize distance effect.*

---

**Description**

Normalizes interactions by their "expected" value relative to the distance that separates their positions. The "expected" values are estimated with a loess regression on the proportion of interactions for each distance.

**Usage**

```
normalizeDistanceEffect(object, loessSampleSize = NULL, parallel = FALSE)
```

**Arguments**

object	A <a href="#">HiCDOCDataSet</a> .
loessSampleSize	The number of positions used as a sample to estimate the effect of distance on proportion of interactions. Defaults to <code>object\$loessSampleSize</code> which is originally set to <code>defaultHiCDOCParameters\$loessSampleSize = 20000</code> .
parallel	Should the normalization be run in parallel mode? Default to FALSE.

**Value**

A [HiCDOCDataSet](#) with normalized interactions.

**See Also**

[normalizeTechnicalBiases](#), [normalizeBiologicalBiases](#), [HiCDOC](#)

**Examples**

```
data(exampleHiCDOCDataSet)
object <- normalizeDistanceEffect(exampleHiCDOCDataSet)
```

---

normalizeTechnicalBiases

*Normalize technical biases.*

---

**Description**

Normalizes technical biases such as sequencing depth by using a cyclic loess to recursively normalize each pair of interaction matrices. Depends on `multiHiCcompare`.

**Usage**

```
normalizeTechnicalBiases(object, parallel = FALSE, cyclicLoessSpan = NULL)
```

**Arguments**

object	A <a href="#">HiCDOCDataSet</a> .
parallel	Logical. Whether or not to parallelize the processing. Defaults to FALSE

**cyclicLoessSpan**

A numeric value in between 0 and 1. The span for cyclic loess normalization. This value is passed to `multiHiCcompare::cyclic_loess`. Defaults to `NULL`, `NULL` indicates that the value of `parameters(object)$cyclicLoessSpan` will be used. If this value is `NA`, the span will be automatically calculated using generalized cross validation. **\*\*For large dataset, it is highly recommended to set this value to reduce computing time and necessary memory.\*\***

**Details**

**Parallel processing:** If `parallel = TRUE`, the function `cyclic_loess` is launched in parallel mode, using `bplapply` function. Before to call the function in parallel you should specify the parallel parameters such as:

- On Linux:  
`multiParam <- BiocParallel::MulticoreParam(workers = 10)`
- On Windows:  
`multiParam <- BiocParallel::SnowParam(workers = 10)`

And then you can register the parameters to be used by `BiocParallel`:

```
BiocParallel::register(multiParam, default = TRUE)
```

**Value**

A `HiCDOCDataSet` with normalized interactions.

**See Also**

[filterSparseReplicates](#), [filterWeakPositions](#), [normalizeBiologicalBiases](#), [normalizeDistanceEffect](#), [HiCDOC](#)

**Examples**

```
data(exampleHiCDOCDataSet)
object <- filterSmallChromosomes(exampleHiCDOCDataSet)
object <- filterSparseReplicates(object)
object <- filterWeakPositions(object)
# Not printing loess warnings for example purpose.
# Results should be inspected if there is any.
suppressWarnings(
  object <- normalizeTechnicalBiases(object)
)
```

---

plotCentroids      *Plot centroids.*

---

**Description**

Plots the result of the PCA on the compartments' centroids.

**Usage**

```
plotCentroids(object, chromosome, size = 2, checks = TRUE)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in chromosomes(object).
size	Size of each point. Defaults to 2.
checks	Whether or not to add sanity checks messages on centroids. Default to TRUE.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotCentroids(exampleHiCDOCDatasetProcessed, chromosome = 1)
```

---

plotCompartmentChanges  
*Plot compartment changes.*

---

**Description**

Plots the predicted compartments, along with their concordance in each replicate, and significant changes between experiment conditions.

**Usage**

```
plotCompartmentChanges(
  object,
  chromosome,
  threshold = 0.05,
  xlim = NULL,
  points = FALSE,
  checks = TRUE,
  colour = "gray90"
)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in chromosomes(object).
threshold	Significance threshold for the compartment changes. Defaults to 0.05.
xlim	A vector of the minimum and maximum positions to display. If NULL, displays all positions. Defaults to NULL.
points	Whether or not to add points to the concordances. Defaults to FALSE.
checks	Whether or not to add sanity checks messages. Default to TRUE.
colour	Border color for the compartments. Default to 'gray90'. 'NA' means no border.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotCompartmentChanges(exampleHiCDOCDatasetProcessed, chromosome = 1)
```

---

plotCompartments      *Plot A/B compartments.*

---

**Description**

Plots the predicted compartments in each experiment condition.

**Usage**

```
plotCompartments(object, chromosome, xlim = NULL, colour = "gray90")
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in chromosomes(object).
xlim	A vector of the minimum and maximum positions to display. If NULL, displays all positions. Defaults to NULL.
colour	Border color for the compartments. Default to 'gray90'. 'NA' means no border.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotCompartments(exampleHiCDOCDatasetProcessed, chromosome = 1)
```



---

`plotConcordanceDifferences`*Plot the distribution of concordance differences.*

---

**Description**

Plots the distribution of concordance differences, which are the differences between concordances of each pair of replicates from different conditions. A concordance can be understood as a confidence in a genomic position's assigned compartment. Mathematically, it is the log ratio of a genomic position's distance to each compartment's centroid, normalized by the distance between both centroids, and min-maxed to a [-1,1] interval.

**Usage**

```
plotConcordanceDifferences(object)
```

**Arguments**

`object`            A [HiCDOCDataset](#).

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotConcordanceDifferences(exampleHiCDOCDatasetProcessed)
```

---

`plotConcordances`*Plot concordances.*

---

**Description**

Plots the concordances of each replicate in each experiment condition. A concordance can be understood as a confidence in a genomic position's assigned compartment. Mathematically, it is the log ratio of a genomic position's distance to each compartment's centroid, normalized by the distance between both centroids, and min-maxed to a [-1,1] interval.

**Usage**

```
plotConcordances(
  object,
  chromosome,
  xlim = NULL,
  threshold = 0.05,
  points = FALSE
)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in chromosomes(object).
xlim	A vector of the minimum and maximum positions to display. If NULL, displays all positions. Defaults to NULL.
threshold	Significance threshold for the compartment changes. Defaults to 0.05.
points	Whether or not to add points to the concordances. Defaults to FALSE.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotConcordances(exampleHiCDOCDatasetProcessed, chromosome = 1)
```

---

plotDistanceEffect     *Plot the distance effect.*

---

**Description**

Plots the distance effect on proportion of interactions. Each point is a cell in the interaction matrix, such that the x-axis is the distance with respect to the diagonal, the y-axis is number of counts. Dots are binned.

**Usage**

```
plotDistanceEffect(
  object,
  chromosome = NULL,
  transformX = "identity",
  transformY = "identity"
)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	Name (character) or index of the chromosome, if the plot should be restricted to only one chromosome. Default to NULL.
transformX	Transformation of the X axis. Default to "identity". See <a href="#">scale_x_continuous</a> for other accepted values.
transformY	Transformation of the Y axis. Default to "identity". See <a href="#">scale_y_continuous</a> for other accepted values.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDataset)
plotDistanceEffect(exampleHiCDOCDataset)
```

---

plotInteractions      *Plot interaction matrices.*

---

**Description**

Plots the interaction matrices as heatmaps.

**Usage**

```
plotInteractions(
  object,
  chromosome,
  transform = NULL,
  colours = c(low = "#2c7bb6", mid = "#ffffbf", high = "#d7191c"),
  midpoint = 0
)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in <code>chromosomes(object)</code> .
transform	Transformation of the color scale. Default to NULL (no transformation). See <a href="#">scale_fill_gradient2</a> for other accepted values.
colours	A character vector colours of length 3 to use for the gradient. See <a href="#">scale_fill_gradient2</a> for more info. Defaults to <code>c("low"="#2c7bb6", "mid"="#ffffbf", "high"="#d7191c")</code> .
midpoint	midpoint value to be passed to <code>scale_fill_gradient2</code> . Default to 0.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDataset)
plotInteractions(exampleHiCDOCDataset, chromosome = 1)
```

---

plotSelfInteractionRatios

*Plot boxplots of self interaction ratios.*

---

**Description**

Plots the boxplots of self interaction ratios, which are the differences between self interaction and median of other interactions for each genomic position. Since the A compartment is open with more interactions overall, it is assumed that self interaction ratios in compartment A are smaller than in compartment B.

**Usage**

```
plotSelfInteractionRatios(object, chromosome, checks = TRUE)
```

**Arguments**

object	A <a href="#">HiCDOCDataset</a> .
chromosome	A chromosome name or index in chromosomes(object). A <a href="#">HiCDOCDataset</a> .
checks	Logical. Should sanity checks messages be printed on plot ? Default to TRUE.

**Value**

A ggplot.

**Examples**

```
data(exampleHiCDOCDatasetProcessed)
plotSelfInteractionRatios(exampleHiCDOCDatasetProcessed, chromosome = 1)
```

---

reduceHiCDOCDataset    *Reduce a [HiCDOCDataset](#).*

---

### Description

Reduces a [HiCDOCDataset](#) by keeping only given chromosomes, conditions, or replicates.

### Usage

```
reduceHiCDOCDataset(  
  object,  
  chromosomes = NULL,  
  conditions = NULL,  
  replicates = NULL,  
  dropLevels = TRUE  
)
```

### Arguments

object	A <a href="#">HiCDOCDataset</a> .
chromosomes	The chromosome names or indices in <code>chromosomes(object)</code> to keep. Defaults to NULL.
conditions	The condition names in <code>sampleConditions(object)</code> to keep. Defaults to NULL.
replicates	The replicate names in <code>sampleReplicates(object)</code> to keep. Defaults to NULL.
dropLevels	Whether or not to also remove unused factor levels after filtering. Should be set to FALSE if the reduced objects are meant to be re-combined later. Defaults to TRUE.

### Value

A reduced [HiCDOCDataset](#).

### Examples

```
data(exampleHiCDOCDataset)  
reduced <- reduceHiCDOCDataset(exampleHiCDOCDataset, chromosomes = c(1, 2))
```

# Index

- \* **datasets**
  - exampleHiCDOCDataSet, 6
  - exampleHiCDOCDataSetProcessed, 6
  - HiCDOCDataSet-parameters, 14
  - \_PACKAGE (HiCDOC-package), 3
- BiocParallel, 10
- bplapply, 22
- bpmapply, 5
- chromosomes, 12
- chromosomes (HiCDOCDataSet-methods), 12
- chromosomes,HiCDOCDataSet-method (HiCDOCDataSet-methods), 12
- compartments, 12
- compartments (HiCDOCDataSet-methods), 12
- compartments,HiCDOCDataSet-method (HiCDOCDataSet-methods), 12
- concordances, 12
- concordances (HiCDOCDataSet-methods), 12
- concordances,HiCDOCDataSet-method (HiCDOCDataSet-methods), 12
- cyclic\_loess, 22
- defaultHiCDOCParameters, 14
- defaultHiCDOCParameters (HiCDOCDataSet-parameters), 14
- detectCompartments, 3, 9–11, 14, 15
- differences, 12
- differences (HiCDOCDataSet-methods), 12
- differences,HiCDOCDataSet-method (HiCDOCDataSet-methods), 12
- exampleHiCDOCDataSet, 6, 11, 12
- exampleHiCDOCDataSetProcessed, 6
- filterSmallChromosomes, 7, 8–11, 14
- filterSparseReplicates, 7, 8, 9–11, 14, 20, 22
- filterWeakPositions, 7, 8, 9, 10, 11, 14, 15, 20, 22
- HiCDOC, 7–9, 10, 12, 20–22
- HiCDOC-package, 3
- HiCDOCDataSet, 4–9, 11, 12, 14–29
- HiCDOCDataSet (HiCDOCDataSet-class), 11
- HiCDOCDataSet-class, 11
- HiCDOCDataSet-methods, 12, 12
- HiCDOCDataSet-parameters, 14
- HiCDOCDataSetFromCool, 11, 12, 15
- HiCDOCDataSetFromHiC, 11, 12, 17
- HiCDOCDataSetFromHiCPro, 11, 12, 18
- HiCDOCDataSetFromTabular, 11, 12, 19
- normalizeBiologicalBiases, 10, 11, 20, 21, 22
- normalizeDistanceEffect, 10, 11, 14, 15, 20, 20, 22
- normalizeTechnicalBiases, 10, 11, 15, 20, 21, 21
- parameters (HiCDOCDataSet-parameters), 14
- parameters,HiCDOCDataSet-method (HiCDOCDataSet-parameters), 14
- parameters<- (HiCDOCDataSet-parameters), 14
- parameters<- ,HiCDOCDataSet-method (HiCDOCDataSet-parameters), 14
- plotCentroids, 23
- plotCompartmentChanges, 23
- plotCompartments, 24
- plotConcordanceDifferences, 25
- plotConcordances, 25
- plotDistanceEffect, 26
- plotInteractions, 27
- plotSelfInteractionRatios, 28
- reduceHiCDOCDataSet, 29
- sampleConditions, 12
- sampleConditions (HiCDOCDataSet-methods), 12

sampleConditions, HiCDOCDataset-method  
(HiCDOCDataset-methods), [12](#)

sampleReplicates, [12](#)

sampleReplicates  
(HiCDOCDataset-methods), [12](#)

sampleReplicates, HiCDOCDataset-method  
(HiCDOCDataset-methods), [12](#)

scale\_fill\_gradient2, [27](#)

scale\_x\_continuous, [27](#)

scale\_y\_continuous, [27](#)

show, HiCDOCDataset-method  
(HiCDOCDataset-methods), [12](#)