

# Package ‘SingleMoleculeFootprintingData’

April 2, 2026

**Type** Package

**Title** Data supporting the SingleMoleculeFootprinting pkg

**Version** 1.18.0

**Description** This Data package contains data objects relevant for the SingleMoleculeFootprinting package. More specifically, it contains one example of aligned sequencing data (.bam & .bai) necessary to run the SingleMoleculeFootprinting vignette. Additionally, we provide data that are essential for some functions to work correctly such as BaitCapture() and SampleCorrelation().

**biocViews** ExperimentHub, ExperimentData, SequencingData

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Imports** ExperimentHub, utils

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**RoxygenNote** 7.1.1

**git\_url** <https://git.bioconductor.org/packages/SingleMoleculeFootprintingData>

**git\_branch** RELEASE\_3\_22

**git\_last\_commit** 2069905

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.22

**Date/Publication** 2026-04-02

**Author** Guido Barzaghi [aut, cre] (ORCID: <https://orcid.org/0000-0001-6066-3920>),  
Arnaud Krebs [aut] (ORCID: <https://orcid.org/0000-0001-7999-6127>),  
Mike Smith [ctb] (ORCID: <https://orcid.org/0000-0002-7800-3848>)

**Maintainer** Guido Barzaghi <[guido.barzaghi@embl.de](mailto:guido.barzaghi@embl.de)>

## Contents

NRF1pair.bam . . . . .	2
<b>Index</b>	<b>3</b>

---

`NRF1pair.bam`*SingleMoleculeFootprintingData*

---

### Description

This Data package contains `r` objects necessary to run some of the functions from the `SingleMoleculeFootprinting` package. `SingleMoleculeFootprinting` is an R package providing functions to analyze Single Molecule Footprinting (SMF) data.

### Usage

```
NRF1pair.bam(metadata = FALSE)
NRF1pair.bam.bai(metadata = FALSE)
EnrichmentRegions_mm10.rds(metadata = FALSE)
ReferenceMethylation.rds(metadata = FALSE)
AllCs.rds(metadata = FALSE)
```

### Arguments

`metadata` FALSE (default) returns data. TRUE returns metadata

### Value

Returns respectively: `NRF1pair.bam` - Bam file containing reads covering example NRF1 pair binding locus used for `SingleMoleculeFootprinting` vignette. `NRF1pair.bam.bai` - Bam index file to Bam file used as example data in `SingleMoleculeFootprinting` vignette `EnrichmentRegions_mm10.rds` - `GRanges` obj of mouse genomic regions enriched for SMF signal in genome-wide capture experiments. Can be used to compute bait capture efficiency `ReferenceMethylation.rds` - Reference matrix of genome-wide bulk SMF values for published experiments in mouse cell lines `AllCs.rds` - `GRanges` obj referencing the genomic context cytosines for mm10

### Examples

```
NRF1pair.bam(metadata = TRUE)
NRF1pair.bam.bai(metadata = TRUE)
EnrichmentRegions_mm10.rds(metadata = TRUE)
ReferenceMethylation.rds(metadata = TRUE)
AllCs.rds(metadata = TRUE)
```

# Index

AllCs.rds (NRF1pair.bam), [2](#)

EnrichmentRegions\_mm10.rds  
(NRF1pair.bam), [2](#)

NRF1pair.bam, [2](#)

ReferenceMethylation.rds  
(NRF1pair.bam), [2](#)