

# Package ‘raerdata’

February 26, 2026

**Title** A collection of datasets for use with raer package

**Version** 1.8.0

**Description** raerdata is an ExperimentHub package that provides a collection of files useful for demonstrating functionality in the raer package. Datasets include 10x genomics scRNA-seq, bulk RNA-seq, and paired whole-genome and RNA-seq data. Additionally databases of human and mouse RNA editing sites are provided.

**License** MIT + file LICENSE

**Imports** ExperimentHub, Rsamtools, BiocGenerics, rtracklayer, SingleCellExperiment

**Suggests** rmarkdown, knitr, BiocStyle, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.3

**Encoding** UTF-8

**biocViews** SingleCellData, SequencingData, RNASeqData, ExperimentHub, PackageTypeData, ExpressionData

**BugReports** <https://github.com/rnabioco/raerdata/issues>

**URL** <https://github.com/rnabioco/raerdata>

**Config/testthat/edition** 3

**git\_url** <https://git.bioconductor.org/packages/raerdata>

**git\_branch** RELEASE\_3\_22

**git\_last\_commit** 7f02dc2

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.22

**Date/Publication** 2026-02-26

**Author** Kent Riemondy [aut, cre] (ORCID:  
<<https://orcid.org/0000-0003-0750-1273>>)

**Maintainer** Kent Riemondy <kent.riemondy@cuanschutz.edu>

Contents

|                               |          |
|-------------------------------|----------|
| GSE99249 . . . . .            | 2        |
| NA12878 . . . . .             | 3        |
| pbmc_10x . . . . .            | 3        |
| raerdata . . . . .            | 4        |
| redportal_full_mm10 . . . . . | 4        |
| <b>Index</b>                  | <b>6</b> |

---

|          |                                                |
|----------|------------------------------------------------|
| GSE99249 | <i>RNA sequencing data from study GSE99249</i> |
|----------|------------------------------------------------|

---

Description

Study **GSE99249** examined RNA editing in WT, ADAR1KO, and ADAR1-p150 HEK293T cells treated with and without interferon beta.

Usage

GSE99249()

Details

GSE99249() will download BAM and BAM index files from 6 RNA-seq libraries. 3 libraries are ADAR1 knockout cells treated with interferon beta and 3 libraries are wild type cells treated with interferon beta. The BAM files contain alignments from chromosome 18.

Value

- A list containing:
- bams A [BamFileList](#) object, indicating the BAM file paths and BAI indexes.
  - fasta A path to a fasta file from chr18 of hg38
  - snps a GRanges object containing known SNPs from the REDportal database (hg38)

Examples

GSE99249()

NA12878

*Whole genome and RNA sequencing data from NA12878 cell line***Description**

Whole genome and RNA sequencing data from NA12878 cell line

**Usage**

```
NA12878()
```

**Details**

Will download BAM and BAM index files from whole genome and RNA sequencing of the NA12878 cell line. The data is from the first megabase of chromosome 4. Additionally a fasta file and a database of known SNPs will be downloaded.

**Value**

A list containing:

- bams A [BamFileList](#) object, indicating the BAM file paths and BAI indexes.
- fasta A path to a fasta file containing the genome sequence of the first megabase of chr4 (hg38)
- snps a GRanges object containing SNPs from the first megabase of chr4

**Examples**

```
NA12878()
```

pbmc\_10x

*single cell RNA sequencing data from human PBMCs***Description**

A 10x Genomics 3' single cell RNA-seq library from 10k PBMCs. The BAM file contains alignments from chr16. A [SingleCellExperiment](#) is also provided with pre-processed gene expression data, a UMAP projection and cell type annotations.

**Usage**

```
pbmc_10x()
```

**Details**

pbmc\_10x() will download a BAM, BAM index file, REDportal RNA editing sites, and a SingleCellExperiment object from the [ExperimentHub](#).

**Value**

A list containing:

- bam a [BamFile](#) object indicating the BAM and BAI file paths. Contains alignments from only chr16 (hg38).
- sites a GRanges object containing known RNA editing sites from the REDportal database (hg38).
- sce a [SingleCellExperiment](#) object containing gene expression data, a UMAP projection and cell type annotations.

**See Also**

<https://www.10xgenomics.com/resources/datasets/10k-human-pbmcs-3-v3-1-chromium-x-with-intronic->

**Examples**

```
pbmc_10x()
```

---

|          |                 |
|----------|-----------------|
| raerdata | <i>raerdata</i> |
|----------|-----------------|

---

**Description**

A collection of datasets and databases to demonstrate RNA-editing analysis approaches using the raer package.

**Details**

[atlases](#) a collection of RNA editing databases

[NA12878](#) Whole genome and RNA sequencing data from the NA12878 cell line

[GSE99249](#) RNA sequencing data from a study that examined RNA editing in WT, ADAR1KO, and ADAR1-p150 HEK293T cells treated with and without interferon beta.

[pbmc\\_10x](#) single cell RNA sequencing data from human PBMCs from 10x Genomics

---

|                      |                                             |
|----------------------|---------------------------------------------|
| rediportal_full_mm10 | <i>Databases of known RNA editing sites</i> |
|----------------------|---------------------------------------------|

---

**Description**

Databases of known RNA editing sites

**Usage**

```
rediportal_full_mm10()
```

```
rediportal_coords_mm10()
```

```
rediportal_full_hg38()
```

```
rediportal_coords_hg38()
```

```
gabay_sites_mm10()
```

```
gabay_sites_hg38()
```

**Details**

`rediportal_full_hg38()` will download the human REDiportal database for hg38 which has been converted into a GRanges object. The GRanges is supplemented with additional columns of information provided by the REDiportal database, including gene location, repeat type, dbSNP annotation, and potential for amino-acid recoding.

`rediportal_coords_hg38()` will download the human REDiportal database for hg38 which has been converted into a GRanges object, which only contains the coordinates of the editing site.

`rediportal_full_mm10()` will download the mouse REDiportal database for mm10 which has been converted into a GRanges object. The GRanges is supplemented with additional columns of information provided by the REDiportal database, including gene location, repeat type, dbSNP annotation, and potential for amino-acid recoding.

`rediportal_coords_mm10()` will download the mouse REDiportal database for mm10 which has been converted into a GRanges object, which only contains the coordinates of the editing site.

`gabay_sites_hg38()` will download high-confidence human CDS editing sites (hg38).

`gabay_sites_mm10()` will download high-confidence mouse CDS editing sites (lifted-over from hg38 to mm10).

**Value**

A GRanges object.

**Examples**

```
gabay_sites_hg38()
```

# Index

## \* **atlases**

    redportal\_full\_mm10, [4](#)

atlases, [4](#)

BamFile, [4](#)

BamFileList, [2](#), [3](#)

ExperimentHub, [3](#)

gabay\_sites\_hg38  
    (redportal\_full\_mm10), [4](#)

gabay\_sites\_mm10  
    (redportal\_full\_mm10), [4](#)

GSE99249, [2](#), [4](#)

NA12878, [3](#), [4](#)

pbmc\_10x, [3](#), [4](#)

raerdata, [4](#)

redportal\_coords\_hg38  
    (redportal\_full\_mm10), [4](#)

redportal\_coords\_mm10  
    (redportal\_full\_mm10), [4](#)

redportal\_full\_hg38  
    (redportal\_full\_mm10), [4](#)

redportal\_full\_mm10, [4](#)

SingleCellExperiment, [3](#), [4](#)