

# msdata

October 25, 2011

---

msdata

*Sample FTICR, LC/MS and MS<sup>n</sup> data*

---

## Description

`x` object containing a subset of LC/MS raw data from a Thermo Finnigan LCQ Deca XP. The data is a subset from 500-850 m/z and 1190-1310 seconds, incl. MS2 and MS3, intensity threshold 100.000. It was collected in positive ionization mode.

`xs` object containing a subset of FTICR data from a Bruker APex III FTICR. The data is a subset from 400-450 m/z, collected in positive ionization mode.

## Usage

```
data(xs)
```

## Format

The format is:

```
xs
```

## Details

The corresponding raw mzdata files are located in the `fticr` and `iontrap` subdirectory of this package.

## See Also

[xcmsSet](#), [xcmsRaw](#)

## Examples

```
## The directory with the mzData LC/MS files
mzdatapath <- file.path(.find.package("msdata"), "iontrap")
mzdatapath
files <- list.files(mzdatapath, recursive = TRUE, full.names = TRUE)

if (require(xcms)) {
```

```
## xcmsSet Summary
show(xs)

## Access raw data file
x <- xcmsRaw(files[1])
x

}
```

# Index

## \*Topic **datasets**

[msdata](#), [1](#)

[msdata](#), [1](#)

[x \(msdata\)](#), [1](#)

[xcmsRaw](#), [1](#)

[xcmsSet](#), [1](#)

[xs \(msdata\)](#), [1](#)