

# Package ‘ABarray’

January 3, 2025

**Title** Microarray QA and statistical data analysis for Applied Biosystems Genome Survey Microarray (AB1700) gene expression data.

**Version** 1.75.0

**Date** 2006-02-11

**Author** Yongming Andrew Sun

**Maintainer** Yongming Andrew Sun <sunya@appliedbiosystems.com>

**Imports** Biobase, graphics, grDevices, methods, multtest, stats, tcltk, utils

**Suggests** limma, LPE

**Description** Automated pipeline to perform gene expression analysis for Applied Biosystems Genome Survey Microarray (AB1700) data format. Functions include data preprocessing, filtering, control probe analysis, statistical analysis in one single function. A GUI interface is also provided. The raw data, processed data, graphics output and statistical results are organized into folders according to the analysis settings used.

**biocViews** Microarray, OneChannel, Preprocessing

**License** GPL

**git\_url** <https://git.bioconductor.org/packages/ABarray>

**git\_branch** devel

**git\_last\_commit** efb1f10

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.21

**Date/Publication** 2025-01-03

## Contents

|                      |   |
|----------------------|---|
| ABarray . . . . .    | 2 |
| ABarrayGUI . . . . . | 4 |
| calcsn . . . . .     | 5 |
| concord . . . . .    | 5 |

|                           |    |
|---------------------------|----|
| cvv . . . . .             | 6  |
| cvvPlot . . . . .         | 7  |
| doANOVA . . . . .         | 7  |
| doLPE . . . . .           | 8  |
| doPlotEset . . . . .      | 10 |
| doPlotFCT . . . . .       | 11 |
| doVennDiagram . . . . .   | 12 |
| drawVennDiagram . . . . . | 13 |
| getMemberEset . . . . .   | 14 |
| getPantherMap . . . . .   | 14 |
| hclusterPlot . . . . .    | 15 |
| icpPlot . . . . .         | 15 |
| imputeFlag . . . . .      | 16 |
| lpe.fdr.BH . . . . .      | 17 |
| mamaplot . . . . .        | 18 |
| matrixPlot . . . . .      | 19 |
| mvaPair2 . . . . .        | 20 |
| panel.cor . . . . .       | 21 |
| panel.scatter . . . . .   | 21 |
| qnNormalize . . . . .     | 22 |
| rgcolorsfunc . . . . .    | 23 |
| savejpg . . . . .         | 24 |
| scaleColorBar . . . . .   | 25 |
| snSummary . . . . .       | 26 |

|              |           |
|--------------|-----------|
| <b>Index</b> | <b>27</b> |
|--------------|-----------|

---

ABarray

*Utility to perform QA, data transformation and statistical analysis*

---

## Description

(1) Read output from AB1700 software output; (2) Create raw data QA and associated plots including boxplot, control data signal plot; (3) Missing value calculation; (4) Create MA, scatter plot; (5) Perform quantile normalization; (6) Perform t test and fold change, or ANOVA (using separate function if more than 2 subgroups). (7) Create heatmap with hierarchical clustering. (8) The results are either in graphics or text files.

## Usage

```
ABarray(dataFile, designFile, group, test = TRUE, impute = "avg", normMethod = "quantile", ...)
```

## Arguments

|            |   |
|------------|---|
| dataFile   | csv or tab delimit file contain expression measurement that are output from AB1700 software         |
| designFile | Experiment design file, including information for sample type and additional phenotype information. |

|            |  |
|------------|--|
| group      | Specify which group statistical test will be performed on. The samples will be ordered according the group.  |
| test       | Specify whether to perform t test. By default, t test will be performed using specified group information.   |
| impute     | Treat flagged value (above 5000) as missing value, and impute the missing value.   |
| normMethod | The method of normalizaiton. The default is "quantile". The following normMethods are supported: quantile, mean, median, trimMean, and trimAMean. If the parameter value is one of the supported normMethods, the analysis will be performed on the chosen method. If the parameter value is "all", the analysis will be performed on quantile only, but the normalization results will be produced for each of the normMethods. |
| ...        | Additional arguments. Use snThresh and/or detectSample to perform filtering. snThresh is the threshold of S/N value to be considered that the probe is detected (default value = 3, if snThresh is not specified). detectSample is used to determine if a probe should be included in statistical analysis (default value = 0.5, ie 50% of samples in any one subgroup).   |

## Details

The function works on AB1700 software export data file. It expects certain file format to work. The rows of the file represent probes. The columns should contain these headings: probeID, geneID, Signal, S/N, Flag, and optionally SDEV, CV, AssayNormSignal (these values will be ignored in the process).

It is optional to have control probes. If they are present, plots will be generated for the control probes and they will be removed for further analysis.

It is required to have an experiment design file in certain format. The rows of the file are samples or arrays. The first column should be sampleName. Perhaps, sampleName should be concise and no spaces between characters. Second and third columns maybe assayName and arrayName (arrayName is optional). Additional columns should specify what type of samples. Note: It is best to have assayName the same as in dataFile.

Group name should be the same as in designFile. The samples will be ordered according the group information. The samples within the same subgroup will be ordered together. Only one group is accepted.

If test is TRUE (default), t test and ANOVA (if applicable) results will be produced.

If impute is avg (default), the signal values of the flagged probes will be imputed from average of the subgroup only if there are 2 or more values remaining in the subgroup.

Even if snThresh is not specified in the argument, snThresh is set to 3 by default. If a value other than 3 is desired (e.g., 2), put 'snThresh = 2' in the argument.

detectSample is also preset to a value = 0.5. This means that if a probe is detected in 50% or more samples in any subgroup within the group, it is included in statistical analysis. For example, if the group is named 'tissue', and there are 2 subgroups named 'lung' and 'liver', then, if a probe is detected in 50% or more samples in 'lung', it is included in the statistical analysis regardless the detectability in the other subgroup ('liver').

**Value**

An ExpressionSet object. The assayDataElement(eset, "exprs") will be populated with normalized signals, assayDataElement(eset, "snDetect") will be populated with S/N ratio values, and the phenoData slot will be populated with information from designFile. Further analysis can be performed on the ExpressionSet object with various R and Bioconductor packages.

**Author(s)**

Y Andrew Sun <sunya@appliedbiosystems.com>

**See Also**

doPlotEset, doPlotFCT, doANOVA, matrixPlot, mvaPair2, doLPE, doVennDiagram, hclusterPlot

**Examples**

```
#- eset <- ABarray(dataFile, designFile, "sampleGroup")
#- eset <- ABarray(dataFile, designFile, "group", detectSample = 0.8)
```

---

ABarrayGUI

*GUI for ABarray to perform QA, data transformation and statistical analysis*

---

**Description**

A front end GUI for ABarray package to perform data analysis.

**Usage**

```
ABarrayGUI()
```

**Details**

The interface gathers required parameters for the ABarray packages to run. See ABarray for more details.

**Value**

No return values.

**Author(s)**

Y Andrew Sun <sunya@appliedbiosystems.com>

**See Also**

ABarray, doPlotEset, doPlotFCT, doANOVA, matrixPlot, mvaPair2, doLPE, doVennDiagram, hclusterPlot

**Examples**

```
#- ABarrayGUI()
```

---

|        |  |
|--------|--|
| calcsn | <i>Calculate SN summary for each group</i> |
|--------|--|

---

**Description**

Calculate S/N ratio summary for each group

**Usage**

```
calcsn(sn, snThresh, pdata, group, grpMember)
```

**Arguments**

|           |                                  |
|-----------|----------------------------------|
| sn        | S/N ratio data                   |
| snThresh  | S/N threshold filtering          |
| pdata     | experiment design                |
| group     | which group should be calculated |
| grpMember | optional, members of the group   |

**Value**

data matrix

**Author(s)**

Y Andrew Sun

---

|         |   |
|---------|---|
| concord | <i>Calculate signal detection concordance</i> |
|---------|---|

---

**Description**

Calculate signal detection concordance between columns using S/N threshold (default = 3)

**Usage**

```
concord(sn, snThresh = 3)
```

**Arguments**

|          |                                   |
|----------|-----------------------------------|
| sn       | a matrix containing s/n ratio     |
| snThresh | S/N threshold to use, default = 3 |

**Value**

a matrix with the concordance

**Author(s)**

Y Andrew Sun

**Examples**

```
#-concordance <- concord(sn) ##- sn ratio matrix
```

---

cvv

*CV calculation*

---

**Description**

Calculate cv

**Usage**

```
cvv(data)
```

**Arguments**

data            data matrix contain expression values

**Value**

vector of cv for each gene or probe

**Author(s)**

Yongming Sun

---

|         |                      |
|---------|----------------------|
| cvvPlot | <i>Plot CV value</i> |
|---------|----------------------|

---

**Description**

Plot CV value against average intensity (log2)

**Usage**

```
cvvPlot(data, name)
```

**Arguments**

|      |                            |
|------|----------------------------|
| data | vector of cv for each gene |
| name | name of the plot           |

**Value**

None

**Author(s)**

Yongming Sun

**See Also**

cvv [cvv](#) to calculate cv

---

|         |   |
|---------|---|
| doANOVA | <i>Perform one way or two way ANOVA</i> |
|---------|---|

---

**Description**

If only one factor is provided in parameter, one way ANOVA is performed. If two factors are provided, two way ANOVA is performed.

**Usage**

```
doANOVA(eset, group1, group2, snThresh = 3, detectSample = 0.5)
```

**Arguments**

|              |  |
|--------------|--|
| eset         | An ExpressionSet object.   |
| group1       | A factor name or labels to test on. If eset is an ExpressionSet object, either name or labels can be used. If eset is an expression matrix, labels should be used. |
| group2       | A factor name or labels to test on.  |
| snThresh     | Using probes detectable for ANOVA analysis, default S/N value is 3 or more to be considered detectable.  |
| detectSample | The percentage of samples the probe is detected in order to be considered in ANOVA analysis.   |

**Details**

At least one group should be provided. If ExpressionSet object is used, group1 or group2 is the name of the sampleGroup defined in experiment design file. If labels are to be used, they can be either numeric or text, e.g., c(1,1,2,2,3,3) or c("treat1", "treat1", "treat2", "treat2", "treat3", "treat3").

If the probe is detectable in 50% (default) or more samples in any one of the subgroup, it is included in the ANOVA analysis.

**Value**

a vector if one way ANOVA; a matrix if two way ANOVA

**Author(s)**

Y Andrew Sun

**Examples**

```
#- one way ANOVA
#- anova <- doANOVA(eset, "sampleGroup")

#- two way ANOVA
#- anova <- doANOVA(eset, "sampleGroup1", "sampleGoup2")
```

---

doLPE

*Perform LPE analysis*


---

**Description**

The local pooled error test attempts to reduce dependence on the within-gene estimates in tests for differential expression, by pooling error estimates within regions of similar intensity. Note that with the large number of genes there will be genes with low within-gene error estimates by chance, so that some signal-to-noise ratios will be large regardless of mean expression intensities and fold-change. The local pooled error attempts to avert this by combining within-gene error estimates with those of genes with similar expression intensity.



**Usage**

```
doLPE(eset, group, member, name = "", snThresh = 3, detectSample = 0.5)
```

**Arguments**

|              |  |
|--------------|--|
| eset         | an ExpressionSet object  |
| group        | which group should LPE be performed  |
| member       | optional. The member names in the group specified above  |
| name         | a prefix name for use when writing output to file  |
| snThresh     | S/N ratio threshold to use to define gene detectability  |
| detectSample | percentage of samples detectable above snThresh to include in LPE test. The default is 50%. If the probe is detected in 50% or more samples in one of the subgroup, it is considered in LPE analysis |

**Details**

The LPE test statistic numerator is the difference in medians between the two experimental conditions. The test statistic denominator is the combined pooled standard error for the two experimental conditions obtained by looking up the var.M from each baseOlig.error variance function. The conversion to p-values is based on the Gaussian distribution for difference of order statistics (medians). The user may select both the smoother degrees of freedom (smaller is smoother) and the trim percent to obtain a variance function to suit particular issues i.e. variability of genes with low expression intensity.

**Value**

Dataframe

**Author(s)**

Y Andrew Sun

**References**

Bioconductor LPE package

**Examples**

```
##---- Some example usage ----
```

---

doPlotEset

*Produce a number of QA plot plus t and ANOVA test*


---

### Description

Produce boxplot, MA plot, scatter plot, correlation, S/N detection concordance, CV, and t test, ANOVA test if subgroup is more than 2

### Usage

```
doPlotEset(eset, group, name = "", snThresh = 3, test = TRUE, ...)
```

### Arguments

|          |   |
|----------|---|
| eset     | an ExpressionSet object                             |
| group    | name of the group from experiment design file       |
| name     | a name for use in output files for record purpose   |
| snThresh | threshold of S/N considered detectable, default = 3 |
| test     | whether t or ANOVA test should be performed         |
| ...      | Additional arguments, currently not implemented     |

### Details

The t test and fold change is performed with function `fctPlot`. See additional information with `fctPlot`. ANOVA is performed with `doANOVA`.

If there are more than 2 subgroup in group, t test and fold change will be performed for each pair of subgroup and one way ANOVA will be performed. If subgroup is 2, ANOVA will not be performed.

### Value

None. A number of plots and t or ANOVA test result file will be produced.

### Author(s)

Y Andrew Sun

### Examples

```
#-doPlotEset(eset, "sampleGroup")
#-doPlotEset(eset, "sampleGroup", name = "perfect")
#-doPlotEset(eset, "sampleGroup", test = FALSE) ##- t test will be not performed
```

---

|           |   |
|-----------|---|
| doPlotFCT | <i>Calculate fold change and t test, the plot</i> |
|-----------|---|

---

**Description**

Calculate fold changes and p values from t test, and plot the results using preset FDR threshold

**Usage**

```
doPlotFCT(eset, group, grpMember, order1 = NULL, order2 = NULL,
detectSample = 0.5, snThresh = 3, ...)
```

**Arguments**

|              |   |
|--------------|---|
| eset         | an ExpressionSet object   |
| group        | which group from experiment design should calculation and plot be performed   |
| grpMember    | optional group member within the group  |
| order1       | optional, For a pairwise comparison the ordering of the first group of replicates   |
| order2       | optional, For a pairwise comparison the ordering of the first group of replicates   |
| detectSample | optional number between 0 and 1 to indicate the percentage of arrays should be above snThresh to include in the t test analysis. Default = 0.5. If the probe is detected in 50% or more samples on one of the subgroup, the probe is included in the t test, otherwise, it will be excluded in the t test |
| snThresh     | optional S/N ratio threshold. Default = 3   |
| ...          | Additional argument, currently not implemented  |

**Details**

Group members are optional. For example, if group name is "tissue", and group members in experiment design file include "brain", "liver", "lung", "muscle". We could include c("brain", "liver") as group member for the parameter, then t test will be performed between "brain" and "liver", and "lung" "muscle" will be ignored. However, if we omit group member in the arguments, all tissue members will be used for t test. In this case, there will be 6 pairwise t test between each member of the group.

If order1 and order2 are specified then a paired sample t-test will be conducted between the groups, with the arrays in each group sorted according to the ordering specified. For example, if order1 is c(1,3,2) and order2 is c(1,2,3), then the sample pairing is a1-b1, a3-b2, a2-b3, with a and b are subgroup 1 and subgroup 2 within the group.

The fold changes are difference between averaged subgroup1 expression vs averaged subgroup2. If paired t test is performed, the fold changes are calculated using each paired difference and take an average of paired difference.

**Value**

None. But a number of plot and result files will be produced.

**Author(s)**

Y Andrew Sun

**Examples**

```
#- doPlotFCT(eset, "sampleGroup", c("liver", "muscle"))
#- For a paired t test
#- doPlotFCT(eset, "sampleGroup", c("liver", "muscle"), order1 = c(1,2,3), order2 = c(1,3,2))
```

---

`doVennDiagram`*Create Venn Diagram*

---

**Description**

Create Venn diagram from lists.

**Usage**`doVennDiagram(a, b, c = NULL, names, ...)`**Arguments**

|                    |                                  |
|--------------------|----------------------------------|
| <code>a</code>     | a vector of first list           |
| <code>b</code>     | a vector of second list          |
| <code>c</code>     | a vector of third list, optional |
| <code>names</code> | a vector for the name of the set |
| <code>...</code>   | additional graphical parameter   |

**Details**

The function will create Venn diagram. If two lists (a and b) are provided, two-way Venn diagram will be produced. If three lists (a, b, and c) are provided, three-way Venn diagram will be produced.

This function depends on some functions of the `limma` package, and is derived from the `limma` package.

**Value**

A plot of Venn diagram

**Author(s)**

Yongming Sun

**References**Bioconductor `limma` package.

---

|                 |                          |
|-----------------|--------------------------|
| drawVennDiagram | <i>Draw Venn Diagram</i> |
|-----------------|--------------------------|

---

**Description**

Drawing actual Venn diagram

**Usage**

```
drawVennDiagram(object, names, mar = rep(0.5, 4), cex = 1, ...)
```

**Arguments**

|        |  |
|--------|--|
| object | VennCounts object produced by VennCounts, which is numeric matrix with last column "Counts" giving counts for each possible vector outcome |
| names  | optional character vector giving names for the sets  |
| mar    | numeric vector of length 4 specifying the width of the margins around the plot. This argument is passed to par.                            |
| cex    | numerical value giving the amount by which the contrast names should be scaled on the plot relative to the default.plotting text. See par. |
| ...    | any other arguments are passed to plot   |

**Value**

a plot of Venn Diagram

**Author(s)**

Yongming Sun

**References**

Bioconductor Limma package

**Examples**

```
##---- Do not call this function directly !! ----
```

---

|               |  |
|---------------|--|
| getMemberEset | <i>Produce a sub ExpressionSet given a group and its members</i> |
|---------------|--|

---

**Description**

From a group and its member name, return an ExpressionSet containing just these members

**Usage**

```
getMemberEset(eset, group, member)
```

**Arguments**

|        |   |
|--------|---|
| eset   | an ExpressionSet object   |
| group  | the name of the group which must be in the experiment design file |
| member | member name(s) in the above mentioned group                       |

**Value**

an ExpressionSet object

**Author(s)**

Yongming Sun

---

|               |  |
|---------------|--|
| getPantherMap | <i>Create pie chart for probes involved in Panther Pathway</i> |
|---------------|--|

---

**Description**

Given a list of probeID, attempt to find out panther classification information

**Usage**

```
getPantherMap(probeID, title, figDir)
```

**Arguments**

|         |   |
|---------|---|
| probeID | a list of probeIDs                        |
| title   | the title for the figure to be generated  |
| figDir  | directory for the figures to be placed in |

**Value**

None. Several figures will be generated.

**Author(s)**

Yongming Sun

---

*hclusterPlot*                      *heatmap generation*

---

**Description**

plot clustering heatmap using correlation

**Usage**

```
hclusterPlot(expr, title, dist)
```

**Arguments**

|                    |   |
|--------------------|---|
| <code>expr</code>  | matrix of gene expression value   |
| <code>title</code> | the title for the plot  |
| <code>dist</code>  | whether to use correlation or distance for clustering, default to use Euclidean distance. Use <code>dist = "Correlation"</code> to cluster with correlation coefficient |

**Details**

generating heatmap using correlation as distance

**Value**

None. heatmap will be generated.

**Author(s)**

Y Andrew Sun

---

*icpPlot*                              *icp plot function*

---

**Description**

QC plot for internal control probes

**Usage**

```
icpPlot(controlData, colProbeID = 1, plotWhat = "Signal", pdfDir, jpgDir)
```

**Arguments**

|             |   |
|-------------|---|
| controlData | Signal intensity matrix for icp probes                |
| colProbeID  | the column where probeID is located                   |
| plotWhat    | Whether we are plotting signal or S/N                 |
| pdfDir      | a directory where pdf files should be produced        |
| jpgDir      | a directory where jpg or bmp files should be produced |

**Value**

A series of QC plots

**Author(s)**

Yongming Sun

**Examples**

```
##---- Do not call this function DIRECTLY !! ----
```

---

```
imputeFlag          Perform imputation for missing values (FLAG > 5000)
```

---

**Description**

Perform imputation for missing values.

**Usage**

```
imputeFlag(rawSig, pd = NULL, group = "", impute = "avg")
```

**Arguments**

|        |   |
|--------|---|
| rawSig | a matrix containing gene expression with missing values labeled as NA |
| pd     | phenoData object  |
| group  | which group should average be performed                               |
| impute | choice of impute method, only avg (average) is implemented            |

**Value**

a list containing a matrix with the imputed values and rows that are imputed.

**Author(s)**

Y Andrew Sun

**Examples**

```
#-imputed <- imputeFlag(raw, pd, group = "tissue", impute = "avg") ##- sn ratio matrix
```



---

|            |                                   |
|------------|-----------------------------------|
| lpe.fdr.BH | <i>Perform FDR on LPE results</i> |
|------------|-----------------------------------|

---

**Description**

Perform Benjamini and Hochberg FDR adjustment on LPE results

**Usage**

```
lpe.fdr.BH(lpe.result, adjp = "BH")
```

**Arguments**

|            |                                  |
|------------|----------------------------------|
| lpe.result | the result from LPE analysis     |
| adjp       | Type of adjustment, default "BH" |

**Details**

Do not call this function directly. Called from doLPE

**Value**

a matrix with original and adjusted p values

**Author(s)**

Yongming Sun

**References**

Bioconductor LPE package

**Examples**

```
##---- Do not call this function directly !! ----
```

---

`mamaplot`*MA plot function*

---

**Description**

plot MA from vectors A and M

**Usage**

```
mamaplot(A, M, idx, subset = sample(1:length(M), min(c(10000, length(M))))), span = 2/3, family.loess = 'loess')
```

**Arguments**

|              |                             |
|--------------|-----------------------------|
| A            | vector of average signal    |
| M            | vector of difference signal |
| idx          | index for which S/N < 3     |
| subset       | subset                      |
| span         | span                        |
| family.loess | loess fit                   |
| cex          | cex value                   |
| ...          | additional arguments        |

**Value**

MA plot

**Note**

Modified from bioconductor affy package

**Author(s)**

Yongming Sun

**References**

bioconductor affy package

**See Also**

See Also as [mvaPair2](#)

**Examples**

```
##---- Do not call this function DIRECTLY !! ----
```

---

|            |                           |
|------------|---------------------------|
| matrixPlot | <i>heatmap for matrix</i> |
|------------|---------------------------|

---

**Description**

Create heatmap from a matrix

**Usage**

```
matrixPlot(x, nrgcols = 50, rlabels = TRUE, clabels = TRUE, rcols = 1, ccols = 1, k = 10, title = "", ...)
```

**Arguments**

|         |                                     |
|---------|-------------------------------------|
| x       | a matrix                            |
| nrgcols | number of colors to use             |
| rlabels | whether to use row labels           |
| clabels | whether to use column labels        |
| rcols   | use supplemental row label          |
| ccols   | use supplemental column label       |
| k       | number of tick labels for scale bar |
| title   | title for the plot                  |
| ...     | additional argument                 |

**Details**

This function can be used to plot any numeric matrix, e.g., correlation matrix, S/N matrix, signal intensity matrix, etc

**Value**

heatmap

**Author(s)**

Yongming Sun

---

`mvaPair2`*plot MA for each pair of columns*

---

**Description**

MA plot for each pair of columns

**Usage**

```
mvaPair2(x, y = NULL, snThresh = 3, labels = colnames(x), log.it = FALSE, span = 2/3,  
         family.loess = "gaussian", digits = 3, line.col = 2, main = "MA plot", ... )
```

**Arguments**

|                           |                                |
|---------------------------|--------------------------------|
| <code>x</code>            | expression matrix              |
| <code>y</code>            | S/N ratio matrix               |
| <code>snThresh</code>     | S/N threshold                  |
| <code>labels</code>       | name for the labels            |
| <code>log.it</code>       | should data be log transformed |
| <code>span</code>         | span of the plot               |
| <code>family.loess</code> | curve fitting                  |
| <code>digits</code>       | number of digits to display    |
| <code>line.col</code>     | size of the line col           |
| <code>main</code>         | title for the MA plot          |
| <code>...</code>          | additional argument            |

**Details**

If S/N ratio is available, probes with  $S/N < 3$  in both array will be colored differently.

**Value**

MA plot

**Author(s)**

Yongming Sun

**Examples**

```
##---- exprs expression matrix, sn s/n ratio !! ----
```

---

panel.cor                      *Create correlation panel*

---

**Description**

Create correlation panel

**Usage**

```
panel.cor(x, y, digits=3, prefix="", cex.cor)
```

**Arguments**

|         |   |
|---------|---|
| x       | vector of expression value for one sample     |
| y       | vector of expression value for another sample |
| digits  | number of digits to display the correlation   |
| prefix  | additional text to display                    |
| cex.cor | size of the text                              |

**Value**

None

**Author(s)**

Yongming Sun

**Examples**

```
##---- Not intended for direct function call !! ----
```

---

panel.scatter                      *Creat scatter plot*

---

**Description**

Create scatter plot

**Usage**

```
panel.scatter(x, y, col = "blue", bg = NA, pch = ".",  
              cex = 1, col.smooth = "red", span = 2/3, iter = 3, ...)
```

**Arguments**

|            |   |
|------------|---|
| x          | vector of expression for one sample     |
| y          | vector of expression for another sample |
| col        | color of points                         |
| bg         | background colors                       |
| pch        | pch parameter                           |
| cex        | size of text                            |
| col.smooth | color of smooth line                    |
| span       | span of the plot                        |
| iter       | iteration                               |
| ...        | additional arguments                    |

**Value**

None

**Author(s)**

Yongming Sun

**Examples**

```
##---- Not intended for use this function directly !! ----
```

---

|             |                                       |
|-------------|---------------------------------------|
| qnNormalize | <i>Perform quantile normalization</i> |
|-------------|---------------------------------------|

---

**Description**

Perform quantile normalization between arrays

**Usage**

```
qnNormalize(eData, snr, method = 'quantile', snThresh = 3, ties = TRUE)
```

**Arguments**

|          |  |
|----------|--|
| eData    | matrix of gene expression values   |
| snr      | Optional signal/noise ratio. Only used for trimAMean method                            |
| method   | The normalization method desired. Default method is quantile                           |
| snThresh | Signal/noise threshold (default = 3) to indicate presence or absence of a probe signal |
| ties     | handle values with same rank   |

**Details**

This function performs various normalization for the array data. The default is quantile normalization method (adapted from Bioconductor limma package). Other normalization methods include median, mean, trimMean (trimmed mean), trimAMean (mean with absent gene removed).

For the median normalization, the median signal of each array is scaled to the same value (this value is calculated to equal to the median of all values in the data). The signal values for each array are then adjusted by the scaling factor.

For the mean normalization, the approach is similar to the median normalization procedure except that the mean signal of each array is scaled to the same value (this value is median of all signals in the data).

For the trimMean normalization, the approach is similar to the mean normalization except that the mean for each array is calculated after trimming the top and bottom 5% of signals (a total of 10% of values).

For the trimAMean normalization, the signal values for absent probes are not considered. If the s/n of a probe is less than snThresh (default = 3), the expression of the probe is considered not present (absent). The remaining values are then trimmed (top and bottom 2.5%, a total of 5%), and the mean value for each array after trimming is scaled to the same value (median of all values in the data).

**Value**

data matrix with quantile normalized data values

**Author(s)**

Yongming Sun

**References**

bioconductor limma package for quantile normalization

---

rgcolorsfunc

*generate color map*

---

**Description**

Generate color map for heatmap use

**Usage**

```
rgcolorsfunc(n = 50)
```

**Arguments**

n                    number of colors to generate

**Value**

rgb color vector

**Author(s)**

Yongming Sun

**Examples**

```
## Do not call this function directly  
rgb <- rgcolorsfunc()
```

---

savejpg

*save device to jpg image file*

---

**Description**

save plot device to jpg image file

**Usage**

```
savejpg(x, width = 1024, height = 768)
```

**Arguments**

|        |                                   |
|--------|-----------------------------------|
| x      | file name to be saved to          |
| width  | The width for the figure in pixal |
| height | The height for the figure         |

**Value**

For windows version, it produce bmp formatted image, otherwise, produce jpg images.

**Author(s)**

Yongming Sun



---

|               |                                 |
|---------------|---------------------------------|
| scaleColorBar | <i>Create scale for heatmap</i> |
|---------------|---------------------------------|

---

**Description**

Create a bar for heatmap scales

**Usage**

```
scaleColorBar(x, horizontal = FALSE, col = rgcolfunc(50), scale = 1:length(x),  
              k = 10, cLen = 9, ...)
```

**Arguments**

|            |   |
|------------|---|
| x          | vector of scales need to be plotted       |
| horizontal | whether the bar is vertical or horizontal |
| col        | color function                            |
| scale      | scale of the bar                          |
| k          | number of intervals on scale              |
| cLen       | length of columns                         |
| ...        | additional arguments                      |

**Value**

none

**Author(s)**

Yongming Sun

**Examples**

```
##--- Do not call this function directly !! ----
```

snSummary

*Create summary information for S/N ratio*

---

**Description**

Create summary information for S/N ratio for each sample group

**Usage**

```
snSummary(eset, snThresh = 3, group, grpMember)
```

**Arguments**

|           |   |
|-----------|---|
| eset      | an ExpressionSet object                 |
| snThresh  | S/N ratio threshold to use, default = 3 |
| group     | sample group                            |
| grpMember | sample group members, optional          |

**Value**

a matrix containing the number of samples with S/N  $\geq 3$  for each probe

**Author(s)**

Yongming Sun

# Index

## \* **device**

savejpg, 24

## \* **hplot**

cvvPlot, 7  
doPlotEset, 10  
doPlotFCT, 11  
doVennDiagram, 12  
drawVennDiagram, 13  
hclusterPlot, 15  
icpPlot, 15  
mamaplot, 18  
matrixPlot, 19  
mvaPair2, 20  
panel.cor, 21  
panel.scatter, 21  
scaleColorBar, 25

## \* **htest**

doANOVA, 7  
doPlotFCT, 11

## \* **manip**

ABarray, 2  
ABarrayGUI, 4  
calcsn, 5  
concord, 5  
cvv, 6  
doLPE, 8  
doPlotEset, 10  
doPlotFCT, 11  
getMemberEset, 14  
getPantherMap, 14  
imputeFlag, 16  
lpe.fdr.BH, 17  
qnNormalize, 22  
rgcolorsfunc, 23  
snSummary, 26

ABarray, 2  
ABarrayGUI, 4

calcsn, 5

concord, 5

cvv, 6, 7  
cvvPlot, 7

doANOVA, 7  
doLPE, 8  
doPlotEset, 10  
doPlotFCT, 11  
doVennDiagram, 12  
drawVennDiagram, 13

getMemberEset, 14  
getPantherMap, 14

hclusterPlot, 15

icpPlot, 15  
imputeFlag, 16

lpe.fdr.BH, 17

mamaplot, 18  
matrixPlot, 19  
mvaPair2, 18, 20

panel.cor, 21  
panel.scatter, 21

qnNormalize, 22

rgcolorsfunc, 23

savejpg, 24  
scaleColorBar, 25  
snSummary, 26