

Package ‘R4RNA’

March 18, 2025

Type Package

Title An R package for RNA visualization and analysis

Version 1.34.0

Date 2015-11-02

Author Daniel Lai, Irmtraud Meyer <irmtraud.meyer@cantab.net>

Maintainer Daniel Lai <jujubix@cs.ubc.ca>

Depends R (>= 3.2.0), Biostrings (>= 2.38.0)

Description A package for RNA basepair analysis, including the visualization of basepairs as arc diagrams for easy comparison and annotation of sequence and structure. Arc diagrams can additionally be projected onto multiple sequence alignments to assess basepair conservation and covariation, with numerical methods for computing statistics for each.

License GPL-3

biocViews Alignment, MultipleSequenceAlignment, Preprocessing, Visualization, DataImport, DataRepresentation, MultipleComparison

URL <http://www.e-rna.org/r-chie/>

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/R4RNA>

git_branch RELEASE_3_20

git_last_commit 4724663

git_last_commit_date 2024-10-29

Repository Bioconductor 3.20

Date/Publication 2025-03-17

Contents

R4RNA-package	2
Alignment Statistics	2
Basepair Frequency	4
Basepair/Helix Conversion	5
Coerce to Helix	6
Colour Helices	7
Convert Helix Formats	9

Covariation Plots	10
Create Blank Plot	13
Example Data	14
Find Unknotted Groups	15
Helix Type Filters	16
Log10 Space Operations	17
Plot Helix Structures	18
Read Structure File	20
Structure Mismatch Score	21
Write Helix	22

Index	23
--------------	-----------

R4RNA-package	<i>An R package for RNA visualization and analysis</i>
---------------	--

Description

An R package for RNA visualization and analysis

Examples

```
# Read input data
predicted <- readHelix(system.file("extdata", "helix.txt", package = "R4RNA"))
known <- readVienna(system.file("extdata", "vienna.txt", package = "R4RNA"))
sequence <- as.character(readBStringSet(system.file("extdata", "fasta.txt", package = "R4RNA")))

plotHelix(predicted)
pval.coloured <- colourByValue(predicted, log = TRUE, get = TRUE)
plotDoubleHelix(pval.coloured, known, scale = FALSE)
plotOverlapHelix(pval.coloured, known)

cov.coloured <- colourByCovariation(known, sequence, get = TRUE)
plotCovariance(sequence, cov.coloured)

plotDoubleCovariance(cov.coloured, pval.coloured, sequence,
  conflict.filter = "grey")
plotOverlapCovariance(pval.coloured, known, sequence, grid = TRUE,
  conflict.filter = "grey", legend = FALSE, any = TRUE)

# List of all functions
ls("package:R4RNA")
# use example() and help() for more details on each function
```

Alignment Statistics	<i>Compute statistics for a multiple sequence alignments</i>
----------------------	--

Description

Functions to compute covariation, percent identity conservation, and percent canonical basepairs given a multiple sequence alignment and optionally a secondary structure. Statistics can be computed for a single base, basepair, helix or entire alignment.

Usage

```

baseConservation(msa, pos)

basepairConservation(msa, pos.5p, pos.3p)
basepairCovariation(msa, pos.5p, pos.3p)
basepairCanonical(msa, pos.5p, pos.3p)

helixConservation(helix, msa)
helixCovariation(helix, msa)
helixCanonical(helix, msa)

alignmentConservation(msa)
alignmentCovariation(msa, helix)
alignmentCanonical(msa, helix)

alignmentPercentGaps(msa)

```

Arguments

<code>helix</code>	A helix data.frame
<code>msa</code>	A multiple sequence alignment. Can be either a Biostrings XStringSet object or a named array of strings like ones obtained from converting XStringSet with <code>as.character</code> .
<code>pos, pos.5p, pos.3p</code>	Positions of bases or basepairs for which statistics shall be calculated for.

Details

Conservation values have a range of [0, 1], where 0 is the absence of primary sequence conservation (all bases different), and 1 is full primary sequence conservation (all bases identical).

Canonical values have a range of [0, 1], where 0 is a complete lack of basepair potential, and 1 indicates that all basepairs are valid

Covariation values have a range of [-2, 2], where -2 is a complete lack of basepair potential and sequence conservation, 0 is complete sequence conservation regardless of basepairing potential, and 2 is a complete lack of sequence conservation but maintaining full basepair potential.

`helix` values are average of base/basepair values, and the `alignment` values are averages of helices or all columns depending on whether the `helix` argument is required.

`alignmentPercentGaps` simply returns the percentage of nucleotides that are gaps in a sequence for each sequence of the alignment.

Value

`baseConservation`, `basepairConservation`, `basepairCovariation`, `basepairCanonical`, `alignmentConservation`, `alignmentCovariation`, and `alignmentCanonical` return a single decimal value.

`helixConservation`, `helixCovariation`, `helixCanonical` return a list of values whose length equals the number of rows in `helix`.

`alignmentPercentGaps` returns a list of values whose length equals the number of sequences in the multiple sequence alignment.

Author(s)

Jeff Proctor, Daniel Lai

Examples

```
data(helix)

baseConservation(fasta, 9)

basepairConservation(fasta, 9, 18)
basepairCovariation(fasta, 9, 18)
basepairCanonical(fasta, 9, 18)

helixConservation(helix, fasta)
helixCovariation(helix, fasta)
helixCanonical(helix, fasta)

alignmentConservation(fasta)
alignmentCovariation(fasta, helix)
alignmentCanonical(fasta, helix)

alignmentPercentGaps(fasta)
```

Basepair Frequency *Calculates the frequency of each basepair*

Description

Calculates the frequency of each basepair in a given helix structure. Internally, breaks helices into basepairs, and returns a structure of unique basepairs, where the values is its frequency, regardless of original value.

Usage

```
basepairFrequency(helix)
```

Arguments

helix A helix data.frame

Value

A helix data.frame of unique basepairs of length 1, with the frequency of appearance as its value, sorted by decreasing value.

Author(s)

Daniel Lai

See Also

[colourByBasepairFrequency](#)

Examples

```
data(helix)
basepairFrequency(helix)
```

Basepair/Helix Conversion

Expand or collapse helices to and from basepairs

Description

Given a helix data frame, expands a helix of arbitrary length into helices of length 1 (i.e. basepairs). Also does the reverse operation of clustering consecutive basepairs (or helices), and merging/collapsing them into a single helix.

Usage

```
expandHelix(helix)
collapseHelix(helix, number = FALSE)
```

Arguments

helix	A helix data frame.
number	Indicates presence of a column in the helix data frame titled exactly 'number', which will be used to unique identify basepairs belonging to the same helix. Only basepairs from the same helix as identified by the number will be collapsed together.

Details

During the expansion, basepairs expanded from a single helix will all be assigned the value of the originating helix (the same goes for all other columns besides i, j, and length). During collapsing, only helices/basepairs of equal value will be grouped together. The ordering of collapsed helices returned will be sorted by value (increasing order). For any other columns besides i, j, length and value, values will be obtained from the corresponding columns of the outer most basepair.

Value

Returns a helix data frame.

Author(s)

Daniel Lai

Examples

```
# Create helix data frame
helix <- data.frame(2, 8, 3, 0.5)
helix[2, ] <- c(5, 15, 4, -0.5)
helix <- as.helix(helix)
helix$colour <- c("red", "blue")

# Before expansion
```

```
print(helix)
# After expansion
print(expanded <- expandHelix(helix))
# Collapse back (sorted by value)
print(collapseHelix(expanded))
```

Coerce to Helix

Coerce to a Helix Data Frame

Description

Functions to coerce a structure into a helix data frame, and to check whether a structure is a valid helix data frame. A helix data frame is a data frame, so any structure coercible into a `data.frame` can become a helix data frame.

Usage

```
as.helix(x, length)
is.helix(x)
```

Arguments

<code>x</code>	Structure to coerce. Should be a structure coercible into a standard R data.frame structure for <code>as.helix</code> . Should be a string for <code>parseBracket</code> . May be anything for <code>is.helix</code> .
<code>length</code>	The length of the RNA sequence containing the helices.

Details

`as.helix` takes in a `data.frame` and coerces it into a helix data frame acceptable by other R4RNA functions. This mainly involves setting specific column names and casting to specific types.

Value

`is.helix` returns a boolean.

`as.helix` returns helix data frame with valid input.

Author(s)

Daniel Lai

Examples

```
# Not a valid helix data frame
helix <- data.frame(c(1, 2, 3), seq(10, 20, length.out = 3), 5, runif(3))
is.helix(helix)
warnings()

# Formatted into a helix data frame
helix <- as.helix(helix)
is.helix(helix)
```

Description

Functions to generate colours for helices by various rules, including integer counts, value ranges, percent identity covariation, conservation, percentage canonical basepair, basepair frequency, and non-pseudoknotted groups.

Usage

```
colourByCount(helix, cols, counts, get = FALSE)
colourByValue(helix, cols, breaks, get = FALSE,
  log = FALSE, include.lowest = TRUE, ...)
colourByBasepairFrequency(helix, cols, get = TRUE)
colourByUnknottedGroups(helix, cols, get = TRUE)
colourByCovariation(helix, msa, cols, get = FALSE)
colourByConservation(helix, msa, cols, get = FALSE)
colourByCanonical(helix, msa, cols, get = FALSE)
defaultPalette()
```

Arguments

helix	A helix data frame to be coloured.
cols	An array of characters (or numbers) representing a set of colours to colour helix with. When missing, a default set of colours from <code>defaultPalette()</code> will be used. Valid input include hex codes, colour names from the <code>colours</code> function, and integer numbers. The colours will be interpreted as being from best to worst.
counts	An array of integers the same length as <code>cols</code> , dictating the number of times each corresponding colour should be used. When missing, the function will divide the number of helices evenly over each of the colours available.
breaks	An integer number of intervals to break the 'value' column of <code>helix</code> into, or a list of numbers defining the interval breaks. If missing, the range of ' <code>helix\$value</code> ' will automatically be split evenly into intervals for each colour available.
get	If TRUE, returns the input <code>helix</code> with a <code>col</code> column, else simply returns an array of colours the same length as the number of row in <code>helix</code> . The exceptions are <code>colourByBasepairFrequency</code> and <code>colourByUnknottedGroups</code> which will return a different helix if TRUE, and a list of colours that will not match the input helix if FALSE.
log	If TRUE, will breaks values into even log10 space intervals, useful when values are p-values.
include.lowest	Whether the lowest interval should include the lowest value, passed to <code>cut</code>
...	Additional arguments passed to <code>cut</code> , potentially useful ones include <code>right</code> (whether intervals should be inclusive on the right or left) and <code>dig.lab</code> (number of digits in interval labels).
msa	A multiple sequence alignment. Can be either a <code>Biostrings XStringSet</code> object or a named array of strings like ones obtained from converting <code>XStringSet</code> with <code>as.character</code> .

Details

`colourByCount` assigns colours independent of the helix input's value column, and instead operates over the number of helices (i.e. rows).

`colourByValue` uses `cut` to assign each of the helices to an interval based on its value.

`colourByCovariation`, `colourByConservation`, and `colourByCanonical`, colour helices according to compensatory mutations (or covariation), percentage identity conservation, and percentage canonical basepair respectively, relative to the multiple sequence alignment provided.

`colourByBasepairFrequency` colours each basepair according to the number of times it appear in the input, regardless of its value.

`colourByUnknottedGroups` greedily partitions the basepairs into non- pseudoknotted groups, and assigns a colour to each.

Value

All “colourBy” functions return a list of colours when `get = FALSE`, and a helix with a `col` column if `get = TRUE`. In both bases, the returned object has attributes “legend” and “fill”, showing the mapping between interval (in legend) and colour (in fill), which can as eponymous arguments [legend](#).

`defaultPalette` returns the default list of colours.

Author(s)

Daniel Lai

See Also

[plotHelix](#)

[logseq](#)

[basepairFrequency](#)

[unknottedGroups](#)

Examples

```
data(helix)

known$col <- colourByCount(known)
plotHelix(known)

plotHelix(colourByValue(helix, log = TRUE, get = TRUE))

cov <- colourByCovariation(known, fasta, get = TRUE)
plotCovariance(fasta, cov)
legend("topleft", legend = attr(cov, "legend"),
      fill = attr(cov, "fill"), title = "Covariation")
```


Description

Converts dot bracket vienna format to and from helix format. It should be noted that the allows structures of vienna is a subset of those allowed in the helix format. Thus, conversion from vienna to helix will yield the identical structure, while conversion from helix to vienna may result in the loss of certain basepairs (mainly those that are conflicting). Pseudoknots are supported in both directions of conversion with limitations.

Usage

```
viennaToHelix(vienna, value = NA, palette = NA)
helixToVienna(helix)
helixToConnect(helix)
helixToBpseq(helix)
```

Arguments

vienna	A string containing <i>only</i> a vienna dot bracket structure, with balanced brackets. Allowable brackets are (, <, [, {, A, B, C, and D (where upper-case alphabets are paired with lower-case alphabets).
value	A numerical value to assign to all helices.
palette	A list of colour names for up to 8 colours that will be used to colour brackets of type (, <, [, {, A, B, C, and D, respectively.
helix	A helix data.frame.

Details

`viennaToHelix` will ignore any non dot-bracket characters prior to parsing, so the resultant length will be shorter than expected if invalid characters are included.

If the colour palette is less than the number of supported brackets, it will simply cycle through the list. To explicitly prevent the colouring/ display of specific bracket type, colour it "NA".

For `helixToVienna`, pseudoknotted basepairs will be assigned different bracket types. As there are only 8 supported bracket types, any basepair pseudonotted deeper than 8 levels will be excluded from the output. Additionally, vienna format is unable to represent conflicting basepairs, so conflicting basepairs will also be excluded. For both types of exclusion, those at the bottom of the helix data.frame will always be excluded in favour of keeping helices higher on the data.frame table.

`helixToConnect` and `helixToBpseq` will convert a *non-conflicting* helix data.frame into connect or bpseq format respectively, provided the helix structure has a "sequence" attribute containing a single nucleotide sequence of the structure.

Value

`viennaToHelix` returns a helix data.frame. `helixToVienna` returns a character string of basepairs in the Vienna helix format. `helixToConnect` and `HelixTpBpseq` return data.frames in the connect and bpseq formats, respectively.

Author(s)

Daniel Lai

Examples

```
# viennaToHelix demonstrating ALL valid bracket symbols
dot_bracket <- ".....(<[{}.....ABCD.....]>).....dcba....."
parsed <- viennaToHelix(dot_bracket, -31.5)
print(parsed)

vienna <- helixToVienna(parsed)
print(vienna)

# Colouring the brackets by bracket type
colour <- c("red", "orange", "yellow", "green", "lightblue", "blue", "purple", "black")
double.rainbow <- viennaToHelix(dot_bracket, 0, colour)
plotHelix(double.rainbow)
```

Covariation Plots

*Plot nucleotide sequence coloured by covariance***Description**

Given a multiple sequence alignment and a corresponding secondary structure, nucleotides in the sequence alignment will be coloured according to the basepairing and conservation status, where green is the most commonly observed valid basepair in the column, dark blue being valid covariation (i.e. mutation into another valid basepair), cyan is one-sided mutation that retains the basepair, and red is a mutation where the basepair has been lost.

Usage

```
plotCovariance(msa, helix, arcs = TRUE, add = FALSE, grid = FALSE, text =
  FALSE, legend = TRUE, species = 0, base.colour = FALSE, palette = NA, flip =
  FALSE, grid.col = "white", grid.lwd = 0, text.cex = 0.5, text.col = "white",
  text.font = 2, text.family = "sans", species.cex = 0.5, species.col = "black",
  species.font = 2, species.family = "mono", shape = "circle", conflict.cutoff =
  0.01, conflict.lty = 2, conflict.col = NA, pad = c(0, 0, 0, 0), y = 0, x = 0,
  ...)
plotDoubleCovariance(top.helix, bot.helix, top.msa, bot.msa = top.msa,
  add = FALSE, grid = FALSE, species = 0, legend = TRUE,
  pad = c(0, 0, 0, 0), ...)
plotOverlapCovariance(predict.helix, known.helix, msa, bot.msa = TRUE,
  overlap.cutoff = 1, miss = "black", add = FALSE, grid = FALSE, species = 0,
  legend = TRUE, pad = c(0, 0, 0, 0), ...)
```

Arguments

msa, top.msa, bot.msa

A multiple sequence alignment. Can be either a Biostrings XStringSet object or a named array of strings like ones obtained from converting XStringSet with `as.character`.

`top.msa` and `bot.msa` are specific to `top.helix` and `bot.helix` respectively, and may be set to `NA` to have no multiple sequence alignment at all.

<code>helix, top.helix, bot.helix, predict.helix, known.helix</code>	A helix data.frame with a structure corresponding to <code>msa</code> , See plotDoubleHelix and plotOverlapHelix for detailed explanations of <code>top.helix</code> , <code>bot.helix</code> , <code>predict.helix</code> , and <code>known.helix</code> .
<code>arcs</code>	TRUE if the structure should be plotted as arcs. Arcs may be styled with styling columns, see example and plotHelix for details.
<code>add</code>	TRUE if graphical elements are to be added to an existing device, else a new plotting device is created with blankPlot .
<code>grid</code>	TRUE if the multiple sequence alignment is to be drawn as a grid of bases, else the multiple sequence alignment is drawn as equidistant horizontal lines.
<code>text</code>	Only applicable when <code>grid</code> is TRUE. TRUE if the grid is to be filled with nucleotide character.
<code>legend</code>	TRUE if legend are to be shown.
<code>species</code>	If a number greater than 0 is given, then species names for the multiple sequence alignment will be printed along the left side. This name is typically the entire header lines of FASTA entries. The number specifies the start position relative to the left edge of the multiple sequence alignment).
<code>base.colour</code>	TRUE if bases are to be coloured by nucleotide instead of basepair conservation.
<code>palette</code>	A list of colour names to override the default colour palette. When <code>base.colour</code> is TRUE, the first 6 colours will be used for colouring bases A, U, G, C, - (gap), and ? (everything else), respectively. When <code>base.colour</code> is FALSE, the first 7 colours will be used for colouring conserved basepairs, covarying basepairs, one-sided conserved basepairs, invalid basepairs, unpaired bases, gaps, and bases/pairs with ambiguous bases, respectively. If the palette is shorter than the expected length, the palette will simply cycle. "NA" is a valid colour, that will effectively plot nothing.
<code>flip</code>	If TRUE, the entire plot will be flipped upside down. Note that this is <i>not</i> a perfect mirror image about the horizon.
<code>grid.col, grid.lwd</code>	The colour and line width of the borders displayed when <code>grid</code> is TRUE.
<code>text.cex, text.col, text.font, text.family</code>	<code>cex, col, family</code> and font for the text displayed via the <code>text</code> option. Use <code>help("par")</code> for more information the paramters.
<code>species.cex, species.col, species.font, species.family</code>	<code>cex, col, family</code> and font for the species text displayed via the <code>species</code> option. Use <code>help("par")</code> for more information the paramters.
<code>shape</code>	One of "circle", "triangle", or "square", specifying the shape of the arcs.
<code>conflict.lty, conflict.col, conflict.cutoff</code>	Determines the line type (style) and colour to be used for conflicting basepairs. By default, conflicting helices are drawn as dotted lines (<code>lty = 2</code>) and whatever colour was originally assigned to it (<code>col = NA</code>). Conflicting helices may be coloured by setting <code>conflict.col</code> to some R-compatible colour name. If both arguments are set to NA, then no attempt to exclude conflicting helices will be made when colouring covariance plot columns, which in most cases will render the plot nonsensical. When the input has helices with multiple basepairs, and only part of the helix is conflicting, the <code>conflict.cutoff</code> determines above what percentage of basepairs have to be conflicting before a helix is considered conflicting, with the default set at 1 conflicting).

<code>miss</code>	The colour for unpredicted arcs in overlapping diagrams, see <code>plotOverlapHelix</code> for more information.
<code>overlap.cutoff</code>	Decimal between 0 and 1 indicating the percentage of basepairs within a helix that have to be overlapping for the entire helix to count as overlapping. Default is 1, or 100
<code>pad</code>	A four integer array passed to <code>blankPlot</code> , specifies the number of pixels to pad the bottom, left, top and right sides of the figure with, respectively.
<code>x, y</code>	Coordinates for the left bottom corner of the plot. Useful for manually positioning and overlapping figure elements.
<code>...</code>	In <code>plotCovariance</code> , these are additional arguments passed to <code>blankPlot</code> , useful arguments include 'lwd', 'col', 'cex' for line width, line colour, and text size, respectively. <code>help('par')</code> for more. For <code>plotDoubleCovariance</code> and <code>plotOverlapCovariance</code> , these are additional arguments passed to <code>plotCovariance</code> (and thus indirectly also to <code>blankPlot</code>).

Value

Not intended to return a value, will plot to GUI or file if specific.

Author(s)

Daniel Lai

See Also

[plotHelix](#)
[plotDoubleHelix](#)
[plotOverlapHelix](#)
[colourByCovariation](#)
[colourByConservation](#)
[colourByCanonical](#)

Examples

```
data(helix)

# Basic covariance plot
plotCovariance(fasta, known, cex = 0.8, lwd = 1.5)

# Grid mode
plotCovariance(fasta, known, grid = TRUE, text = FALSE, cex = 0.8)

# Global style and nucleotide colouring
plotCovariance(fasta, known, grid = TRUE, text = FALSE, base.colour = TRUE)

# Styling individual helices with styling columns
known$col <- c("red", "blue")
plotCovariance(fasta, known, lwd = 2, cex = 0.8)

# Use in combination with colourBy functions
cov <- colourByCovariation(known, fasta, get = TRUE)
plotCovariance(fasta, cov)
```

```
legend("topleft", legend = attr(cov, "legend"),
      fill = attr(cov, "fill"), title = "Covariation")
```

Create Blank Plot *Create a blank plotting canvas*

Description

Creates a blank plotting canvas with the given dimensions, along with functions to find best values for the canvas dimensions.

Usage

```
blankPlot(width, top, bottom, pad = c(0, 0, 0, 0), scale = TRUE,
          scale.lwd = 1, scale.col = "#DDDDDD", scale.cex = 1, debug = FALSE,
          png = NA, pdf = NA, factor = ifelse(!is.na(png), 8, 1/9),
          no.par = FALSE, asp = 1, ...)
maxHeight(helix)
```

Arguments

width	A number indicating the horizontal width of the blank plot.
top, bottom	The maximum and minimum values vertically to be displayed in the plot.
pad	An array of 4 integers, specifying the pixels of whitespace to pad beyond the dimensions given by top, bottom, and width. Four number corresponding to padding on the bottom, left, top and right, respectively. Default is c(0, 0, 0, 0).
scale	If TRUE, inserts a scale on the plot.
scale.lwd, scale.col, scale.cex	Allows manual modification of the scale's line width and colour, respectively.
png, pdf	If one or the other is set to a filename, a file in png or pdf format will be produced respectively. If both are set to non-NA values, png will have priority.
factor	The scaling factor used to produce plots of png or pdf format. Should be set so after multiplication of the top, bot, etc arguments, good document dimension in pixels with png and inches for pdf will be produced.
debug	If TRUE, frames the boundaries of the intended plotting space in red, used to determine if inputs produce expected output area. Also outputs to STDIN dimensions of the plot.
no.par	Suppresses the internal call to par in the function if set to TRUE, useful for using par arguments such as mfrow, etc.
asp	Controls and aspect ratio of the plot, defaultly set to 1, set to NA to disable completely.
...	Additional arguments passed to par when no.par is FALSE, common ones include 'lwd', 'col', 'cex' for line width, line colour, and text size, respectively. help('par') for more. When no.par is set to TRUE, this option does nothing, and manually calling par is required prior to the calling of this function.
helix	A helix data.frame

Details

blankPlot creates a blank plot with the given dimensions, with minimal margins around the plot and no axis or labels. If more control is required, using `plot` directly would be more efficient.

maxHeight returns the height that the highest helix would require, and can be used to determine top and bottom for blankPlot.

Value

maxHeight returns a numeric integer.

Author(s)

Daniel Lai

See Also

[plotHelix](#)

Examples

```
# Create helix and obtain height
helix <- as.helix(data.frame(1, 37, 12, 0.5))
height <- maxHeight(helix)
print(height)

# Use height to create properly sized plot
width <- attr(helix, "length")
blankPlot(width, height, 0)

# Add helix to plot
plotHelix(helix, add = TRUE)
```

Example Data

Helices predicted by TRANSAT with p-values

Description

This data set contains two sets of helices and a multiple sequence alignment. The two sets of helices are helices and known which are helices predicted to occur for RNA sequence RF00458 by the program TRANSAT, and experimentally proposed structure of the same sequence, respectively. fasta is the seed homologues for the multiple sequence alignment obtained from the RFAM database.

Usage

```
data(helix)
```

Format

helix and known are 4 column data frames, where columns **i** and **j** denote the left-most and right-most basepairs, the **length** is the number of *consecutive* basepairs the helix contains, and the **value** is assigned to each helix on a row.

fasta is an array of named characters of length 7.

Value

fasta is an array of strings, helix and known are data.frames in “helix” format.

References

Wiebe NJ, Meyer IM. (2010) *TRANSAT—method for detecting the conserved helices of functional RNA structures, including transient, pseudo-knotted and alternative structures*. PLoS Comput Biol. 6(6):e1000823.

Gardner PP, Daub J, Tate J, Moore BL, Osuch IH, Griffiths-Jones S, Finn RD, Nawrocki EP, Kolbe DL, Eddy SR, Bateman A. (2011) *Rfam: Wikipedia, clans and the “decimal” release*. Nucleic Acids Res. 39(Database issue):D141-5.

Find Unknotted Groups *Partition basepairs into unknotted groups*

Description

Breaks down input helices into basepairs, and assigns each basepair to a numbered group such that basepairs in each group are non-pseudoknotted relative to all other basepairs within the same group.

The algorithm is greedy and thus will *not* find the best combination of basepairs to minimize the number of groups.

Usage

```
unknottedGroups(helix)
```

Arguments

helix A helix data.frame.

Value

An array of integers dictating the groups of each helix. Will only correspond to the input helix structure if the input had helices of length 1 (e.g. output of [expandHelix](#)).

Author(s)

Daniel Lai

See Also

[colourByUnknottedGroups](#)

[expandHelix](#)

Examples

```
data(helix)
known$group <- unknottedGroups(known)
print(known)
```

Helix Type Filters *Logical filters of helix by type*

Description

Given a helix data frame, checks if helices are conflicting, duplicating, or overlapping, and returns an array of numeric values, where 0 is FALSE and 1 is TRUE. Values in between 0 and 1 occur when a single helix has multiple basepairs with different values, the number observed in this case is the mean of the basepair values within the helix. See details for exact definition of the three types of events.

Usage

```
isConflictingHelix(helix)
isDuplicatingHelix(helix)
isOverlappingHelix(helix, query)
```

Arguments

helix	A helix data frame
query	For <code>isOverlappingHelix</code> , a helix data structure against which helix will be checked for overlap against.

Details

Helices of length greater than 1 are internally expanded into basepairs of length 1, after which the following conditions are evaluated:

A **conflicting** basepair is one where at least one of its two positions is used by either end of another basepair.

A **duplicating** basepair is one where both of its positions are used by both ends of another basepair.

An **overlapping** basepair is one in helix where both of its positions are used by both ends of another basepair in the query structure.

In the case of *conflicting* and *duplicating* basepairs, for a set of basepairs that satisfies this condition, the basepair situation highest on the data frame will be exempt from the condition. i.e. Say 5 basepairs are all duplicates of each other, the top 1 will return FALSE, while the bottom 4 will return TRUE. This assumes some significant meaning to the ordering of rows prior to using this function. This is to be used with `which` to filter out basepairs that satisfy these conditions, leaving a set of basepairs free of these events.

If the original input had helices greater than length 1, then after applying all of the above, TRUE is treated as 1, FALSE as 0, and the average of values from each basepair is taken as the value for the helix in question.

Value

Returns an array of numerics corresponding to each row of `helix`, giving the average conditional status of the helix, where 0 signifying all basepairs are FALSE, and 1 where all basepairs are TRUE.

Author(s)

Daniel Lai

Examples

```
data(helix)

conflicting <- isConflictingHelix(helix)
duplicating <- isDuplicatingHelix(helix)

# Nonsensical covariation plot
plotCovariance(fasta, helix)

# Plot nonconflicting helices
plotCovariance(fasta, helix[(!conflicting & !duplicating), ])

# Similar result
plotCovariance(fasta, helix, conflict.col = "lightgrey")
```

Log10 Space Operations

Log base 10 sequence, floor and ceiling

Description

Sequence, floor and ceiling operations in log 10 space.

Usage

```
logseq(from, to, length.out)

logfloor(x)

logceiling(x)
```

Arguments

from, to	Positive non-zero values to start and end sequence, respectively.
length.out	The number of elements the resulting sequence should contain. If absent, function will attempt to generate numbers factors of 10 apart.
x	A value to round.

Value

logseq returns an array numbers evenly distanced in log10-space.
logfloor and logceiling return a value that is 10 raised to an integer number.

Author(s)

Daniel Lai

Examples

```
logseq(1e-10, 1e3)
logseq(1e-10, 1e3, length.out = 10)
logceiling(2.13e-6)
logfloor(2.13e-6)
```

 Plot Helix Structures *Plots helices in arc diagram*

Description

Plots a helix data frame as an arc diagram, with styling possible with properly named additional columns on the data frame.

Usage

```
plotHelix(helix, x = 0, y = 0, flip = FALSE, line = FALSE, arrow = FALSE,
          add = FALSE, shape = "circle", ...)
plotDoubleHelix(top, bot, line = TRUE, arrow = FALSE, add = FALSE, ...)
plotOverlapHelix(predict, known, miss = "black", line = TRUE,
                 arrow = FALSE, add = FALSE, overlap.cutoff = 1, ...)
plotArcs(i, j, length, x = 0, y = 0, flip = FALSE, shape = "circle", ...)
plotArc(i, j, x = 0, y = 0, flip = FALSE, shape = "circle", ...)
```

Arguments

helix, top, bot, predict, known	Helix data.frames, with the four mandatory columns. Any other column will be considered a styling column, and will be used for styling the helix. See example for styling usage. See Details for exact usage of each helix.
x, y	The coordinate of the left bottom corner of the plot, useful for manually positioning figure elements.
flip	If TRUE, flips the arcs upside down about the y-axis.
line	If TRUE, a horizontal line representing the sequence is plotted.
arrow	If TRUE, an arrow is played on the right end of the line.
add	If TRUE, graphical elements are added to the active plot device, else a new plot device is created for the plot.
shape	One of "circle", "triangle", or "square", specifying the shape of the arcs.
miss	The colour for unpredicted arcs in overlapping diagrams, see details for more information.
overlap.cutoff	Decimal between 0 and 1 indicating the percentage of basepairs within a helix that have to be overlapping for the entire helix to count as overlapping. Default is 1, or 100
i, j	The starting and ending position of the arc along the x-axis
length	The total number of arcs to draw by incrementing <i>i</i> and decrementing <i>j</i> . Used to draw helices.
...	Any additional parameters passed to par

Details

`plotHelix` creates a arc diagram with all arcs on top, `plotDoubleHelix` creates a diagram with arcs on the top and bottom. `plotOverlapHelix` is slight trickier, and given two structures predict and known, plots the predicted helices that are known on top, predicted helices that are not known on the bottom, and finally plots unpredicted helices on top in the colour defined by `miss`.

`plotArc` and `plotArcs` are the core functions that make everything work, and may be used for extreme fine-tuning and customization.

Value

Not intended to return a value, will plot to GUI or file if specific.

Author(s)

Daniel Lai

See Also

[colourByCount](#)

Examples

```
data(helix)

# Plot helix plain
plotHelix(known)

# Apply global appearance options
plotHelix(known, line = TRUE, arrow = TRUE, col = "blue", lwd = 1.5)

# Add extra column with styling options
known$sty <- 1:4
known$lwd <- 1:2
known$col <- c(rgb(1, 0, 0), "orange", "yellow", "#00FF00", 4, "purple")
plotHelix(known)

# Manually colour helices according to value
helix$col <- "red"
helix$col[which(helix$value < 1e-3)] <- "orange"
helix$col[which(helix$value < 1e-4)] <- "green"
helix$col[which(helix$value < 1e-5)] <- "blue"
plotHelix(helix)

# Automatically creating a similar plot with legend
coloured <- colourByValue(helix, log = TRUE, get = TRUE)
plotHelix(coloured, line = TRUE, arrow = TRUE)
legend("topleft", legend = attr(coloured, "legend"),
      fill = attr(coloured, "fill"), title = "P-value", text.col = "black")

# Plot both helices with styles
plotDoubleHelix(helix, known)

# Overlap helix
plotOverlapHelix(helix, known)
```

Read Structure File *Read secondary structure file*

Description

Reads in secondary structure text files into a helix data frame.

Usage

```
readHelix(file)
readConnect(file)
readVienna(file, palette = NA)
readBpseq(file)
```

Arguments

file	A text file in connect format, see details for format specifications.
palette	Used to colour basepairs by bracket type. See viennaToHelix for more details.

Details

Helix: Files start with a header line beginning with # followed by the sequence length, followed by a four-column tab-delimited table (with column names), where each row corresponds to a helix in the structure. The four columns are *i* and *j* for the left-most and right-most basepair positions respectively, the *length* of the helix (converging inwards from *i* and *j*, and finally an arbitrary *value* assigned to the helix.

Vienna: Dot-bracket notation from Vienna package programs, where each structure consists of matched brackets for basepairs and periods for unpaired basepairs. Valid brackets are (, [, <, A, B, C, D matched with),], >, a, b, c, d, respectively. An energy value can be appended to the end of any dot-bracket structure. The function will accept slight variations of the format, including those with FASTA-like headers (in which case line breaks are allowed), and those without FASTA-like headers (in which case line breaks are NOT allowed), with both types allowing for a preceding (NOT following) nucleotide sequence for the structure. Multiple entries *of the same length* may be in a single file, which will be returned as a single helix structure, with respectively energy values (if specified).

Connect: Output from mfold and other programs, this format is expected to be a text file beginning with a header line that starts with the sequence length, with an optional Energy/dG value, followed by a six-column tab-delimited table where columns 1 and 5 denote the position that are basepaired (unpaired when column 5 is 0). Other columns are ignored, but for completeness, column 2 is the nucleotide, column 3 and 4 are the positions of the bases left and right of the base specified in column 1 respectively (with 0 denoting non-existence), and column 6 a copy of column 1. Multiple entries *of the same length* may be in a single file, which will be returned as a single helix structure. All helices will be assigned the energy value extracted from their respective structure header lines.

Bpseq: Format used by the Gutell Lab's Comparative RNA Website. The file may optionally begin several header lines (e.g. Filename, Organism, Accession, etc.), followed by a 3-column tab-delimited table for the structure, where column 1 is the base position, base 2 is the nucleotide base, and column 3 is the paired position (0 if unpaired). Certain pieces of header information will be parsed and returned as attributes of the output data frame. Multiple structures can be within a single file, returned as a single helix data frame, with attributes set to those of the first entry.

Value

Returns a helix format data frame.

Author(s)

Daniel Lai, Jeff Proctor

Examples

```
file <- system.file("extdata", "helix.txt", package = "R4RNA")
helix <- readHelix(file)
head(helix)

file <- system.file("extdata", "connect.txt", package = "R4RNA")
connect <- readConnect(file)
head(connect)
message("Note connect data assigns structure energy level to all basepairs")

file <- system.file("extdata", "vienna.txt", package = "R4RNA")
vienna <- readVienna(file)
head(vienna)
message("Note vienna data assigns structure energy level to all basepairs")

file <- system.file("extdata", "bpseq.txt", package = "R4RNA")
bpseq <- readBpseq(file)
head(bpseq)
message("Note bpseq data has no value assigned to basepairs")
```

Structure Mismatch Score

Scores how a basepair structure fits a sequence

Description

Calculates a score that indicates how badly a set of basepairs (i.e. a secondary structure) fits with a sequence. A perfect fit is a structure where all basepairs form valid basepairs (A:U, G:C, G:U, and equivalents) and has a score of 0. Each basepair that forms a non-canonical pairing or pairs to gaps increases the score by 1, and each base-pair with a single-sided gap increases the score by 2.

Usage

```
structureMismatchScore(msa, helix, one.gap.penalty = 2, two.gap.penalty = 2,
  invalid.penalty = 1)
```

Arguments

msa	A multiple sequence alignment. Can be either a Biostings XStringSet object or a named array of strings like ones obtained from converting XStringSet with <code>as.character</code> .
helix	A helix data.frame
one.gap.penalty	Penalty score for basepairs with one of the bases being a gap

two.gap.penalty Penalty score for basepairs with both bases being a gaps
 invalid.penalty Penalty score for non-canonical basepairs

Value

Returns an array of mismatch scores.

Author(s)

Jeff Proctor, Daniel Lai

Examples

```
data(helix)
mismatch <- structureMismatchScore(fasta, known)

# Sort by increasing mismatch
sorted_fasta <- fasta[order(mismatch)]
```

Write Helix

Write out a helix data frame into a text file

Description

Write out a helix data frame into a text file into the four-column tab-delimited format with proper header and column names.

Usage

```
writeHelix(helix, file = stdout())
```

Arguments

helix A helix data frame.
 file A character string pointing to a file path, or a file connection. Defaults to the console.

Value

No value returned, will write to STDOUT or specific file location.

Author(s)

Daniel Lai

Examples

```
# Create helix data frame
helix <- data.frame(2, 8, 3, 0.5)
helix[2, ] <- c(5, 15, 4, -0.5)
helix <- as.helix(helix)

writeHelix(helix)
```

Index

- * **IO**
 - Read Structure File, [20](#)
 - Write Helix, [22](#)
- * **aplot**
 - Basepair Frequency, [4](#)
 - Covariation Plots, [10](#)
 - Create Blank Plot, [13](#)
 - Find Unknotted Groups, [15](#)
 - Plot Helix Structures, [18](#)
- * **color**
 - Colour Helices, [7](#)
 - Log10 Space Operations, [17](#)
- * **datasets**
 - Example Data, [14](#)
- * **file**
 - Read Structure File, [20](#)
 - Write Helix, [22](#)
- * **logic**
 - Helix Type Filters, [16](#)
- * **manip**
 - Basepair/Helix Conversion, [5](#)
 - Coerce to Helix, [6](#)
 - Convert Helix Formats, [9](#)
- * **math**
 - Alignment Statistics, [2](#)
 - Structure Mismatch Score, [21](#)
- * **package**
 - R4RNA-package, [2](#)
- Alignment Statistics, [2](#)
- alignmentCanonical (Alignment Statistics), [2](#)
- alignmentConservation (Alignment Statistics), [2](#)
- alignmentCovariation (Alignment Statistics), [2](#)
- alignmentPercentGaps (Alignment Statistics), [2](#)
- as.helix, [6](#)
- as.helix (Coerce to Helix), [6](#)
- baseConservation (Alignment Statistics), [2](#)
- Basepair Frequency, [4](#)
- Basepair/Helix Conversion, [5](#)
- basepairCanonical (Alignment Statistics), [2](#)
- basepairConservation (Alignment Statistics), [2](#)
- basepairCovariation (Alignment Statistics), [2](#)
- basepairFrequency, [8](#)
- basepairFrequency (Basepair Frequency), [4](#)
- blankPlot, [11](#), [12](#)
- blankPlot (Create Blank Plot), [13](#)
- Coerce to Helix, [6](#)
- collapseHelix (Basepair/Helix Conversion), [5](#)
- Colour Helices, [7](#)
- colourByBasepairFrequency, [4](#)
- colourByBasepairFrequency (Colour Helices), [7](#)
- colourByCanonical, [12](#)
- colourByCanonical (Colour Helices), [7](#)
- colourByConservation, [12](#)
- colourByConservation (Colour Helices), [7](#)
- colourByCount, [19](#)
- colourByCount (Colour Helices), [7](#)
- colourByCovariation, [12](#)
- colourByCovariation (Colour Helices), [7](#)
- colourByUnknottedGroups, [15](#)
- colourByUnknottedGroups (Colour Helices), [7](#)
- colourByValue (Colour Helices), [7](#)
- Convert Helix Formats, [9](#)
- Covariation Plots, [10](#)
- Create Blank Plot, [13](#)
- cut, [7](#), [8](#)
- defaultPalette (Colour Helices), [7](#)
- Example Data, [14](#)
- expandHelix, [15](#)
- expandHelix (Basepair/Helix Conversion), [5](#)
- fasta (Example Data), [14](#)

- Find Unknotted Groups, [15](#)
- helix (Example Data), [14](#)
- Helix Type Filters, [16](#)
- helixCanonical (Alignment Statistics), [2](#)
- helixConservation (Alignment Statistics), [2](#)
- helixCovariation (Alignment Statistics), [2](#)
- helixToBpseq (Convert Helix Formats), [9](#)
- helixToConnect (Convert Helix Formats), [9](#)
- helixToVienna (Convert Helix Formats), [9](#)
- is.helix, [6](#)
- is.helix (Coerce to Helix), [6](#)
- isConflictingHelix (Helix Type Filters), [16](#)
- isDuplicatingHelix (Helix Type Filters), [16](#)
- isOverlappingHelix (Helix Type Filters), [16](#)
- known (Example Data), [14](#)
- legend, [8](#)
- Log10 Space Operations, [17](#)
- logceiling (Log10 Space Operations), [17](#)
- logfloor (Log10 Space Operations), [17](#)
- logseq, [8](#)
- logseq (Log10 Space Operations), [17](#)
- maxHeight (Create Blank Plot), [13](#)
- par, [13](#)
- parseBracket, [6](#)
- parseBracket (Coerce to Helix), [6](#)
- plot, [14](#)
- Plot Helix Structures, [18](#)
- plotArc (Plot Helix Structures), [18](#)
- plotArcs (Plot Helix Structures), [18](#)
- plotCovariance (Covariation Plots), [10](#)
- plotDoubleCovariance (Covariation Plots), [10](#)
- plotDoubleHelix, [11](#), [12](#)
- plotDoubleHelix (Plot Helix Structures), [18](#)
- plotHelix, [8](#), [11](#), [12](#), [14](#)
- plotHelix (Plot Helix Structures), [18](#)
- plotOverlapCovariance (Covariation Plots), [10](#)
- plotOverlapHelix, [11](#), [12](#)
- plotOverlapHelix (Plot Helix Structures), [18](#)
- R4RNA (R4RNA-package), [2](#)
- R4RNA-package, [2](#)
- Read Structure File, [20](#)
- readBpseq (Read Structure File), [20](#)
- readConnect (Read Structure File), [20](#)
- readHelix (Read Structure File), [20](#)
- readVienna (Read Structure File), [20](#)
- Structure Mismatch Score, [21](#)
- structureMismatchScore (Structure Mismatch Score), [21](#)
- unknottedGroups, [8](#)
- unknottedGroups (Find Unknotted Groups), [15](#)
- viennaToHelix, [20](#)
- viennaToHelix (Convert Helix Formats), [9](#)
- Write Helix, [22](#)
- writeHelix (Write Helix), [22](#)