

The ejpecp class^{*†}

K. Burdzy D. Chafai

November 4, 2021

1 Introduction

The *ejpecp* L^AT_EX 2_ε class is designed for the typesetting of articles for the mathematical research periodicals Electronic Journal of Probability (EJP) and Electronic Communications in Probability (ECP).

2 Usage

This class works only with the pdf_latex engine. See the sample file for its usage.

3 Implementation

```
1 %% We declare and handle our class options
2 \DeclareOption{EJP}{%
3   \newcommand{\@EJP}{}
4   \newcommand{\@JOURNAL}{EJP}
5   \newcommand{\@JOURNALA}{Electron. J. Probab.}
6   \newcommand{\@JOURNALL}{Electronic Journal of Probability}
7   \newcommand{\@ISSN}{1083-6489}
8   \newcommand{\@URL}{www.imstat.org/ejp}
9   \newcommand{\@FULLURL}{https://imstat.org/journals-and-publications/electronic-journal-of-probability/}
10  }
11 \DeclareOption{ECP}{%
12   \newcommand{\@ECP}{}
13   \newcommand{\@JOURNAL}{ECP}
14   \newcommand{\@JOURNALA}{Electron. Commun. Probab.}
15   \newcommand{\@JOURNALL}{Electronic Communications in Probability}
16   \newcommand{\@ISSN}{1083-589X}
17   \newcommand{\@URL}{www.imstat.org/ecp}
18   \newcommand{\@FULLURL}{https://imstat.org/journals-and-publications/electronic-communications-
19     in-probability/}
20  }
21 \DeclareOption{NOAMS}{% prevents the load of AMS packages
22   \newcommand{\@NOAMS}{}
23  }
24 \DeclareOption{NODS}{% asks to avoid renaming \mathbb into \mathds
25   \newcommand{\@NODS}{}
26  }
27 \DeclareOption{PSTRICKS}{% pstricks and pspicture.
28   % File must be compiled with "latex --shell-escape", then use dvipdf
29   \newcommand{\@PSTRICKS}{}
30  }
31 \DeclareOption{draft}{%
32   \PassOptionsToClass{draft}{article}
33  }
34 \DeclareOption{final}{%
```

^{*}class for EJP and ECP journals v1.11.3 dated 2021/11/04.

[†]Current maintainer of class file is VTeX, Lithuania. Please send all queries to latex-support@vtex.lt.

```

34 \PassOptionsToClass{final}{article}
35 }
36 \newif\if@ejpecp@preprint \@ejpecp@preprintfalse
37 \DeclareOption{preprint}{\@ejpecp@preprinttrue}
38 \newif\if@ejpecp@nofontexpansion \@ejpecp@nofontexpansionfalse
39 \DeclareOption{nofontexpansion}{\@ejpecp@nofontexpansiontrue}
40 \newif\if@ejpecp@nobera \@ejpecp@noberafalse
41 \DeclareOption{nobera}{\@ejpecp@noberatrue}
42 \DeclareOption*{%
43 \PackageWarning{ejpecp}{Unknown option '\CurrentOption'}%
44 }
45 %\ExecuteOptions{EJP}
46 \ProcessOptions\relax
47 %% We use the standard article class
48 \LoadClass[a4paper,10pt,twoside]{article}
49 %% Packages and their options
50 \RequirePackage{graphicx}
51 \ifx\@PSTRICKS\undefined
52 \DeclareGraphicsExtensions{.pdf,.PDF,.eps,.EPS,.png,.PNG,.jpg,.JPG,.jpeg,.JPEG}
53 \else
54 \RequirePackage[pdf]{pstricks}
55 \RequirePackage{auto-pst-pdf}
56 \fi
57 \RequirePackage{mathtools}
58 \RequirePackage{microtype}
59 \if@ejpecp@nofontexpansion
60 \microtypesetup{expansion=false}
61 \fi
62 \RequirePackage{latexsym}
63 \ifx\@NODS\undefined
64 \RequirePackage{dsfont}
65 \fi
66 \ifx\@NOAMS\undefined
67 \RequirePackage{amsmath,amsfonts,amssymb,amsthm}
68 \fi
69 \RequirePackage{geometry}
70 \geometry{a4paper,portrait,left=3.5cm,right=3.5cm,top=3.5cm,bottom=3.5cm}
71 \if@ejpecp@nobera
72 \else
73 \RequirePackage{bera} % beware that the logo is sensitive to default font change
74 \fi
75 \RequirePackage{hyperref}
76 \hypersetup{
77 pagebackref=false,
78 pdfborder={0 0 0},
79 pdfstartview={FitH},
80 hypertexnames=false,
81 breaklinks,
82 }
83 \def\UrlFont{}
84 %%% Macros et Environments
85 %% General macros
86 \newcommand{\@TITLE}{FIXME!}
87 \newcommand{\@SHORTTITLE}{FIXME!}
88 \newcommand{\@KEYWORDS}{FIXME!}
89 \newcommand{\@AMSSUBJ}{FIXME!}
90 \newcommand{\@ABSTRACT}{FIXME!}
91 \newcommand{\@VOLUME}{0}
92 \newcommand{\@PAPERNUM}{0}
93 \newcommand{\@YEAR}{2012}
94 \newcommand{\@PAGESTART}{1}
95 \newcommand{\@PAGEEND}{\ifundefined{ejpecp@lastpage}{\@PAGESTART}{\ejpecp@lastpage}}
96 \newcommand{\@SUBMITTED}{FIXME!}

```

```

97 \newcommand{\@ACCEPTED}{FIXME!}
98 \newcommand{\TITLE}[1]{\renewcommand{\@TITLE}{#1}}
99 \newcommand{\SHORTTITLE}[1]{\renewcommand{\@SHORTTITLE}{#1}}
100 \newcommand{\DEDICATORY}[1]{\gdef\@DEDICATORY{#1}}
101 \newcommand{\AUTHORS}[1]{\author{#1}}
102 \let\FIRSTNAMES\@firstofone
103 \let\SURNAME\@firstofone
104 \newcommand{\KEYWORDS}[1]{\renewcommand{\@KEYWORDS}{#1}}
105 \newcommand{\AMSSUBJ}[1]{\renewcommand{\@AMSSUBJ}{#1}}
106 \newcommand{\AMSSUBJSECONDARY}[1]{\gdef\@AMSSUBJSECONDARY{#1}}
107 \newcommand{\ABSTRACT}[1]{\renewcommand{\@ABSTRACT}{#1}}
108 \newcommand{\VOLUME}[1]{\renewcommand{\@VOLUME}{#1}}
109 \newcommand{\PAPERNUM}[1]{\renewcommand{\@PAPERNUM}{#1}}
110 \newcommand{\YEAR}[1]{\renewcommand{\@YEAR}{#1}}
111 \newcommand{\PAGESTART}[1]{\renewcommand{\@PAGESTART}{#1}}
112 \newcommand{\PAGEEND}[1]{%
113     \let\write@ejpecp@lastpage\relax
114     \renewcommand{\@PAGEEND}{#1}%
115 }
116 \newcommand{\SUBMITTED}[1]{\renewcommand{\@SUBMITTED}{#1}}
117 \newcommand{\ACCEPTED}[1]{\renewcommand{\@ACCEPTED}{#1}}
118 \newcommand{\DOI}[1]{\gdef\@DOI{#1}}
119 \newcommand{\ARXIVID}[1]{\gdef\@ARXIVID{#1}}
120 \newcommand{\HALID}[1]{\gdef\@HALID{#1}}
121 \newcommand{\ACKNO}[1]{\noindent\textbf{Acknowledgments.} #1}
122 \def\acknowledgementsname{Acknowledgments}
123 \newenvironment{acks}[1]{\acknowledgementsname}{\noindent\textbf{#1.}\space\ignorespaces}{\par}
124 \def\EMAIL#1{E-mail:~\texttt{\href{mailto:#1}{\nolinkurl{#1}}}}
125 \newcommand{\BEMAIL}[1]{\newline\hspace*{1.8em}\EMAIL{#1}} % useful in ftnotes
126 %% Logos
127 \newcommand{\@EJPLOGO}{% designed by KB.
128 % This version is for bera 10pt (depends on the font via "em" and "ex")
129 \centerline{%
130     \hbox{%
131         \vrule height -0.4 pt depth 0.8 pt width 27.7 em\space
132         \kern -27.8 em\space
133         \raise 0.03ex \hbox {\bf E}\space
134         \raise 0.06ex \hbox {1}\space
135         \raise .13ex \hbox {e}\space
136         \raise .24ex \hbox {c}\space
137         \raise .45ex \hbox {t}\space
138         \raise .78ex \hbox {r}\space
139         \raise 1.31ex \hbox {o}\space
140         \raise 2.08ex \hbox {n}\space
141         \raise 3.14ex \hbox {i}\space
142         \raise 4.53ex \hbox {c}\space
143         \kern 1em\space
144         \raise 8.15ex \hbox {\bf J}\space
145         \raise 10.15ex \hbox {o}\space
146         \raise 12.04ex \hbox {u}\space
147         \raise 13.60ex \hbox {r}\space
148         \raise 14.64ex \hbox {n}\space
149         \kern .3 em\space
150         \vrule depth 0.8pt height 14.5ex \space
151         \kern -.3em\space
152         \raise 15ex \hbox {a}\space
153         \raise 14.64ex \hbox {1}\space
154         \kern 1em\space
155         \raise 12.04ex \hbox {o}\space
156         \raise 10.15ex \hbox {f}\space
157         \kern 1em\space
158         \raise 6.23ex \hbox {\bf P}\space
159         \raise 4.53ex \hbox {r}\space

```

```

160     \raise 3.14ex \hbox {o}\space
161     \raise 2.08ex \hbox {b}\space
162     \raise 1.31ex \hbox {a}\space
163     \raise .78ex \hbox {b}\space
164     \raise .45ex \hbox {i}\space
165     \raise .24ex \hbox {l}\space
166     \raise .13ex \hbox {i}\space
167     \raise .06ex \hbox {t}\space
168     \raise .03ex \hbox {y}%
169     }%
170   }%
171 }%EJPLOGO
172 \newcommand{\@ECPLOGO}{% designed when Ren'e Carmona was in charge of ECP
173   \raisebox{0.3cm}{\parbox[t]{1.3in}{\noindent\rule{1.3in}{1.6pt}}\
174     \textbf{ ELECTRONIC}\
175     \textbf{ COMMUNICATIONS}\
176     \textbf{ in PROBABILITY}\
177     \rule[.08in]{1.3in}{1.6pt}}}%
178 }%ECPLOGO
179 \def\@doiprefix{https://doi.org/}
180 \def\printdoi{\texttt{\href{\@doiprefix\@DOI}{\@doiprefix\@DOI}}}
181 \def\msc@url{https://ams.org/mathscinet/msc/msc2020.html}
182 %% for multiple thanks/support in title
183 \def\title@makefnmark{%
184   \setbox\@tempboxa\hbox{\@textsuperscript{\normalfont\@thefnmark}}%
185   \ifundefined{prev@makefnmark@wd}%
186     {\edef\prev@makefnmark@wd{0pt}}%
187     {\edef\prev@makefnmark@wd{\the\dimexpr\prev@makefnmark@wd+\wd\@tempboxa\relax}}%
188   \rlap{\hskip\prev@makefnmark@wd\unhbox\@tempboxa}%
189   }
190 \def\title@thanks#1{\unskip\unkern\orig@thanks{#1}\ignorespaces}%
191 %% make title long
192 \renewcommand\title[1]{\gdef\@title{#1}}
193 %% Macro handling the first page
194 \def\papernum@name{no.}
195 \newcommand{\FIRSTPAGE}{%
196   \setcounter{page}{\@PAGESTART}%
197   \title{\small
198     \let\orig@thanks\thanks
199     \ifx\@EJP\undefined\else
200       \if@ejpecp@preprint
201         \phantom{\@EJPLOGO}\par
202       \else
203         \@EJPLOGO
204       \fi
205       \bigskip
206       \if@ejpecp@preprint
207         \null\null
208       \else
209         \centerline{\@JOURNALA \textbf{\@VOLUME} (\@YEAR),\
210           \papernum@name \@PAPERNUM, \,\@PAGESTART--\@PAGEEND.}%
211         \centerline{ISSN:\ \texttt{\href{\@FULLURL}{\@ISSN}} \%
212           \ifx\@DOI\undefined\else
213             \ \printdoi
214           \fi}%
215       \fi
216       \bigskip
217       \bigskip
218     \bgroup
219     \@ifundefined{no@title@thanks@support}{%
220       \let\thanks\title@thanks
221       \let\@makefnmark\title@makefnmark
222       \let\support\thanks

```

```

223     }{}%
224     \Large\bfseries\@TITLE\par
225     \egroup
226     \fi
227     \ifx\@ECP\undefined
228     \else
229     \parbox[t]{9cm}{%
230     \if@ejpecp@preprint
231     \else
232     \@JOURNALA\ \textbf{\@VOLUME} (\@YEAR),
233     \papernum@name\ \@PAPERNUM, \@PAGESTART--\@PAGEEND.\@
234     \ifx\@DOI\undefined
235     \else
236     \ \printdoi
237     \fi \\\
238     ISSN:\ \texttt{\href{\@FULLURL}{\@ISSN}}%
239     \fi
240     }%
241     \hfill
242     \if@ejpecp@preprint
243     \phantom{\@ECPLOGO}%
244     \else
245     \@ECPLOGO
246     \fi\\
247     \bigskip
248     \bigskip
249     \bgroup
250     \@ifundefined{no@title@thanks@support}{%
251     \let\thanks\title@thanks
252     \let\@makefnmark\title@makefnmark
253     \let\support\thanks
254     }{}%
255     \Large\@TITLE\par
256     \egroup
257     \fi
258     }% end title
259     \date{%
260     \ifx\@DEDICATORY\undefined
261     \else
262     \noindent
263     \emph{\small\sffamily\@DEDICATORY}%
264     \fi}%
265     \maketitle\thispagestyle{empty}%
266     \begin{abstract}%
267     \noindent
268     \@ABSTRACT\par\vskip 1em\relax
269     {\footnotesize
270     \noindent\textbf{Keywords: }\@KEYWORDS.\par
271     \noindent\href\msc@url{\textbf{MSC2020 subject classifications: }}%
272     \ifx\@AMSSUBJSECONDARY\undefined
273     \noindent
274     \@AMSSUBJ.\par
275     \else
276     \noindent
277     Primary \@AMSSUBJ, Secondary \@AMSSUBJSECONDARY.\par
278     \fi
279     \if@ejpecp@preprint
280     \mbox{}\par
281     \else
282     \noindent
283     Submitted to \@JOURNAL\ on \@SUBMITTED,
284     final version accepted on \@ACCEPTED.\par
285     \fi

```

```

286     \ifx\@ARXIVID\undefined
287     \else
288         \noindent
289         Supersedes
290         \texttt{\href{https://arXiv.org/abs/\@ARXIVID}{arXiv:\@ARXIVID}}. %
291     \fi\par
292     \ifx\@HALID\undefined
293     \else
294         \noindent
295         Supersedes
296         \texttt{\href{https://hal.archives-ouvertes.fr/\@HALID}{HAL:\@HALID}}. %
297     \fi\par
298     }%footnotesize
299 \end{abstract}
300
301 \smallskip
302
303 }%END-FIRSTPAGE
304 %% Macro setting the PDF title
305 \newcommand{\PDFFIELDS}{%
306 \if@ejpecp@preprint
307 \else
308     \hypersetup{%
309         pdftitle={\@JOURNALA\ \@VOLUME\ (\@YEAR), \paperum@name\ \@PAPERUM, \@doiprefix\@DOI}}%
310     \hypersetup{pdfproducer={\@JOURNAL\ Managing Editor https://\@URL}}%
311     \hypersetup{pdfauthor={Please see \@doiprefix\@DOI}}%
312 \fi
313 \hypersetup{pdfkeywords={\@KEYWORDS}}%
314 \hypersetup{pdfcreator={LaTeX with ejpecp.cls \@nameuse{ver@ejpecp.cls}}}%
315 \hypersetup{pdfsubject={Probability Theory}}%
316 }%END-PDFFIELDS
317
318 %% Supplement
319 \def\supplement@name{Supplementary Material}
320 \def\stitle#1{\def\@stitle{#1}}
321 \def\stitle@fmt#1{\textbf{#1.}\ }
322 \def\sdescription#1{\def\@sdescription{#1}}
323 \def\suppsection@fmt{\section*\@supplement@name}
324 \long\def\supplement{\@ifnextchar[{\@supplement}{\@supplement []}}
325 \long\def\@supplement[#1]{%
326     \suppsection@fmt
327     \global\let\suppsection@fmt\smallskip
328 }
329 \def\endsupplement{%
330     \@ifundefined{@stitle}{%
331         }%
332     {\stitle@fmt{\@stitle}}%
333     %
334     \@ifundefined{@sdescription}{\@sdescription}%
335     \par
336 }
337
338 %% Bibliography
339 \def\@MRExtract#1 #2!{#1} % thanks, Martin!
340 \newcommand{\MR}[1]{% we need to strip the "(...)"
341     \xdef\@MRSTRIP{\@MRExtract#1 !}}%
342     \href{https://mathscinet.ams.org/mathscinet-getitem?mr=\@MRSTRIP}{MR\@MRSTRIP}}
343 \newcommand{\ARXIV}[1]{\href{https://arXiv.org/abs/#1}{arXiv:#1}}
344 \def\bibliography@size{\small}
345 \renewenvironment{thebibliography}[1]
346 {%
347     \section*\@refname
348     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%

```

```

349 \phantomsection
350 \addcontentsline{toc}{section}{\refname}%
351 \list{\@biblabel{\@arabic\c@enumiv}}%
352 {\settowidth\labelwidth{\@biblabel{#1}}%
353 \bibliography@size
354 \setlength{\labelsep}{0.4em}%
355 \setlength{\leftmargin}{\labelwidth}%
356 \addtolength{\leftmargin}{\labelsep}%
357 \setlength{\itemsep}{-.25em}%
358 \@openbib@code
359 \usecounter{enumiv}%
360 \let\p@enumiv\empty
361 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
362 \sloppy\clubpenalty4000\@clubpenalty\clubpenalty\widowpenalty4000%
363 \sfcode`\.\@m
364 }{%
365 \def\@noitemerr{%
366 \latex@warning{Empty `thebibliography' environment}}%
367 \endlist
368 }
369 %% Theorem styles
370 \ifx\@NOAMS\undefined
371 \newtheoremstyle{ejpeccpbodyit}% name % cf. thmtest.tex of AMSLaTeX
372 {3pt} % Space above
373 {3pt} % Space below
374 {\itshape} % Body font
375 {} % Indent amount (empty = no indent,
376 % \parindent = para indent)
377 {\bfseries\sffamily} % Thm head font
378 {.} % Punctuation after thm head
379 { } % Space after thm head: " " = normal interword space;
380 % \newline = linebreak
381 {} % Thm head spec (can be left empty, meaning `normal')
382 \newtheoremstyle{ejpeccpbodyrm}% name % cf. thmtest.tex of AMSLaTeX
383 {3pt} % Space above
384 {3pt} % Space below
385 {} % Body font
386 {} % Indent amount (empty = no indent,
387 % \parindent = para indent)
388 {\bfseries\sffamily} % Thm head font
389 {.} % Punctuation after thm head
390 { } % Space after thm head: " " = normal interword space;
391 % \newline = linebreak
392 {} % Thm head spec (can be left empty, meaning `normal')
393 \fi
394 %%
395 \ifx\@NOAMS\undefined
396 \theoremstyle{ejpeccpbodyit}
397 \fi
398 \newtheorem{theorem}{Theorem}[section]
399 \newtheorem{assumptions}[theorem]{Assumptions}
400 \newtheorem{assumption}[theorem]{Assumption}
401 \newtheorem{claim}[theorem]{Claim}
402 \newtheorem{condition}[theorem]{Condition}
403 \newtheorem{conjecture}[theorem]{Conjecture}
404 \newtheorem{corollary}[theorem]{Corollary}
405 \newtheorem{definitions}[theorem]{Definitions}
406 \newtheorem{definition}[theorem]{Definition}
407 \newtheorem{facts}[theorem]{Facts}
408 \newtheorem{fact}[theorem]{Fact}
409 \newtheorem{heuristics}[theorem]{Heuristics}
410 \newtheorem{hypothesis}[theorem]{Hypothesis}
411 \newtheorem{hypotheses}[theorem]{Hypotheses}

```

```

412 \newtheorem{lemma}[theorem]{Lemma}
413 \newtheorem{notations}[theorem]{Notations}
414 \newtheorem{notation}[theorem]{Notation}
415 \newtheorem{proposition}[theorem]{Proposition}
416 \ifx\@NOAMS\undefined
417   \theoremstyle{ejpecpbodyrm}
418 \fi
419 \newtheorem{example}[theorem]{Example}
420 \newtheorem{exercise}[theorem]{Exercise}
421 \newtheorem{problem}[theorem]{Problem}
422 \newtheorem{question}[theorem]{Question}
423 \newtheorem{remark}[theorem]{Remark}
424 %% Numbering
425 \ifx\@NOAMS\undefined
426   \numberwithin{equation}{section}
427 \fi
428 %% Itemize and enumerate for bera
429 \newcommand{\@reduceitemsep}{\addtolength{\itemsep}{-0.5\baselineskip}}
430 \let\OLD@itemize\itemize
431 \renewcommand\itemize{\OLD@itemize\@reduceitemsep}
432 \let\OLD@enumerate\enumerate
433 \renewcommand\enumerate{\OLD@enumerate\@reduceitemsep}
434 %% Replace \mathbb by \mathds except if we require the contrary
435 \ifx\@NODS\undefined
436   \let\realmathbb=\mathbb
437   \let\mathbb=\mathds
438 \fi
439 %% Headings
440 \def\write@ejpecp@lastpage{\immediate\write\@auxout{\string\xdef\string\ejpecp@lastpage{\the\c@page}}}
441 \newcommand{\@HLOB}{%
442   \href{\@doiprefix\@DOI}{%
443     {\@JOURNAL\ \textbf{\@VOLUME}\, (\@YEAR),\ paper \@PAPERNUM.}}
444 \renewcommand{\@evenfoot}{%
445   \normalfont\footnotesize\if@ejpecp@preprint\mbox{} \else\@HLOB\fi\hfil
446   \small
447   \write@ejpecp@lastpage
448   \raisebox{-1em}{Page \thepage/\@PAGEEND}\hfil
449   \footnotesize\if@ejpecp@preprint\mbox{} \else\href{\@FULLURL}{https://\@URL}\fi}
450 \renewcommand{\@oddfoot}{\@evenfoot}
451 \renewcommand{\@evenhead}{\hfil\@SHORTTITLE\hfil}
452 \renewcommand{\@oddhead}{\@evenhead}
453 %% smaller sections titles
454 \renewcommand{\section}{%
455   \@startsection
456     {section}
457     {1}
458     {0em}
459     {\baselineskip}
460     {0.5\baselineskip}
461     {\normalfont\large\bfseries}}
462 \renewcommand{\subsection}{%
463   \@startsection
464     {subsection}
465     {2}
466     {0em}
467     {\baselineskip}
468     {0.25\baselineskip}
469     {\normalfont\bfseries}}
470 \RequirePackage{afterpackage}
471 \AfterPackage{natbib}
472 {%
473   \def\bibcleanup{\vskip-\lastskip\vskip10\p@}%
474   \renewcommand{\bibfont}{\small}%

```



```

475 \newlength{\standard@parsep}%
476 \newlength{\standard@itemsep}%
477 \setlength{\standard@parsep}{4.0pt plus 2.0pt minus 1.0pt}%
478 \setlength{\standard@itemsep}{-2.02498pt}%
479 \setlength{\bibsep}{\standard@parsep}%
480 \addtolength{\bibsep}{\standard@itemsep}%
481 \renewcommand\NAT@bibsetnum[1]%
482 {%
483 \settowidth\labelwidth{\@biblabel{#1}}%
484 \setlength{\leftmargin}{\labelwidth}\addtolength{\leftmargin}{\labelsep}%
485 \setlength{\labelsep}{3pt}%
486 \setlength{\itemsep}{\bibsep}\setlength{\parsep}{\z@}%
487 \ifNAT@openbib
488 \addtolength{\leftmargin}{\bibindent}%
489 \setlength{\itemindent}{-\bibindent}%
490 \setlength{\listparindent}{\itemindent}%
491 \setlength{\parsep}{0pt}%
492 \fi
493 }%
494 }%
495 \def\amp{&}%
496 \InputIfFileExists{ejpepc.cfg}
497 {}
498 {\def\papernum@name{article no.}}
499 %% Macros
500 \AtBeginDocument{\FIRSTPAGE\PDFFIELDS}
501 \AtEndDocument{\vfill}
502 \endinput
503 %%
504 %% End of file `ejpepc.cls'.
505 %% Macros
506 \AtBeginDocument{\FIRSTPAGE\PDFFIELDS}
507 \AtEndDocument{\vfill}

```

Change History

v0.5		v1.11.2	
General: Initial version.	1	General: nobera and nofontexpansion options added	1
v0.57		v1.11.3	
General: Improvements, see the README file.	1	General: removed dash in MR	1
v0.577		v1.2	
General: Improvements, see the README file.	1	General: Transition to EJMS/VTEX/ProjectEuclid.	1
v0.5772		v1.3	
General: Improvements, see the README file.	1	General: Updated journal URLs and DOI output format	1
v0.57721		v1.4	
General: Improvements, see the README file.	1	General: Abstract baselineskip correction	1
v0.577215		v1.5	
General: Improvements, see the README file.	1	General: false configuration for hyperref package	1
v1.0		v1.6	
General: First stable version, see the README file.	1	General: full url doi, package maintaining and shorttitle info	1
v1.1		v1.7	
General: Corrected stable version, see the README file.	1	General: merged with production version: fixltx2e removed, natbib setup with afterpackage, etc	1
v1.10.0		v1.8.2	
General: acks and support	1	General: no. prefix updated and msc2020	1
v1.11.0			
General: preprint option	1		
v1.11.1			
General: removed dependency on lastpage package	1		

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined> refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	<code>\@evenfoot</code> 444, 450	<code>\bfseries</code> 224, 377, 388, 461, 469
<code>\'</code> 172	<code>\@evenhead</code> 451, 452	<code>\bgroup</code> 218, 249
<code>\,</code> 210, 443	<code>\@firstofone</code> 102, 103	<code>\bibcleanup</code> 473
<code>\.</code> 363	<code>\@ifnextchar</code> 324	<code>\bibfont</code> 474
<code>\@ABSTRACT</code> 90, 107, 268	<code>\@ifundefined</code>	<code>\bibindent</code> 488, 489
<code>\@ACCEPTED</code> 97, 117, 284	95, 185, 219, 250, 330, 334	<code>\bibliography@size</code> ... 344, 353
<code>\@AMSSUBJ</code> ... 89, 105, 274, 277	<code>\@latex@warning</code> 366	<code>\bibsep</code> 479, 480, 486
<code>\@AMSSUBJSECONDARY</code> 106, 272, 277	<code>\@m</code> 363	<code>\bigskip</code> . 205, 216, 217, 247, 248
<code>\@ARXIVID</code> 119, 286, 290	<code>\@makefnmark</code> 221, 252	
<code>\@DEDICATORY</code> 100, 260, 263	<code>\@mkboth</code> 348	C
<code>\@DOI</code> 118,	<code>\@nameuse</code> 314	<code>\c@enumiv</code> 351, 361
180, 212, 234, 309, 311, 442	<code>\@noitemerr</code> 365	<code>\c@page</code> 440
<code>\@ECP</code> 12, 227	<code>\@oddfoot</code> 450	<code>\centerline</code> 129, 209, 211
<code>\@ECPLOGO</code> 172, 243, 245	<code>\@oddhead</code> 452	<code>\clubpenalty</code> 362
<code>\@EJP</code> 3, 199	<code>\@openbib@code</code> 358	<code>\CurrentOption</code> 43
<code>\@EJPLOGO</code> 127, 201, 203	<code>\@reduceitemsep</code> .. 429, 431, 433	
<code>\@FULLURL</code> .. 9, 18, 211, 238, 449	<code>\@sdescription</code> 322, 334	D
<code>\@HALID</code> 120, 292, 296	<code>\@startsection</code> 455, 463	<code>\date</code> 259
<code>\@HBLOB</code> 441, 445	<code>\@stitle</code> 320, 332	<code>\DeclareGraphicsExtensions</code> 52
<code>\@ISSN</code> 7, 16, 211, 238	<code>\@supplement</code> 324, 325	<code>\DeclareOption</code> ... 2, 11, 20,
<code>\@JOURNAL</code> .. 4, 13, 283, 310, 443	<code>\@tempboxa</code> 184, 187, 188	23, 26, 30, 33, 37, 39, 41, 42
<code>\@JOURNALA</code> . 5, 14, 209, 232, 309	<code>\@textsuperscript</code> 184	<code>\DEDICATORY</code> 100
<code>\@JOURNALL</code> 6, 15	<code>\@thefnmark</code> 184	<code>\def</code> 83, 122,
<code>\@KEYWORDS</code> ... 88, 104, 270, 313	<code>\@title</code> 192	124, 179–181, 183, 190,
<code>\@MRExtract</code> 339, 341	<code>\@</code> 173–176, 233, 237, 246	194, 319–325, 329, 339,
<code>\@MRSTRIP</code> 341, 342		344, 365, 440, 473, 495, 498
<code>\@NOAMS</code> 21, 66, 370, 395, 416, 425	<code>\</code> 209–211, 213, 232, 233, 236,	<code>\dimexpr</code> 187
<code>\@NODS</code> 24, 63, 435	238, 283, 309, 310, 321, 443	<code>\DOI</code> 118
<code>\@PAGEEND</code> . 95, 114, 210, 233, 448		
<code>\@PAGESTART</code>	A	E
. 94, 95, 111, 196, 210, 233	<code>\ABSTRACT</code> 107	<code>\edef</code> 186, 187
<code>\@PAPERNUM</code>	<code>\ACCEPTED</code> 117	<code>\egroup</code> 225, 256
92, 109, 210, 233, 309, 443	<code>\ACKNO</code> 121	<code>\ejpecp@lastpage</code> 95, 440
<code>\@PSTRICKS</code> 28, 51	<code>\acknowledgementsname</code> . 122, 123	<code>\else</code> 53, 72,
<code>\@SHORTTITLE</code> 87, 99, 451	<code>\addcontentsline</code> 350	199, 202, 208, 212, 228,
<code>\@SUBMITTED</code> 96, 116, 283	<code>\addtolength</code>	231, 235, 244, 261, 275,
<code>\@TITLE</code> 86, 98, 224, 255	... 356, 429, 480, 484, 488	281, 287, 293, 307, 445, 449
<code>\@URL</code> 8, 17, 310, 449	<code>\AfterPackage</code> 471	<code>\EMAIL</code> 124, 125
<code>\@VOLUME</code> 91, 108, 209, 232, 309, 443	<code>\amp</code> 495	<code>\emph</code> 263
<code>\@YEAR</code> 93, 110, 209, 232, 309, 443	<code>\AMSSUBJ</code> 105	<code>\end</code> 299
<code>\@arabic</code> 351, 361	<code>\AMSSUBJSECONDARY</code> 106	<code>\endinput</code> 502
<code>\@auxout</code> 440	<code>\ARXIV</code> 343	<code>\endlist</code> 367
<code>\@biblabel</code> 351, 352, 483	<code>\ARXIVID</code> 119	<code>\endsupplement</code> 329
<code>\@clubpenalty</code> 362	<code>\AtBeginDocument</code> 500, 506	<code>\enumerate</code> 432, 433
<code>\@doiprefix</code> 179, 180, 309, 311, 442	<code>\AtEndDocument</code> 501, 507	<code>\ExecuteOptions</code> 45
<code>\@ejpecp@noberafalse</code> 40	<code>\author</code> 101	
<code>\@ejpecp@noberatru</code> 41	<code>\AUTHORS</code> 101	F
<code>\@ejpecp@nofontexpansionfalse</code> 38		<code>\fi</code> .. 56, 61, 65, 68, 74, 204,
<code>\@ejpecp@nofontexpansiontrue</code> 39	B	214, 215, 226, 237, 239,
<code>\@ejpecp@preprintfalse</code> 36	<code>\baselineskip</code>	246, 257, 264, 278, 285,
<code>\@ejpecp@preprinttrue</code> 37	... 429, 459, 460, 467, 468	291, 297, 312, 393, 397,
<code>\@empty</code> 360	<code>\begin</code> 266	418, 427, 438, 445, 449, 492
	<code>\BEMAIL</code> 125	<code>\FIRSTNAMES</code> 102
	<code>\bf</code> 133, 144, 158	<code>\FIRSTPAGE</code> 195, 500, 506
		<code>\footnotesize</code> 269, 445, 449

G

`\gdef` 100, 106, 118–120, 192
`\geometry` 70
`\global` 327

H

`\HALID` 120
`\hbox` 130,
133–142, 144–148, 152,
153, 155, 156, 158–168, 184
`\hfil` 445, 448, 451
`\hfill` 241
`\href` 124, 180, 211, 238, 271,
290, 296, 342, 343, 442, 449
`\hskip` 188
`\hspace` 125
`\hypersetup`
. 76, 308, 310, 311, 313–315

I

`\if@ejpecp@nobera` 40, 71
`\if@ejpecp@nofontexpansion`
. 38, 59
`\if@ejpecp@preprint`
. 36, 200, 206,
230, 242, 279, 306, 445, 449
`\ifNAT@openbib` 487
`\ifx` . . . 51, 63, 66, 199, 212,
227, 234, 260, 272, 286,
292, 370, 395, 416, 425, 435
`\ignorespaces` 123, 190
`\immediate` 440
`\InputIfFileExists` 496
`\itemindent` 489, 490
`\itemize` 430, 431
`\itemsep` 357, 429, 486
`\itshape` 374

K

`\kern` 132, 143, 149, 151, 154, 157
`\KEYWORDS` 104

L

`\labelsep` . . . 354, 356, 484, 485
`\labelwidth` . 352, 355, 483, 484
`\Large` 224, 255
`\large` 461
`\lastskip` 473
`\leftmargin` . 355, 356, 484, 488
`\let` 102, 103, 113,
198, 220–222, 251–253,
327, 360, 430, 432, 436, 437
`\list` 351
`\listparindent` 490
`\LoadClass` 48
`\long` 324, 325

M

`\maketitle` 265
`\MakeUppercase` 348
`\mathbb` 23, 434, 436, 437
`\mathds` 23, 434, 437
`\mbox` 280, 445, 449
`\microtypesetup` 60

`\MR` 340
`\msc@url` 181, 271

N

`\NAT@bibsetnum` 481
`\newif` 36, 38, 40
`\newlength` 475, 476
`\newline` 125, 380, 391
`\newtheorem` . . 398–415, 419–423
`\newtheoremstyle` 371, 382
`\noindent` 121,
123, 173, 262, 267, 270,
271, 273, 276, 282, 288, 294
`\nolinkurl` 124
`\normalfont` . 184, 445, 461, 469
`\null` 207
`\numberwithin` 426

O

`\OLD@enumerate` 432, 433
`\OLD@itemize` 430, 431
`\orig@thanks` 190, 198

P

`\p@` 473
`\p@enumiv` 360
`\PackageWarning` 43
`\PAGEEND` 112
`\PAGESTART` 111
`\PAPERNUM` 109
`\papernum@name`
. . . 194, 210, 233, 309, 498
`\par` 123, 201,
224, 255, 268, 270, 274,
277, 280, 284, 291, 297, 335
`\parbox` 173, 229
`\parindent` 376, 387
`\parsep` 486, 491
`\PassOptionsToClass` . . . 31, 34
`\PDFFIELDS` 305, 500, 506
`\phantom` 201, 243
`\phantomsection` 349
`\prev@makefnmark@wd` . . 186–188
`\printdoi` 180, 213, 236
`\ProcessOptions` 46

R

`\raise` . . . 133–142, 144–148,
152, 153, 155, 156, 158–168
`\raisebox` 173, 448
`\realmathbb` 436
`\refname` 347, 348, 350
`\relax` 46, 113, 187, 268
`\renewcommand` 98, 99, 104, 105,
107–111, 114, 116, 117,
192, 361, 431, 433, 444,
450–452, 454, 462, 474, 481
`\renewenvironment` 345
`\RequirePackage` 50, 54, 55, 57,
58, 62, 64, 67, 69, 73, 75, 470
`\rlap` 188
`\rule` 173, 177

S

`\sdescription` 322

`\section` 323, 347, 454
`\setbox` 184
`\setcounter` 196
`\setlength` . . . 354, 355, 357,
477–479, 484–486, 489–491
`\settowidth` 352, 483
`\sfcode` 363
`\sffamily` 263, 377, 388
`\SHORTTITLE` 99
`\sloppy` 362
`\small` . . . 197, 263, 344, 446, 474
`\smallskip` 301, 327
`\space` 123, 131–167
`\standard@itemsep` 476, 478, 480
`\standard@parsep` . 475, 477, 479
`\stitle` 320
`\stitle@fmt` 321, 332
`\string` 440
`\SUBMITTED` 116
`\subsection` 462
`\supplement` 324
`\supplement@name` 319, 323
`\support` 222, 253
`\suppsection@fmt` . 323, 326, 327
`\SURNAME` 103

T

`\textbf` . . 121, 123, 174–176,
209, 232, 270, 271, 321, 443
`\texttt` 124, 180, 211, 238, 290, 296
`\thanks` . . 198, 220, 222, 251, 253
`\the` 187, 440
`\theenumiv` 361
`\theoremstyle` 396, 417
`\thepage` 448
`\thispagestyle` 265
`\TITLE` 98
`\title` 192, 197
`\title@makefnmark` 183, 221, 252
`\title@thanks` 190, 220, 251

U

`\undefined` 51, 63, 66, 199, 212,
227, 234, 260, 272, 286,
292, 370, 395, 416, 425, 435
`\unhbox` 188
`\unkern` 190
`\unskip` 190
`\UrlFont` 83
`\usecounter` 359

V

`\vfill` 501, 507
`\VOLUME` 108
`\vrule` 131, 150
`\vskip` 268, 473

W

`\wd` 187
`\widowpenalty` 362
`\write` 440
`\write@ejpecp@lastpage`
. 113, 440, 447

	X		Y		Z			
\xdef	341, 440	\YEAR	110	\z@	486