

# Package ‘okxr’

May 8, 2026

**Title** R Interface to the 'OKX' REST API

**Version** 0.4.5

**Author** Oliver Zhou [aut, cre],  
Lily Li [aut]

**Maintainer** Oliver Zhou <oliver.yxzhou@gmail.com>

**Description** Provides lightweight R wrappers for the 'OKX' REST API, covering endpoints for market data, trading, account management, asset balances, and copy trading. The upstream API reference is available at <https://www.okx.com/docs-v5/en/>.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Language** en-US

**Imports** rlang, httr, jsonlite, digest, base64enc, data.table

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Collate** okxr-package.R def\_constants.R utils\_request\_helpers.R  
utils\_auth.R utils\_parser.R utils\_get\_generator.R  
utils\_post\_generator.R utils\_labels.R wrappers\_get\_market.R  
wrappers\_get\_asset.R wrappers\_get\_account.R  
wrappers\_get\_trade.R wrappers\_get\_copy\_trade.R  
wrappers\_post\_asset.R wrappers\_post\_configure.R  
wrappers\_post\_trade.R

**URL** <https://github.com/OliverLDS/okxr>

**BugReports** <https://github.com/OliverLDS/okxr/issues>

**RoxygenNote** 7.2.3

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2026-05-08 11:00:02 UTC

## Contents

okxr-package . . . . .	5
.build_request . . . . .	6
.execute_get_action . . . . .	7
.execute_post_action . . . . .	7
.get_headers . . . . .	8
get_account_adjust_leverage_info . . . . .	8
get_account_balance . . . . .	9
get_account_bills . . . . .	10
get_account_bills_archive . . . . .	11
get_account_bills_history_archive . . . . .	12
get_account_collateral_assets . . . . .	12
get_account_config . . . . .	13
get_account_greeks . . . . .	14
get_account_instruments . . . . .	15
get_account_interest_accrued . . . . .	16
get_account_interest_limits . . . . .	17
get_account_interest_rate . . . . .	17
get_account_leverage_info . . . . .	18
get_account_max_avail_size . . . . .	19
get_account_max_loan . . . . .	20
get_account_max_size . . . . .	21
get_account_max_withdrawal . . . . .	22
get_account_mmp_config . . . . .	22
get_account_move_positions_history . . . . .	23
get_account_positions . . . . .	24
get_account_positions_history . . . . .	25
get_account_position_risk . . . . .	26
get_account_position_tiers . . . . .	26
get_account_precheck_set_delta_neutral . . . . .	27
get_account_risk_state . . . . .	28
get_account_set_account_switch_precheck . . . . .	28
get_account_spot_borrow_repay_history . . . . .	29
get_account_subaccount_balances . . . . .	30
get_account_subaccount_max_withdrawal . . . . .	30
get_account_subtypes . . . . .	31
get_account_trade_fee . . . . .	32
get_asset_asset_valuation . . . . .	32
get_asset_balances . . . . .	33
get_asset_bills . . . . .	34
get_asset_bills_history . . . . .	35
get_asset_convert_currencies . . . . .	36
get_asset_convert_currency_pair . . . . .	36
get_asset_convert_history . . . . .	37
get_asset_currencies . . . . .	38
get_asset_deposit_address . . . . .	38
get_asset_deposit_history . . . . .	39

get_asset_deposit_withdraw_status . . . . .	40
get_asset_exchange_list . . . . .	40
get_asset_non_tradable_assets . . . . .	41
get_asset_transfer_state . . . . .	42
get_asset_withdrawal_history . . . . .	42
get_copy_trade_config . . . . .	43
get_copy_trade_current_subpos . . . . .	44
get_copy_trade_historical_subpos . . . . .	45
get_copy_trade_instruments . . . . .	46
get_copy_trade_my_leaders . . . . .	47
get_copy_trade_profit_sharing_details . . . . .	48
get_copy_trade_public_config . . . . .	49
get_copy_trade_public_copy_traders . . . . .	49
get_copy_trade_public_current_subpositions . . . . .	50
get_copy_trade_public_lead_traders . . . . .	51
get_copy_trade_public_pnl . . . . .	52
get_copy_trade_public_preference_currency . . . . .	52
get_copy_trade_public_stats . . . . .	53
get_copy_trade_public_subpositions_history . . . . .	54
get_copy_trade_public_weekly_pnl . . . . .	54
get_copy_trade_settings . . . . .	55
get_copy_trade_total_profit_sharing . . . . .	56
get_copy_trade_total_unrealized_profit_sharing . . . . .	57
get_copy_trade_unrealized_profit_sharing_details . . . . .	57
get_market_block_ticker . . . . .	58
get_market_block_tickers . . . . .	59
get_market_books . . . . .	59
get_market_candles . . . . .	60
get_market_exchange_rate . . . . .	61
get_market_history_candles . . . . .	62
get_market_history_index_candles . . . . .	63
get_market_history_mark_price_candles . . . . .	64
get_market_history_trades . . . . .	65
get_market_index_candles . . . . .	65
get_market_index_components . . . . .	66
get_market_index_tickers . . . . .	67
get_market_mark_price_candles . . . . .	68
get_market_option_instrument_family_trades . . . . .	69
get_market_platform_24_volume . . . . .	69
get_market_ticker . . . . .	70
get_market_tickers . . . . .	70
get_market_trades . . . . .	71
get_public_block_trades . . . . .	72
get_public_convert_contract_coin . . . . .	72
get_public_delivery_exercise_history . . . . .	73
get_public_discount_rate_interest_free_quota . . . . .	74
get_public_economic_calendar . . . . .	75
get_public_estimated_price . . . . .	75

get_public_estimated_settlement_info . . . . .	76
get_public_funding_rate . . . . .	77
get_public_funding_rate_history . . . . .	77
get_public_instruments . . . . .	78
get_public_instrument_tick_bands . . . . .	79
get_public_insurance_fund . . . . .	80
get_public_interest_rate_loan_quota . . . . .	81
get_public_mark_price . . . . .	81
get_public_open_interest . . . . .	82
get_public_option_trades . . . . .	83
get_public_opt_summary . . . . .	84
get_public_position_tiers . . . . .	84
get_public_premium_history . . . . .	85
get_public_price_limit . . . . .	86
get_public_settlement_history . . . . .	87
get_public_time . . . . .	87
get_public_underlying . . . . .	88
get_trade_account_rate_limit . . . . .	89
get_trade_easy_convert_currency_list . . . . .	89
get_trade_easy_convert_history . . . . .	90
get_trade_fills . . . . .	91
get_trade_fills_history . . . . .	92
get_trade_one_click_repay_currency_list . . . . .	93
get_trade_one_click_repay_currency_list_v2 . . . . .	93
get_trade_one_click_repay_history . . . . .	94
get_trade_one_click_repay_history_v2 . . . . .	94
get_trade_order . . . . .	95
get_trade_orders_algo_history . . . . .	97
get_trade_orders_algo_pending . . . . .	98
get_trade_orders_history . . . . .	99
get_trade_orders_history_7d . . . . .	100
get_trade_orders_history_archive . . . . .	101
get_trade_orders_pending . . . . .	102
get_trade_order_algo . . . . .	103
get_var_label . . . . .	104
post_account_account_level_switch_preset . . . . .	104
post_account_mmp_config . . . . .	105
post_account_mmp_reset . . . . .	106
post_account_move_positions . . . . .	107
post_account_position_margin_balance . . . . .	107
post_account_set_account_level . . . . .	108
post_account_set_auto_loan . . . . .	109
post_account_set_auto_repay . . . . .	109
post_account_set_collateral_assets . . . . .	110
post_account_set_fee_type . . . . .	111
post_account_set_greeks . . . . .	111
post_account_set_leverage . . . . .	112
post_account_set_position_mode . . . . .	112

post_account_spot_manual_borrow_repay . . . . .	113
post_asset_cancel_withdrawal . . . . .	114
post_asset_convert_estimate_quote . . . . .	114
post_asset_convert_trade . . . . .	115
post_asset_transfer . . . . .	116
post_asset_withdrawal . . . . .	117
post_trade_amend_algos . . . . .	118
post_trade_amend_batch_orders . . . . .	120
post_trade_amend_order . . . . .	120
post_trade_batch_orders . . . . .	121
post_trade_cancel_algos . . . . .	122
post_trade_cancel_all_after . . . . .	122
post_trade_cancel_batch_orders . . . . .	123
post_trade_cancel_order . . . . .	124
post_trade_close_position . . . . .	124
post_trade_mass_cancel . . . . .	125
post_trade_order . . . . .	126
post_trade_order_precheck . . . . .	127
set_okxr_options . . . . .	128

**Index****129**

okxr-package

*okxr: R Interface to the OKX REST API***Description**

‘okxr’ provides lightweight wrappers for selected OKX REST API endpoints, including market data, account information, asset metadata, order-book trade queries, trading actions, and copy-trading endpoints.

**Details**

Public market and public reference endpoints can be called without credentials. Private account, asset, trade, and copy-trading endpoints require an OKX API credential list with ‘api\_key’, ‘secret\_key’, and ‘passphrase’ entries.

If ‘config\$demo’ is ‘TRUE’, signed requests include OKX’s simulated trading header. Request timeout defaults to 10 seconds and can be set globally with ‘set\_okxr\_options(timeout = 15)’ or per request with ‘config\$timeout’.

By default, wrappers return parsed ‘data.table’ objects. Use ‘set\_okxr\_options(raw\_data = TRUE)’ to return raw API ‘data’ payloads instead.

Network failures, request timeouts, OKX error responses, or empty API ‘data’ payloads may return ‘NULL’ with a warning. Live API examples are intentionally non-running because they require credentials, network access, and may have account-specific side effects.

**Author(s)**

**Maintainer:** Oliver Zhou <oliver.yxzhou@gmail.com>

Authors:

- Lily Li <lilyli.qc.hk@gmail.com>

**See Also**

[set\_okxr\_options()], [get\_market\_candles()], [post\_trade\_order()]

---

*.build\_request*      *Build a full OKX request object*

---

**Description**

Assemble URL, headers, and body for an OKX API call.

**Usage**

```
.build_request(  
    htr_method,  
    base_url,  
    api_path,  
    query_string,  
    config = NULL,  
    body_json = "",  
    auth = TRUE  
)
```

**Arguments**

<code>htr_method</code>	HTTP method ("GET" or "POST").
<code>base_url</code>	Base URL of the OKX API.
<code>api_path</code>	API path (e.g., "/api/v5/account/balance").
<code>query_string</code>	Query string starting with "?" or empty.
<code>config</code>	List with API credentials.
<code>body_json</code>	Optional JSON string for POST body.
<code>auth</code>	Logical. Whether to sign the request with OKX credentials.

**Value**

A list with elements: 'method', 'url', 'full\_path', 'headers', and 'body\_json'.

---

.execute\_get\_action    *Execute a GET request to OKX*

---

### Description

Perform a signed GET call to the OKX API.

### Usage

```
.execute_get_action(  
    api_path,  
    query_string,  
    config = NULL,  
    auth = TRUE  
)
```

### Arguments

api_path	API path (e.g., "/api/v5/account/balance").
query_string	Query string starting with "?" or empty.
config	List with API credentials.
auth	Logical. Whether to sign the request with OKX credentials.

### Value

An 'httr' response object, or 'NULL' if the request fails.

---

.execute\_post\_action    *Execute a POST request to OKX*

---

### Description

Perform a signed POST call to the OKX API.

### Usage

```
.execute_post_action(api_path, body_list, config)
```

### Arguments

api_path	API path (e.g., "/api/v5/trade/order").
body_list	List to be converted to JSON for the request body.
config	List with API credentials.

### Value

An 'httr' response object, or 'NULL' if the request fails.

---

`.get_headers`                      *Create OKX API request headers*

---

### Description

Generate the required signed headers for an OKX REST request.

### Usage

```
.get_headers(config, http_method, http_path, body_json = "")
```

### Arguments

<code>config</code>	List with 'api_key', 'secret_key', and 'passphrase'.
<code>http_method</code>	HTTP method as a string (e.g., "GET" or "POST").
<code>http_path</code>	Path portion of the API endpoint.
<code>body_json</code>	Optional JSON string of the request body.

### Value

A 'http::add\_headers' object containing the signed headers.

---

`get_account_adjust_leverage_info`  
*Get account leverage adjustment estimate*

---

### Description

Estimate account effects under a target leverage.

### Usage

```
get_account_adjust_leverage_info(
  inst_type,
  mgn_mode,
  lever,
  inst_id = NULL,
  ccy = NULL,
  pos_side = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type: "MARGIN", "SWAP", or "FUTURES".
mgn_mode	Character. Margin mode: "cross" or "isolated".
lever	Character or numeric. Target leverage.
inst_id	Character or 'NULL'. Instrument ID.
ccy	Character or 'NULL'. Margin currency.
pos_side	Character or 'NULL'. Position side.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with estimated leverage-adjustment metrics.

---

get\_account\_balance    *Get account balance*

---

**Description**

Retrieve account-level margin and equity information for your OKX account.

**Usage**

```
get_account_balance(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'. May also include 'base_url'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

This wraps '/api/v5/account/balance'. Returns one row per account-level equity snapshot. Timestamps are parsed into 'POSIXct' in the given 'tz'.

**Value**

A 'data.frame' with account balance and margin metrics (e.g., 'totalEq', 'isoEq', 'adjEq', 'availEq', 'ordFroz', 'imr', 'mmr', 'upl', 'mgnRatio', ...). Timestamp columns ('uTime') are 'POSIXct'.

**Note**

Since okxr 0.1.1

**See Also**

[get\_account\_positions()], [get\_account\_leverage\_info()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
bal <- get_account_balance(config = cfg)
head(bal)

## End(Not run)
```

---

get_account_bills	<i>Get account bills</i>
-------------------	--------------------------

---

**Description**

Retrieve account bill details from the last 7 days.

**Usage**

```
get_account_bills(
  inst_type = NULL,
  ccy = NULL,
  mgn_mode = NULL,
  ct_type = NULL,
  type = NULL,
  sub_type = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
ccy	Character or 'NULL'. Currency filter.
mgn_mode	Character or 'NULL'. Margin mode filter.
ct_type	Character or 'NULL'. Contract type filter.
type	Character or 'NULL'. Bill type filter.
sub_type	Character or 'NULL'. Bill subtype filter.
after	Character or 'NULL'. Pagination cursor for earlier records.

before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with account bill rows.

---

```
get_account_bills_archive
```

*Get archived account bills*

---

**Description**

Retrieve archived account bill details.

**Usage**

```
get_account_bills_archive(
  inst_type = NULL,
  ccy = NULL,
  mgn_mode = NULL,
  ct_type = NULL,
  type = NULL,
  sub_type = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
ccy	Character or 'NULL'. Currency filter.
mgn_mode	Character or 'NULL'. Margin mode filter.
ct_type	Character or 'NULL'. Contract type filter.
type	Character or 'NULL'. Bill type filter.
sub_type	Character or 'NULL'. Bill subtype filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with archived account bill rows.

---

```
get_account_bills_history_archive
```

*Get archived account bill export links*

---

**Description**

Retrieve the generated CSV export link for historical account bills since 2021.

**Usage**

```
get_account_bills_history_archive(  
  year,  
  quarter,  
  type = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

year	Character or numeric. Four-digit year.
quarter	Character. Quarter code, one of "Q1" to "Q4".
type	Character or 'NULL'. Optional comma-separated bill type filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with file-link status rows.

---

```
get_account_collateral_assets
```

*Get account collateral assets*

---

**Description**

Retrieve collateral-enabled status for one or more currencies.

**Usage**

```
get_account_collateral_assets(
    ccy = NULL,
    collateral_enabled = NULL,
    config,
    tz = .okx_default_tz
)
```

**Arguments**

ccy	Character or 'NULL'. One currency or a comma-separated list of up to 20 currencies.
collateral_enabled	Logical, character, or 'NULL'. Filter by collateral status.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with currency-level collateral flags.

---

get_account_config	<i>Get account configuration</i>
--------------------	----------------------------------

---

**Description**

Retrieve account-level configuration information.

**Usage**

```
get_account_config(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Details**

Wraps '/api/v5/account/config'. Includes account ID, mode, and position mode flags. Returns one row.

**Value**

A 'data.frame' with columns like 'uid', 'mainUid', 'acctLv', 'posMode', 'autoLoan', etc.

**Note**

Since okxr 0.1.2

**See Also**

[get\_account\_balance()], [get\_account\_leverage\_info()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
cfg_info <- get_account_config(config = cfg)
cfg_info

## End(Not run)
```

---

get_account_greeks	<i>Get account Greeks</i>
--------------------	---------------------------

---

**Description**

Retrieve currency-level Greeks across the account.

**Usage**

```
get_account_greeks(ccy = NULL, config, tz = .okx_default_tz)
```

**Arguments**

ccy	Character or 'NULL'. Currency filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with one row per currency and Greek metrics in both Black-Scholes and coin terms.

---

`get_account_instruments`*Get account-available instruments*

---

## Description

Retrieve available instruments for the current account and instrument type.

## Usage

```
get_account_instruments(  
    inst_type,  
    uly = NULL,  
    inst_family = NULL,  
    inst_id = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

## Arguments

<code>inst_type</code>	Character. Instrument type. One of "SPOT", "MARGIN", "SWAP", "FUTURES", "OPTION".
<code>uly</code>	Character or 'NULL'. Underlying, where applicable.
<code>inst_family</code>	Character or 'NULL'. Instrument family filter.
<code>inst_id</code>	Character or 'NULL'. Specific instrument ID filter.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

## Details

Wraps `/api/v5/account/instruments`. This endpoint is account-scoped and may return a subset of instruments available to the authenticated account.

## Value

A `'data.frame'` with account-available instrument metadata, including identifiers, currencies, tick size, lot size, leverage, expiry/listing timestamps, and state where returned by OKX.

---

`get_account_interest_accrued`*Get account interest accrued history*

---

### Description

Retrieve accrued borrowing interest records for the past year.

### Usage

```
get_account_interest_accrued(  
    type = NULL,  
    ccy = NULL,  
    inst_id = NULL,  
    mgn_mode = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

<code>type</code>	Character or 'NULL'. Loan type. Currently "2" for market loans.
<code>ccy</code>	Character or 'NULL'. Loan currency.
<code>inst_id</code>	Character or 'NULL'. Instrument ID.
<code>mgn_mode</code>	Character or 'NULL'. Margin mode.
<code>after</code>	Character or 'NULL'. Pagination cursor for earlier rows.
<code>before</code>	Character or 'NULL'. Pagination cursor for newer rows.
<code>limit</code>	Integer or 'NULL'. Number of rows to request.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with one row per accrued-interest event.

---

get\_account\_interest\_limits  
*Get account borrow interest and limits*

---

**Description**

Retrieve account-level debt, next accrual timestamps, and nested per-currency borrowing-limit records.

**Usage**

```
get_account_interest_limits(  
    type = NULL,  
    ccy = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

type	Character or 'NULL'. Loan type. Currently "2" for market loans.
ccy	Character or 'NULL'. Loan currency.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with account-level limit fields; nested per-currency 'records' are JSON-encoded.

---

get\_account\_interest\_rate  
*Get account borrowing interest rates*

---

**Description**

Retrieve the current leveraged currency borrowing market interest rate for one currency or for all eligible currencies.

**Usage**

```
get_account_interest_rate(  
    ccy = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

<code>ccy</code>	Character or 'NULL'. Currency filter, e.g. "BTC".
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'ccy' and 'interestRate'.

---

```
get_account_leverage_info
      Get account leverage settings
```

---

**Description**

Retrieve leverage configuration for a given instrument and margin mode.

**Usage**

```
get_account_leverage_info(
  inst_id,
  mgn_mode,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

<code>inst_id</code>	Character. Instrument ID, e.g. "BTC-USDT".
<code>mgn_mode</code>	Character. Margin mode. One of "cross" or "isolated".
<code>config</code>	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps '/api/v5/account/leverage-info'. Requires both 'inst\_id' and 'mgn\_mode'. Returns current leverage values (numeric).

**Value**

A 'data.frame' with columns 'instId', 'mgnMode', 'posSide', and 'lever'.

**Note**

Since okxr 0.1.1

**See Also**

[get\_account\_balance()], [get\_account\_positions()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_account_leverage_info(
  inst_id = "BTC-USDT",
  mgn_mode = "cross",
  config = cfg
)

## End(Not run)
```

---

```
get_account_max_avail_size
```

*Get maximum available tradable amount*

---

**Description**

Retrieve the maximum available buy and sell amount for an instrument under the requested trade mode.

**Usage**

```
get_account_max_avail_size(
  inst_id,
  td_mode,
  ccy = NULL,
  reduce_only = NULL,
  px = NULL,
  trade_quote_ccy = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character. One instrument ID or a comma-separated list of up to five IDs.
td_mode	Character. Trade mode: "cross", "isolated", "cash", or "spot_isolated".
ccy	Character or 'NULL'. Margin currency where applicable.
reduce_only	Logical, character, or 'NULL'. Whether to reduce position only. Only applicable to margin endpoints that support it.
px	Character, numeric, or 'NULL'. Optional closing price, when supported by OKX.

trade_quote_ccy	Character or 'NULL'. Quote currency used for trading for spot instruments.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with 'instId', 'availBuy', and 'availSell'.

---

get\_account\_max\_loan    *Get account maximum loan*

---

**Description**

Retrieve the maximum loan for manual borrow or margin borrowing scenarios.

**Usage**

```
get_account_max_loan(
  mgn_mode,
  inst_id = NULL,
  ccy = NULL,
  mgn_ccy = NULL,
  trade_quote_ccy = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

mgn_mode	Character. Margin mode: "'cross"' or "'isolated"'.
inst_id	Character or 'NULL'. Instrument ID(s).
ccy	Character or 'NULL'. Currency.
mgn_ccy	Character or 'NULL'. Margin currency.
trade_quote_ccy	Character or 'NULL'. Quote currency for trading.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with 'instId', 'mgnMode', 'mgnCcy', 'maxLoan', 'ccy', and 'side'.

---

get\_account\_max\_size    *Get maximum order size*

---

### Description

Retrieve the maximum order quantity allowed for one or more instruments under the requested trade mode.

### Usage

```
get_account_max_size(
    inst_id,
    td_mode,
    ccy = NULL,
    px = NULL,
    leverage = NULL,
    trade_quote_ccy = NULL,
    outcome = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_id	Character. One instrument ID or a comma-separated list of up to five IDs in the same instrument type.
td_mode	Character. Trade mode: "cross", "isolated", "cash", or "spot_isolated".
ccy	Character or 'NULL'. Margin currency where applicable.
px	Character, numeric, or 'NULL'. Optional price override.
leverage	Character, numeric, or 'NULL'. Optional leverage override.
trade_quote_ccy	Character or 'NULL'. Quote currency used for trading for spot instruments.
outcome	Character or 'NULL'. Events market outcome, "yes" or "no".
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with 'instId', 'ccy', 'maxBuy', and 'maxSell'.

---

`get_account_max_withdrawal`*Get account maximum withdrawals*

---

**Description**

Retrieve the maximum transferable amount from trading to funding account.

**Usage**

```
get_account_max_withdrawal(  
    ccy = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

<code>ccy</code>	Character or 'NULL'. One currency or a comma-separated list of up to 20 currencies.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with per-currency maximum withdrawal values.

---

`get_account_mmp_config`*Get account MMP configuration*

---

**Description**

Retrieve option-market-maker-protection configuration for one or more instrument families.

**Usage**

```
get_account_mmp_config(  
    inst_family = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst_family	Character or 'NULL'. Instrument family filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with MMP configuration fields.

---

```
get_account_move_positions_history
      Get account move positions history
```

---

**Description**

Retrieve move-position requests from the last three days.

**Usage**

```
get_account_move_positions_history(
  block_td_id = NULL,
  client_id = NULL,
  begin_ts = NULL,
  end_ts = NULL,
  limit = NULL,
  state = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

block_td_id	Character or 'NULL'. OKX block trade identifier.
client_id	Character or 'NULL'. Client-supplied identifier.
begin_ts	Character or 'NULL'. Inclusive start timestamp in milliseconds.
end_ts	Character or 'NULL'. Inclusive end timestamp in milliseconds.
limit	Integer or 'NULL'. Number of rows to request.
state	Character or 'NULL'. Transfer state filter, "filled" or "pending".
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with top-level move-position metadata; nested 'legs' are JSON-encoded.

---

get\_account\_positions *Get account open positions*

---

### Description

Retrieve all currently open positions under the account.

### Usage

```
get_account_positions(config, tz = .okx_default_tz)
```

### Arguments

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Details

Wraps '/api/v5/account/positions'. Returns one row per open position.

### Value

A 'data.frame' with columns such as 'instId', 'posId', 'posSide', 'pos', 'lever', 'avgPx', 'markPx', 'upl', 'realizedPnl', etc. Timestamps ('cTime', 'uTime') are 'POSIXct'.

### Note

Since okxr 0.1.1

### See Also

[get\_account\_balance()], [get\_account\_positions\_history()]

### Examples

```
## Not run:  
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")  
pos <- get_account_positions(config = cfg)  
pos  
  
## End(Not run)
```

---

get\_account\_positions\_history  
*Get account position history*

---

**Description**

Retrieve historical records of closed or adjusted positions.

**Usage**

```
get_account_positions_history(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps '/api/v5/account/positions-history'. Includes closed positions and their realized PnL. Returns one row per historical record.

**Value**

A 'data.frame' with columns such as 'instId', 'posId', 'posSide', 'pos', 'lever', 'realizedPnl', 'fee', plus timestamp fields ('cTime', 'uTime').

**Note**

Since okxr 0.1.1

**See Also**

[get\_account\_positions()]

**Examples**

```
## Not run:  
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")  
hist <- get_account_positions_history(config = cfg)  
tail(hist)  
  
## End(Not run)
```

---

```
get_account_position_risk
```

*Get account and position risk snapshot*

---

### Description

Retrieve account-level adjusted equity together with same-snapshot balance and position risk payloads.

### Usage

```
get_account_position_risk(
    inst_type = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_type	Character or 'NULL'. Instrument type filter. One of "MARGIN", "SWAP", "FUTURES", or "OPTION".
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with one row per OKX risk snapshot. Nested balance and position payloads are returned as JSON strings in 'balData' and 'posData'.

---

```
get_account_position_tiers
```

*Get account position tiers*

---

### Description

Retrieve portfolio-margin position limits for one or more instrument families.

### Usage

```
get_account_position_tiers(
    inst_type,
    inst_family,
    config,
    tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type: "SWAP", "FUTURES", or "OPTION".
inst_family	Character. One instrument family or a comma-separated list of up to five families.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with instrument-family position limits.

---

```
get_account_precheck_set_delta_neutral
      Precheck delta-neutral strategy switch
```

---

**Description**

Retrieve unmatched information that blocks switching into the requested strategy type.

**Usage**

```
get_account_precheck_set_delta_neutral(
  stgy_type,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

stgy_type	Character or numeric. Strategy type. "0" for general or "1" for delta neutral.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with JSON-encoded unmatched information.

---

 get\_account\_risk\_state

*Get account risk state*


---

### Description

Retrieve portfolio-margin account risk flags and affected risk units.

### Usage

```
get_account_risk_state(config, tz = .okx_default_tz)
```

### Arguments

config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default <code>"Asia/Hong_Kong"</code> .

### Value

A one-row `'data.frame'` with the account risk flag and JSON-encoded risk-unit arrays.

---

 get\_account\_set\_account\_switch\_precheck

*Precheck account mode switch*


---

### Description

Retrieve precheck information and any unmatched requirements for switching to a target account mode.

### Usage

```
get_account_set_account_switch_precheck(
  acct_lv,
  config,
  tz = .okx_default_tz
)
```

### Arguments

acct_lv	Character or numeric. Target account mode.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default <code>"Asia/Hong_Kong"</code> .

**Value**

A 'data.frame' with switch-precheck fields; nested margin and unmatched-information structures are JSON-encoded.

---

```
get_account_spot_borrow_repay_history
    Get spot borrow and repay history
```

---

**Description**

Retrieve spot-mode borrow and repay history.

**Usage**

```
get_account_spot_borrow_repay_history(  
  ccy = NULL,  
  type = NULL,  
  after = NULL,  
  before = NULL,  
  limit = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

ccy	Character or 'NULL'. Currency filter.
type	Character or 'NULL'. Event type filter.
after	Character or 'NULL'. Pagination cursor for earlier rows.
before	Character or 'NULL'. Pagination cursor for newer rows.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with one row per borrow or repay event.

---

`get_account_subaccount_balances`  
*Get sub-account trading balances*

---

**Description**

Retrieve account-level trading balances for a sub-account from the master account.

**Usage**

```
get_account_subaccount_balances(  
    sub_acct,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

<code>sub_acct</code>	Character. Sub-account name.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default <code>"Asia/Hong_Kong"</code> .

**Value**

A `'data.frame'` with account-level balance fields; nested per-currency `'details'` are JSON-encoded.

---

`get_account_subaccount_max_withdrawal`  
*Get sub-account maximum withdrawals*

---

**Description**

Retrieve the maximum withdrawal information for a sub-account from the master account.

**Usage**

```
get_account_subaccount_max_withdrawal(  
    sub_acct,  
    ccy = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

sub_acct	Character. Sub-account name.
ccy	Character or 'NULL'. One currency or a comma-separated list of up to 20 currencies.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with per-currency maximum withdrawal values.

---

get\_account\_subtypes    *Get account bill subtypes*

---

**Description**

Retrieve available account bill types and subtype descriptions.

**Usage**

```
get_account_subtypes(type = NULL, config, tz = .okx_default_tz)
```

**Arguments**

type	Character or 'NULL'. Bill type filter. Multiple values may be provided as a comma-separated string.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with bill type descriptions and JSON-encoded 'subTypeDetails'.

---

get\_account\_trade\_fee *Get account trade fee rates*

---

### Description

Retrieve the account's trade fee schedule for a specific instrument type and optional instrument, instrument family, or trading fee group.

### Usage

```
get_account_trade_fee(
    inst_type,
    inst_id = NULL,
    inst_family = NULL,
    group_id = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_type	Character. Instrument type. One of "SPOT", "MARGIN", "SWAP", "FUTURES", "OPTION", or "EVENTS".
inst_id	Character or 'NULL'. Instrument ID for spot or margin.
inst_family	Character or 'NULL'. Instrument family for futures, swaps, or options.
group_id	Character or 'NULL'. Trading fee group ID. Use this by itself.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with fee level, fee-rate columns, and any nested 'feeGroup' or deprecated 'fiat' details JSON-encoded as strings.

---

get\_asset\_asset\_valuation  
*Get asset valuation*

---

### Description

Retrieve total account valuation for funding assets.

**Usage**

```
get_asset_asset_valuation(  
    ccy = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

ccy	Character or 'NULL'. Valuation currency filter.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

**Value**

A data.frame with valuation summary rows.

---

get_asset_balances	<i>Get asset balances</i>
--------------------	---------------------------

---

**Description**

Retrieves the available, total, and frozen balance for each asset in the account.

**Usage**

```
get_asset_balances(config, tz = .okx_default_tz)
```

**Arguments**

config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string (default: "Asia/Hong_Kong").

**Value**

A data.frame with balances per currency.

---

get_asset_bills	<i>Get asset bills</i>
-----------------	------------------------

---

### Description

Retrieve recent funding account bills.

### Usage

```
get_asset_bills(  
  ccy = NULL,  
  type = NULL,  
  client_id = NULL,  
  after = NULL,  
  before = NULL,  
  limit = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

### Arguments

ccy	Character or 'NULL'. Currency filter.
type	Character or 'NULL'. Bill type filter.
client_id	Character or 'NULL'. Client-supplied transfer or withdrawal ID.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

### Value

A data.frame with asset bill rows.

---

```
get_asset_bills_history
```

*Get asset bills history*

---

### Description

Retrieve historical funding account bills.

### Usage

```
get_asset_bills_history(  
    ccy = NULL,  
    type = NULL,  
    client_id = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    paging_type = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

ccy	Character or 'NULL'. Currency filter.
type	Character or 'NULL'. Bill type filter.
client_id	Character or 'NULL'. Client-supplied transfer or withdrawal ID.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
paging_type	Character or 'NULL'. Paging type selector.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

### Value

A data.frame with historical asset bill rows.

---

```
get_asset_convert_currencies
```

*Get convert currencies*

---

### Description

Retrieve currencies supported by the asset convert API.

### Usage

```
get_asset_convert_currencies(config, tz = .okx_default_tz)
```

### Arguments

config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

### Value

A data.frame with supported convert currencies.

---

```
get_asset_convert_currency_pair
```

*Get convert currency pair*

---

### Description

Retrieve convert metadata for a currency pair.

### Usage

```
get_asset_convert_currency_pair(
  from_ccy,
  to_ccy,
  convert_mode = NULL,
  config,
  tz = .okx_default_tz
)
```

### Arguments

from_ccy	Character. Currency to convert from.
to_ccy	Character. Currency to convert to.
convert_mode	Character or 'NULL'. Convert mode selector.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

**Value**

A data.frame with currency-pair convert metadata.

---

```
get_asset_convert_history
      Get convert history
```

---

**Description**

Retrieve historical asset convert trades.

**Usage**

```
get_asset_convert_history(  
  cl_t_req_id = NULL,  
  after = NULL,  
  before = NULL,  
  limit = NULL,  
  tag = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

cl_t_req_id	Character or 'NULL'. Client trade request ID.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
tag	Character or 'NULL'. Broker tag filter.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

**Value**

A data.frame with convert history rows.

---

get\_asset\_currencies *Get funding currencies*

---

### Description

Retrieve currencies available to the current account.

### Usage

```
get_asset_currencies(ccy = NULL, config, tz = .okx_default_tz)
```

### Arguments

ccy	Character or 'NULL'. Single currency or comma-separated currencies.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string (default: "Asia/Hong_Kong").

### Value

A data.frame with currency and chain metadata.

---

get\_asset\_deposit\_address  
*Get deposit address*

---

### Description

Retrieve deposit addresses for a currency.

### Usage

```
get_asset_deposit_address(ccy, config, tz = .okx_default_tz)
```

### Arguments

ccy	Character. Currency, e.g. "BTC" or "USDT".
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string (default: "Asia/Hong_Kong").

### Value

A data.frame with deposit address rows.

---

```
get_asset_deposit_history
    Get asset deposit history
```

---

### Description

Retrieves a record of all asset deposits made to your account.

### Usage

```
get_asset_deposit_history(  
    ccy = NULL,  
    dep_id = NULL,  
    from_wd_id = NULL,  
    tx_id = NULL,  
    type = NULL,  
    state = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

ccy	Character or 'NULL'. Currency filter.
dep_id	Character or 'NULL'. Deposit ID filter.
from_wd_id	Character or 'NULL'. Source withdrawal ID filter.
tx_id	Character or 'NULL'. Transaction hash filter.
type	Character or 'NULL'. Deposit type filter.
state	Character or 'NULL'. Deposit state filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string (default: "Asia/Hong_Kong").

### Value

A data.frame with deposit history rows and detailed transfer metadata.

---

```
get_asset_deposit_withdraw_status
    Get deposit or withdrawal status
```

---

### Description

Retrieve detailed status for a deposit or withdrawal.

### Usage

```
get_asset_deposit_withdraw_status(
    wd_id = NULL,
    tx_id = NULL,
    ccy = NULL,
    to = NULL,
    chain = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

wd_id	Character or 'NULL'. Withdrawal ID.
tx_id	Character or 'NULL'. Deposit transaction hash.
ccy	Character or 'NULL'. Currency filter used with tx_id.
to	Character or 'NULL'. Destination address used with tx_id.
chain	Character or 'NULL'. Chain identifier used with tx_id.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string.

### Value

A data.frame with detailed deposit/withdraw status rows.

---

```
get_asset_exchange_list
    Get exchange list
```

---

### Description

Retrieve the public exchange list used by asset withdrawal metadata.

**Usage**

```
get_asset_exchange_list(tz = .okx_default_tz)
```

**Arguments**

tz                   Timezone string.

**Value**

A `data.frame` with exchange identifiers and names.

---

`get_asset_non_tradable_assets`  
*Get non-tradable assets*

---

**Description**

Retrieve balances and withdrawal metadata for non-tradable assets.

**Usage**

```
get_asset_non_tradable_assets(  
  ccy = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

ccy                   Character or 'NULL'. Currency filter.  
config                API credentials as a list with `api_key`, `secret_key`, and `passphrase`.  
tz                    Timezone string.

**Value**

A `data.frame` with non-tradable asset rows.

---

`get_asset_transfer_state`*Get asset transfer state*

---

**Description**

Retrieve the state of a funding transfer.

**Usage**

```
get_asset_transfer_state(  
    trans_id = NULL,  
    client_id = NULL,  
    type = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

<code>trans_id</code>	Character or 'NULL'. Transfer ID.
<code>client_id</code>	Character or 'NULL'. Client-supplied transfer ID.
<code>type</code>	Character or 'NULL'. Transfer type.
<code>config</code>	API credentials as a list with <code>api_key</code> , <code>secret_key</code> , and <code>passphrase</code> .
<code>tz</code>	Timezone string.

**Value**

A `data.frame` with transfer state rows.

---

`get_asset_withdrawal_history`*Get asset withdrawal history*

---

**Description**

Retrieves a record of all asset withdrawals from your account.

**Usage**

```
get_asset_withdrawal_history(  
    ccy = NULL,  
    wd_id = NULL,  
    client_id = NULL,  
    tx_id = NULL,  
    type = NULL,  
    state = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

ccy	Character or 'NULL'. Currency filter.
wd_id	Character or 'NULL'. Withdrawal ID filter.
client_id	Character or 'NULL'. Client withdrawal ID filter.
tx_id	Character or 'NULL'. Transaction hash filter.
type	Character or 'NULL'. Withdrawal type filter.
state	Character or 'NULL'. Withdrawal state filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	API credentials as a list with api_key, secret_key, and passphrase.
tz	Timezone string (default: "Asia/Hong_Kong").

**Value**

A data.frame with withdrawal history rows and detailed transfer metadata.

---

get\_copy\_trade\_config *Get copy trading config*

---

**Description**

Retrieve your account-level copy trading configuration.

**Usage**

```
get_copy_trade_config(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with top-level copy trading configuration fields. Nested 'details' are returned as a JSON string column.

---

```
get_copy_trade_current_subpos
```

*Get current copy trading subpositions*

---

**Description**

Retrieve your currently active subpositions under copy trading.

**Usage**

```
get_copy_trade_current_subpos(
  inst_type = NULL,
  inst_id = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
inst_id	Character or 'NULL'. Instrument ID filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps '/api/v5/copytrading/current-subpositions'. Returns one row per subposition, associated with the relevant lead trader.

**Value**

A 'data.frame' with fields like 'instId' and 'uniqueCode'.

**Note**

Since okxr 0.1.2

**See Also**

[get\_copy\_trade\_historical\_subpos()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_copy_trade_current_subpos(config = cfg)

## End(Not run)
```

---

get\_copy\_trade\_historical\_subpos

*Get historical copy trading subpositions*

---

**Description**

Retrieve your historical copy trading subpositions.

**Usage**

```
get_copy_trade_historical_subpos(
  inst_type = NULL,
  inst_id = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
inst_id	Character or 'NULL'. Instrument ID filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.

limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Details**

Wraps '/api/v5/copytrading/subpositions-history'. Returns one row per closed or historical subposition.

**Value**

A 'data.frame' with fields like 'instId' and 'uniqueCode'.

**Note**

Since okxr 0.1.2

**See Also**

[get\_copy\_trade\_current\_subpos()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
hist <- get_copy_trade_historical_subpos(config = cfg)
head(hist)

## End(Not run)
```

---

get\_copy\_trade\_instruments

*Get copy trading instruments*

---

**Description**

Retrieve instruments currently available for copy trading.

**Usage**

```
get_copy_trade_instruments(
  inst_type = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with one row per instrument and an 'enabled' flag.

---

```
get_copy_trade_my_leaders
      Get my lead traders
```

---

**Description**

Retrieve the list of lead traders you are currently copying.

**Usage**

```
get_copy_trade_my_leaders(
  inst_type = NULL,
  config,
  tz = .okx_default_tz,
  instType = inst_type
)
```

**Arguments**

inst_type	Character or 'NULL'. Filter by instrument type (e.g., "SWAP", "MARGIN", "SPOT"). If 'NULL', returns all.
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.
instType	Deprecated alias for 'inst_type'.

**Details**

Wraps '/api/v5/copytrading/current-lead-traders'. Returns one row per lead trader followed by your account.

**Value**

A 'data.frame' with fields such as 'nickName' and 'uniqueCode'.

**Note**

Since okxr 0.1.2

**See Also**

[get\_copy\_trade\_settings()], [get\_copy\_trade\_current\_subpos()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_copy_trade_my_leaders(inst_type = "SWAP", config = cfg)

## End(Not run)
```

---

```
get_copy_trade_profit_sharing_details
  Get profit sharing details
```

---

**Description**

Retrieve realized profit sharing detail rows.

**Usage**

```
get_copy_trade_profit_sharing_details(
  inst_type = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with realized profit sharing rows.

---

get\_copy\_trade\_public\_config  
*Get public copy trading config*

---

**Description**

Retrieve public copy trading limits and ratio bounds.

**Usage**

```
get_copy_trade_public_config(  
    inst_type = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst\_type      Character or 'NULL'. Instrument type filter.  
tz              Character. Time zone for parsing timestamps. Default "'Asia/Hong\_Kong"'.

**Value**

A 'data.frame' with public copy trading configuration fields.

---

get\_copy\_trade\_public\_copy\_traders  
*Get public copy trader summary*

---

**Description**

Retrieve public copy trader summary metrics for a lead trader.

**Usage**

```
get_copy_trade_public_copy_traders(  
    unique_code,  
    inst_type = NULL,  
    limit = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

unique\_code    Character. Lead trader unique code.  
inst\_type      Character or 'NULL'. Instrument type filter.  
limit          Integer or 'NULL'. Number of rows to request.  
tz              Character. Time zone for parsing timestamps. Default "'Asia/Hong\_Kong"'.

**Value**

A 'data.frame' with summary metrics and a JSON-string 'copyTraders' column for nested trader details.

---

```
get_copy_trade_public_current_subpositions
```

*Get public current copy trading subpositions*

---

**Description**

Retrieve public current subpositions for a lead trader.

**Usage**

```
get_copy_trade_public_current_subpositions(  
  unique_code,  
  inst_type = NULL,  
  after = NULL,  
  before = NULL,  
  limit = NULL,  
  tz = .okx_default_tz  
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
inst_type	Character or 'NULL'. Instrument type filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with one row per current public subposition.

---

```
get_copy_trade_public_lead_traders
    Get public lead trader ranks
```

---

**Description**

Retrieve ranked public lead trader summaries.

**Usage**

```
get_copy_trade_public_lead_traders(
    inst_type = NULL,
    sort_type = NULL,
    state = NULL,
    min_lead_days = NULL,
    min_assets = NULL,
    max_assets = NULL,
    min_aum = NULL,
    max_aum = NULL,
    data_ver = NULL,
    page = NULL,
    limit = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
sort_type	Character or 'NULL'. Rank sort selector.
state	Character or 'NULL'. Lead trader state filter.
min_lead_days	Character or 'NULL'. Minimum lead-days selector.
min_assets	Character or 'NULL'. Minimum assets filter.
max_assets	Character or 'NULL'. Maximum assets filter.
min_aum	Character or 'NULL'. Minimum assets-under-management filter.
max_aum	Character or 'NULL'. Maximum assets-under-management filter.
data_ver	Character or 'NULL'. Data version selector used for pagination.
page	Character or 'NULL'. Page number.
limit	Integer or 'NULL'. Number of rows to request.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with top-level ranking metadata and a JSON-string 'ranks' column for nested leader rows.

```
get_copy_trade_public_pnl  
Get public copy trading pnl
```

---

**Description**

Retrieve public pnl time windows for a lead trader.

**Usage**

```
get_copy_trade_public_pnl(  
    unique_code,  
    last_days,  
    inst_type = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
last_days	Character or numeric. OKX lookback selector.
inst_type	Character or 'NULL'. Instrument type filter.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with pnl windows and ratios.

---

```
get_copy_trade_public_preference_currency  
Get public preference currencies
```

---

**Description**

Retrieve the most frequently traded currencies for a lead trader.

**Usage**

```
get_copy_trade_public_preference_currency(  
    unique_code,  
    inst_type = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
inst_type	Character or 'NULL'. Instrument type filter.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with preferred currencies and their ratios.

---

get\_copy\_trade\_public\_stats  
*Get public copy trading stats*

---

**Description**

Retrieve public copy trading performance stats for a lead trader.

**Usage**

```
get_copy_trade_public_stats(  
  unique_code,  
  last_days,  
  inst_type = NULL,  
  tz = .okx_default_tz  
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
last_days	Character or numeric. OKX lookback selector.
inst_type	Character or 'NULL'. Instrument type filter.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with copy trading summary statistics.

---

```
get_copy_trade_public_subpositions_history
```

*Get public historical copy trading subpositions*

---

**Description**

Retrieve public historical subpositions for a lead trader.

**Usage**

```
get_copy_trade_public_subpositions_history(  
    unique_code,  
    inst_type = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

<code>unique_code</code>	Character. Lead trader unique code.
<code>inst_type</code>	Character or 'NULL'. Instrument type filter.
<code>after</code>	Character or 'NULL'. Pagination cursor for earlier records.
<code>before</code>	Character or 'NULL'. Pagination cursor for newer records.
<code>limit</code>	Integer or 'NULL'. Number of rows to request.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with one row per historical public subposition.

---

```
get_copy_trade_public_weekly_pnl
```

*Get public copy trading weekly pnl*

---

**Description**

Retrieve public weekly pnl series for a lead trader.

**Usage**

```
get_copy_trade_public_weekly_pnl(
    unique_code,
    inst_type = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
inst_type	Character or 'NULL'. Instrument type filter.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with weekly pnl windows and ratios.

---

```
get_copy_trade_settings
```

*Get copy trading settings*

---

**Description**

Retrieve your account's copy trading configuration.

**Usage**

```
get_copy_trade_settings(
    unique_code,
    inst_type = NULL,
    config,
    tz = .okx_default_tz,
    uniqueCode = unique_code,
    instType = inst_type
)
```

**Arguments**

unique_code	Character. Lead trader unique code.
inst_type	Character or 'NULL'. Instrument type filter.
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.
uniqueCode	Deprecated alias for 'unique_code'.
instType	Deprecated alias for 'inst_type'.

**Details**

Wraps `‘/api/v5/copytrading/copy-settings‘`. Returns one row with the current copy mode and copy state for the given `‘unique_code‘`.

**Value**

A `‘data.frame‘` with fields like `‘copyMode‘` and `‘copyState‘`.

**Note**

Since okxr 0.1.2

**See Also**

[`get_copy_trade_my_leaders()`], [`get_copy_trade_current_subpos()`]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_copy_trade_settings(unique_code = "1129E65755274C36", config = cfg)

## End(Not run)
```

---

```
get_copy_trade_total_profit_sharing
  Get total profit sharing
```

---

**Description**

Retrieve total realized profit sharing by instrument type.

**Usage**

```
get_copy_trade_total_profit_sharing(
  inst_type = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

<code>inst_type</code>	Character or <code>‘NULL‘</code> . Instrument type filter.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default <code>‘"Asia/Hong_Kong"‘</code> .

**Value**

A 'data.frame' with total realized profit sharing rows.

---

```
get_copy_trade_total_unrealized_profit_sharing
```

*Get total unrealized profit sharing*

---

**Description**

Retrieve total unrealized profit sharing by instrument type.

**Usage**

```
get_copy_trade_total_unrealized_profit_sharing(  
  inst_type = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

inst_type	Character or 'NULL'. Instrument type filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with total unrealized profit sharing rows.

---

```
get_copy_trade_unrealized_profit_sharing_details
```

*Get unrealized profit sharing details*

---

**Description**

Retrieve unrealized profit sharing detail rows.

**Usage**

```
get_copy_trade_unrealized_profit_sharing_details(  
  inst_type = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

<code>inst_type</code>	Character or 'NULL'. Instrument type filter.
<code>config</code>	List. API credentials/config.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with unrealized profit sharing rows.

---

`get_market_block_ticker`  
*Get block ticker*

---

**Description**

Retrieve the latest 24-hour block-trading volume for a single instrument.

**Usage**

```
get_market_block_ticker(
  inst_id,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

<code>inst_id</code>	Character. Instrument ID.
<code>config</code>	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with block trading volume fields.

---

get\_market\_block\_tickers  
*Get block tickers*

---

### Description

Retrieve the latest 24-hour block-trading volume for instruments under an instrument type.

### Usage

```
get_market_block_tickers(  
    inst_type,  
    inst_family = NULL,  
    config = NULL,  
    tz = .okx_default_tz  
)
```

### Arguments

inst_type	Character. Instrument type.
inst_family	Character or 'NULL'. Instrument family filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong'".

### Value

A 'data.frame' with one row per block ticker.

---

get\_market\_books      *Get order book*

---

### Description

Retrieve the current order book for an instrument.

### Usage

```
get_market_books(  
    inst_id,  
    sz = NULL,  
    config = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT".
sz	Integer or 'NULL'. Order book depth. If 'NULL', OKX uses its endpoint default.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with JSON-encoded 'asks' and 'bids' columns plus 'ts'.

---

get\_market\_candles      *Get recent market candles*

---

**Description**

Retrieve the latest candlestick data for a given instrument and bar size.

**Usage**

```
get_market_candles(
  inst_id,
  bar,
  limit = 100L,
  config = NULL,
  tz = .okx_default_tz,
  standardize_names = TRUE
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT", "ETH-USDT-SWAP".
bar	Character. Candlestick granularity, e.g. "1m", "5m", "1H", "1D".
limit	Integer. Number of bars to retrieve. Default '100L'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".
standardize_names	Logical. If 'TRUE' (default), renames columns to 'timestamp', 'open', 'high', 'low', 'close', 'volume', 'volQuote'.

**Details**

Wraps '/api/v5/market/candles'. Returns up to 'limit' bars, sorted by timestamp. Candlestick fields can be standardized to common OHLCV names via 'standardize\_names = TRUE'.

**Value**

A 'data.frame' with columns including 'timestamp', 'open', 'high', 'low', 'close', 'volume', and 'volQuote'. Timestamps are 'POSIXct' in 'tz'.

**Note**

Since okxr 0.1.1

**See Also**

[get\_market\_history\_candles()], [get\_public\_mark\_price()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_market_candles("BTC-USDT", bar = "5m", limit = 50, config = cfg)

## End(Not run)
```

---

```
get_market_exchange_rate
  Get exchange rate
```

---

**Description**

Retrieve the two-week average exchange rate series summary.

**Usage**

```
get_market_exchange_rate(config = NULL, tz = .okx_default_tz)
```

**Arguments**

config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default '"Asia/Hong_Kong"'

**Value**

A one-row 'data.frame' with 'usdCny'.

---

get\_market\_history\_candles  
*Get historical market candles*

---

### Description

Retrieve candlestick data before a specific datetime.

### Usage

```
get_market_history_candles(
    inst_id,
    bar,
    before = NULL,
    limit = 100L,
    config = NULL,
    tz = .okx_default_tz,
    standardize_names = TRUE
)
```

### Arguments

inst_id	Character. Instrument ID, e.g. "BTC-USDT".
bar	Character. Candlestick granularity, e.g. "1m", "5m", "1H".
before	Character or 'NULL'. Timestamp string like "%Y-%m-%d %H:%M:%S". If 'NULL', fetch recent history.
limit	Integer. Number of bars to retrieve. Default '100L'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".
standardize_names	Logical. If 'TRUE' (default), renames columns to 'timestamp', 'open', 'high', 'low', 'close', 'volume', 'volQuote'.

### Details

Wraps '/api/v5/market/history-candles'. If 'before' is supplied, it is converted to milliseconds since epoch (in 'tz') and sent as 'after=...' (per OKX semantics: \*return data before this time\*).

### Value

A 'data.frame' of candlestick bars. If 'standardize\_names = TRUE', column names are normalized. Timestamps are 'POSIXct' in 'tz'.

### Note

Since okxr 0.1.1

**See Also**

[get\_market\_candles()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_market_history_candles(
  "ETH-USDT-SWAP", bar = "1H",
  before = "2025-08-20 00:00:00", config = cfg
)

## End(Not run)
```

---

```
get_market_history_index_candles
  Get historical index candles
```

---

**Description**

Retrieve historical candlestick data for an index.

**Usage**

```
get_market_history_index_candles(
  inst_id,
  bar = NULL,
  after = NULL,
  before = NULL,
  limit = 100L,
  config = NULL,
  tz = .okx_default_tz,
  standardize_names = TRUE
)
```

**Arguments**

inst_id	Character. Index ID.
bar	Character or 'NULL'. Bar size.
after	Character or 'NULL'. Pagination cursor for older rows.
before	Character or 'NULL'. Pagination cursor for newer rows.
limit	Integer. Number of rows to request. Default '100L'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default '"Asia/Hong_Kong"'.

`standardize_names`

Logical. If 'TRUE' (default), renames OHLC columns to 'timestamp', 'open', 'high', 'low', and 'close'.

### Value

A 'data.frame' of historical index candlesticks.

---

`get_market_history_mark_price_candles`

*Get historical mark price candles*

---

### Description

Retrieve historical candlestick data for mark price.

### Usage

```
get_market_history_mark_price_candles(
  inst_id,
  bar = NULL,
  after = NULL,
  before = NULL,
  limit = 100L,
  config = NULL,
  tz = .okx_default_tz,
  standardize_names = TRUE
)
```

### Arguments

<code>inst_id</code>	Character. Instrument ID.
<code>bar</code>	Character or 'NULL'. Bar size.
<code>after</code>	Character or 'NULL'. Pagination cursor for older rows.
<code>before</code>	Character or 'NULL'. Pagination cursor for newer rows.
<code>limit</code>	Integer. Number of rows to request. Default '100L'.
<code>config</code>	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
<code>tz</code>	Character. Time zone for parsing timestamps. Default '"Asia/Hong_Kong"'.
<code>standardize_names</code>	Logical. If 'TRUE' (default), renames OHLC columns to 'timestamp', 'open', 'high', 'low', and 'close'.

### Value

A 'data.frame' of historical mark-price candlesticks.

---

get\_market\_history\_trades  
*Get historical public trades*

---

### Description

Retrieve public trade history for an instrument.

### Usage

```
get_market_history_trades(  
    inst_id,  
    type = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config = NULL,  
    tz = .okx_default_tz  
)
```

### Arguments

inst_id	Character. Instrument ID, e.g. "BTC-USDT".
type	Character or 'NULL'. Pagination type, using OKX values.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with historical public trades.

---

get\_market\_index\_candles  
*Get recent index candles*

---

### Description

Retrieve the latest candlestick data for an index.

**Usage**

```
get_market_index_candles(
    inst_id,
    bar = NULL,
    after = NULL,
    before = NULL,
    limit = 100L,
    config = NULL,
    tz = .okx_default_tz,
    standardize_names = TRUE
)
```

**Arguments**

inst_id	Character. Index ID.
bar	Character or 'NULL'. Bar size.
after	Character or 'NULL'. Pagination cursor for older rows.
before	Character or 'NULL'. Pagination cursor for newer rows.
limit	Integer. Number of rows to request. Default '100L'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'. standardize_names
	Logical. If 'TRUE' (default), renames OHLC columns to 'timestamp', 'open', 'high', 'low', and 'close'.

**Value**

A 'data.frame' of index candlesticks.

---

```
get_market_index_components
  Get index components
```

---

**Description**

Retrieve component-exchange information for an index.

**Usage**

```
get_market_index_components(
    index,
    config = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

index	Character. Index identifier, e.g. "BTC-USD".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with 'index', 'last', 'ts', and JSON-encoded 'components'.

---

```
get_market_index_tickers
  Get index tickers
```

---

**Description**

Retrieve the latest public index-price snapshots.

**Usage**

```
get_market_index_tickers(
  quote_ccy = NULL,
  inst_id = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

quote_ccy	Character or 'NULL'. Quote currency filter.
inst_id	Character or 'NULL'. Specific index ID filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with one row per index ticker.

---

```
get_market_mark_price_candles
```

*Get mark price candles*

---

## Description

Retrieve recent candlestick data for the mark price of an instrument.

## Usage

```
get_market_mark_price_candles(  
    inst_id,  
    bar = NULL,  
    after = NULL,  
    before = NULL,  
    limit = 100L,  
    config = NULL,  
    tz = .okx_default_tz,  
    standardize_names = TRUE  
)
```

## Arguments

<code>inst_id</code>	Character. Instrument ID.
<code>bar</code>	Character or 'NULL'. Bar size.
<code>after</code>	Character or 'NULL'. Pagination cursor for older rows.
<code>before</code>	Character or 'NULL'. Pagination cursor for newer rows.
<code>limit</code>	Integer. Number of rows to request. Default '100L'.
<code>config</code>	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
<code>tz</code>	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.
<code>standardize_names</code>	Logical. If 'TRUE' (default), renames OHLC columns to 'timestamp', 'open', 'high', 'low', and 'close'.

## Value

A 'data.frame' of mark-price candlesticks.

---

get\_market\_option\_instrument\_family\_trades  
*Get option trades by instrument family*

---

**Description**

Retrieve recent option trades for all instruments under the same instrument family.

**Usage**

```
get_market_option_instrument_family_trades(  
    inst_family,  
    config = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst_family	Character. Instrument family, e.g. "BTC-USD".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with recent option trades under the requested instrument family, including 'instId', 'tradeId', 'px', 'sz', 'side', and 'ts'.

---

get\_market\_platform\_24\_volume  
*Get platform 24-hour volume*

---

**Description**

Retrieve total platform order-book trading volume over the last 24 hours.

**Usage**

```
get_market_platform_24_volume(  
    config = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with 'volUsd', 'volCny', and 'ts'.

---

get_market_ticker	<i>Get market ticker</i>
-------------------	--------------------------

---

**Description**

Retrieve the latest ticker snapshot for a specific instrument.

**Usage**

```
get_market_ticker(inst_id, config = NULL, tz = .okx_default_tz)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT" or "ETH-USDT-SWAP".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with the latest ticker fields returned by OKX.

---

get_market_tickers	<i>Get market tickers</i>
--------------------	---------------------------

---

**Description**

Retrieve ticker snapshots for all instruments under an instrument type.

**Usage**

```
get_market_tickers(
  inst_type,
  uly = NULL,
  inst_family = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type, e.g. "SPOT", "SWAP", "FUTURES", or "OPTION".
uly	Character or 'NULL'. Underlying. Optional filter for derivatives.
inst_family	Character or 'NULL'. Instrument family. Optional filter for derivatives and options.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with one row per ticker.

---

get_market_trades	<i>Get recent public trades</i>
-------------------	---------------------------------

---

**Description**

Retrieve recent public trades for an instrument.

**Usage**

```
get_market_trades(
  inst_id,
  limit = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT".
limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with recent public trades.

---

```
get_public_block_trades
```

*Get public block trades*

---

### Description

Retrieve recent single-leg public block trades for an instrument.

### Usage

```
get_public_block_trades(
    inst_id,
    config = NULL,
    tz = .okx_default_tz
)
```

### Arguments

inst_id	Character. Instrument ID.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with block trade fields such as price, size, trade side, volatility, and timestamps.

---

```
get_public_convert_contract_coin
```

*Convert between contract size and currency amount*

---

### Description

Convert the crypto value to the number of contracts, or vice versa.

### Usage

```
get_public_convert_contract_coin(
    inst_id,
    sz,
    type = NULL,
    px = NULL,
    unit = NULL,
    op_type = NULL,
    config = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character. Instrument ID.
sz	Character or numeric. Quantity to convert.
type	Character or 'NULL'. Convert type: "1" for currency to contract, "2" for contract to currency.
px	Character, numeric, or 'NULL'. Optional order price.
unit	Character or 'NULL'. Currency unit, "coin" or "usds".
op_type	Character or 'NULL'. Order type for futures or swaps, such as "open" or "close".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with conversion result fields 'type', 'instId', 'px', 'sz', and 'unit'.

---

```
get_public_delivery_exercise_history
    Get delivery or exercise history
```

---

**Description**

Retrieve futures delivery records or option exercise records.

**Usage**

```
get_public_delivery_exercise_history(
  inst_type,
  inst_family,
  after = NULL,
  before = NULL,
  limit = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. "FUTURES" or "OPTION".
inst_family	Character. Instrument family.
after	Character or 'NULL'. Pagination cursor for older rows.
before	Character or 'NULL'. Pagination cursor for newer rows.

limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'ts' and JSON-encoded 'details'.

---

`get_public_discount_rate_interest_free_quota`

*Get collateral discount rate and interest-free quota*

---

**Description**

Retrieve public collateral discount-rate tiers and interest-free quota information for supported currencies.

**Usage**

```
get_public_discount_rate_interest_free_quota(
  ccy = NULL,
  discount_lv = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

ccy	Character or 'NULL'. Currency filter, e.g. "BTC".
discount_lv	Character or 'NULL'. Discount level filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with top-level discount and interest-free quota fields; nested tier details are JSON-encoded in 'details'.

---

get\_public\_economic\_calendar  
*Get economic calendar*

---

### Description

Retrieve macro-economic calendar records. OKX requires authentication for this endpoint.

### Usage

```
get_public_economic_calendar(  
    region = NULL,  
    importance = NULL,  
    before = NULL,  
    after = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

region	Character or 'NULL'. Region filter.
importance	Character or 'NULL'. Importance level filter.
before	Character or 'NULL'. Pagination cursor for newer rows.
after	Character or 'NULL'. Pagination cursor for older rows.
limit	Integer or 'NULL'. Number of rows to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with calendar event fields and timestamps.

---

get\_public\_estimated\_price  
*Get estimated delivery or exercise price*

---

### Description

Retrieve the estimated delivery, exercise, or settlement price for derivatives and events instruments.

**Usage**

```

get_public_estimated_price(
    inst_type,
    inst_family = NULL,
    inst_id = NULL,
    config = NULL,
    tz = .okx_default_tz
)

```

**Arguments**

inst_type	Character. Instrument type, such as "FUTURES", "OPTION", "SWAP", or "EVENTS".
inst_family	Character or 'NULL'. Instrument family filter.
inst_id	Character or 'NULL'. Specific instrument ID filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'instType', 'instId', 'settlePx', and 'ts'.

---

```

get_public_estimated_settlement_info
    Get estimated settlement info

```

---

**Description**

Retrieve the estimated settlement price for a futures instrument close to settlement.

**Usage**

```

get_public_estimated_settlement_info(
    inst_id,
    config = NULL,
    tz = .okx_default_tz
)

```

**Arguments**

inst_id	Character. Instrument ID.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'instId', 'nextSettleTime', 'estSettlePx', and 'ts'.

---

get\_public\_funding\_rate

*Get current funding rate*

---

**Description**

Retrieve the current funding rate for a perpetual swap instrument.

**Usage**

```
get_public_funding_rate(  
  inst_id,  
  config = NULL,  
  tz = .okx_default_tz  
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT-SWAP".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' containing the current funding rate fields returned by OKX.

---

get\_public\_funding\_rate\_history

*Get funding rate history*

---

**Description**

Retrieve historical funding rate entries for a perpetual swap instrument.

**Usage**

```
get_public_funding_rate_history(  
  inst_id,  
  before = NULL,  
  after = NULL,  
  limit = 400,  
  config = NULL,  
  tz = .okx_default_tz  
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT-SWAP".
before	Optional cursor for records earlier than the supplied value.
after	Optional cursor for records later than the supplied value.
limit	Integer. Number of records to request. Default '400'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' containing funding rate history rows returned by OKX.

---

```
get_public_instruments
```

*Get instrument metadata*

---

**Description**

Retrieve metadata for instruments of a given type.

**Usage**

```
get_public_instruments(
  inst_id = NULL,
  inst_type = "SWAP",
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character or 'NULL'. Specific instrument ID to query. Use 'NULL' to fetch all instruments of 'inst_type'.
inst_type	Character. Instrument type. One of "SPOT", "MARGIN", "SWAP" (default), "FUTURES", "OPTION".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps '/api/v5/public/instruments'. Returns one row per instrument, including contract specifications, tick size, lot size, expiry, and state.

**Value**

A 'data.frame' with instrument metadata (e.g., 'instType', 'instId', 'uly', 'baseCcy', 'quoteCcy', 'settleCcy', 'ctVal', 'ctMult', 'tickSz', 'lotSz', 'minSz', 'expTime', 'lever', 'state', ...).

**Note**

Since okxr 0.1.2

**See Also**

[get\_public\_mark\_price()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
# Get metadata for all SWAP instruments
df <- get_public_instruments(inst_type = "SWAP", config = cfg)

# Get metadata for one instrument
get_public_instruments("ETH-USDT-SWAP", inst_type = "SWAP", config = cfg)

## End(Not run)
```

---

```
get_public_instrument_tick_bands
  Get option instrument tick bands
```

---

**Description**

Retrieve option tick-band information for one or more option instrument families.

**Usage**

```
get_public_instrument_tick_bands(
  inst_type = "OPTION",
  inst_family = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type. Currently "OPTION".
inst_family	Character or 'NULL'. Instrument family filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'instType', 'instFamily', and JSON-encoded 'tickBand' details.

---

```
get_public_insurance_fund
```

*Get security fund balance information*

---

**Description**

Retrieve public insurance-fund or security-fund balance information.

**Usage**

```
get_public_insurance_fund(
  inst_type,
  type = NULL,
  inst_family = NULL,
  ccy = NULL,
  before = NULL,
  after = NULL,
  limit = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type, such as "MARGIN", "SWAP", "FUTURES", or "OPTION".
type	Character or 'NULL'. Fund update type filter.
inst_family	Character or 'NULL'. Instrument family filter for derivatives.
ccy	Character or 'NULL'. Currency filter for margin data.
before	Character or 'NULL'. Pagination cursor for newer rows.
after	Character or 'NULL'. Pagination cursor for older rows.
limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with top-level fund totals; nested per-currency detail rows are JSON-encoded in 'details'.

---

```
get_public_interest_rate_loan_quota
```

*Get interest rate and loan quota*

---

### Description

Retrieve public borrowing-rate and loan-quota tables.

### Usage

```
get_public_interest_rate_loan_quota(  
    ccy = NULL,  
    vip_level = NULL,  
    config = NULL,  
    tz = .okx_default_tz  
)
```

### Arguments

ccy	Character or 'NULL'. Currency filter.
vip_level	Character or 'NULL'. VIP level filter when supported by OKX.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' where nested basic, VIP, regular, and custom quota tables are JSON-encoded string columns.

---

```
get_public_mark_price
```

*Get current mark price*

---

### Description

Retrieve the current mark price for a given instrument.

### Usage

```
get_public_mark_price(  
    inst_id,  
    inst_type = "SWAP",  
    config = NULL,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT", "ETH-USDT-SWAP".
inst_type	Character. Instrument type. One of "SPOT", "MARGIN", "SWAP" (default), "FUTURES", "OPTION".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps `/api/v5/public/mark-price`. Useful for margin calculations and PnL estimation. Returns a single row with the latest mark price and timestamp.

**Value**

A `'data.frame'` with columns `'timestamp'`, `'instId'`, `'markPx'`.

**Note**

Since okxr 0.1.1

**See Also**

[`get_public_instruments()`]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_public_mark_price("BTC-USDT", inst_type = "SWAP", config = cfg)

## End(Not run)
```

---

```
get_public_open_interest
      Get open interest
```

---

**Description**

Retrieve current open interest for an instrument.

**Usage**

```
get_public_open_interest(
    inst_id,
    inst_type,
    config = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT-SWAP".
inst_type	Character. Instrument type such as "SWAP" or "FUTURES".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' containing open interest fields returned by OKX.

---

```
get_public_option_trades
```

*Get public option trades*

---

**Description**

Retrieve recent public option trades filtered by instrument ID or instrument family.

**Usage**

```
get_public_option_trades(
    inst_id = NULL,
    inst_family = NULL,
    opt_type = NULL,
    config = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character or 'NULL'. Specific option instrument ID.
inst_family	Character or 'NULL'. Option instrument family, e.g. "BTC-USD". Either 'inst_id' or 'inst_family' should be supplied.
opt_type	Character or 'NULL'. Option type filter: "C" for call or "P" for put.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with recent option trade rows, including option instrument identifiers, trade price and size, option side/type, forward, index and mark prices, implied volatility, and trade time.

---

```
get_public_opt_summary
```

*Get option summary*

---

**Description**

Retrieve option market summary data for an instrument family.

**Usage**

```
get_public_opt_summary(
  inst_family,
  exp_time = NULL,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_family	Character. Option instrument family.
exp_time	Character or 'NULL'. Expiry date in 'YYMMDD'.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with option greeks, volatility, forward price, and timestamp fields.

---

```
get_public_position_tiers
```

*Get public position tiers*

---

**Description**

Retrieve public tier, margin, and maximum leverage information.

**Usage**

```

get_public_position_tiers(
    inst_type,
    td_mode,
    inst_family = NULL,
    inst_id = NULL,
    ccy = NULL,
    tier = NULL,
    config = NULL,
    tz = .okx_default_tz
)

```

**Arguments**

inst_type	Character. Instrument type.
td_mode	Character. Trade mode.
inst_family	Character or 'NULL'. Instrument family.
inst_id	Character or 'NULL'. Instrument ID(s).
ccy	Character or 'NULL'. Margin currency.
tier	Character or 'NULL'. Tier filter.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

**Value**

A 'data.frame' with public position tier information.

---

```

get_public_premium_history
    Get premium history

```

---

**Description**

Retrieve premium-index history for an instrument.

**Usage**

```

get_public_premium_history(
    inst_id,
    after = NULL,
    before = NULL,
    bar = NULL,
    limit = NULL,
    config = NULL,
    tz = .okx_default_tz
)

```

**Arguments**

inst_id	Character. Instrument ID.
after	Character or 'NULL'. Pagination cursor for older rows.
before	Character or 'NULL'. Pagination cursor for newer rows.
bar	Character or 'NULL'. Bar size such as "1m" or "1H".
limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'instId', 'premium', and 'ts'.

---

```
get_public_price_limit
```

*Get price limit*

---

**Description**

Retrieve buy and sell price limits for an instrument.

**Usage**

```
get_public_price_limit(
  inst_id,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_id	Character. Instrument ID, e.g. "BTC-USDT-SWAP".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with price limit fields.

---

```
get_public_settlement_history
    Get settlement history
```

---

**Description**

Retrieve futures settlement history for an instrument family.

**Usage**

```
get_public_settlement_history(
    inst_family,
    after = NULL,
    before = NULL,
    limit = NULL,
    config = NULL,
    tz = .okx_default_tz
)
```

**Arguments**

inst_family	Character. Instrument family.
after	Character or 'NULL'. Pagination cursor for older rows.
before	Character or 'NULL'. Pagination cursor for newer rows.
limit	Integer or 'NULL'. Number of rows to request.
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A 'data.frame' with 'ts' and JSON-encoded 'details'.

---

```
get_public_time    Get OKX system time
```

---

**Description**

Retrieve OKX system time.

**Usage**

```
get_public_time(config = NULL, tz = .okx_default_tz)
```

**Arguments**

config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Value**

A one-row 'data.frame' with system time.

---

get\_public\_underlying *Get underlying list*

---

**Description**

Retrieve available underlyings for derivatives instruments.

**Usage**

```
get_public_underlying(
  inst_type,
  config = NULL,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Character. Instrument type: "SWAP", "FUTURES", or "OPTION".
config	Optional list. Public endpoint request options, such as 'timeout'; credentials are not required.
tz	Character. Unused except for interface consistency.

**Value**

A one-column 'data.frame' with 'uly'.

---

```
get_trade_account_rate_limit
    Get trade account rate limit
```

---

**Description**

Retrieve account rate limit information related to new and amended order requests.

**Usage**

```
get_trade_account_rate_limit(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

**Details**

Wraps `/api/v5/trade/account-rate-limit`. Returns one row containing the current account rate limit and fill-ratio metrics used by OKX.

**Value**

A one-row `'data.frame'` with rate-limit metrics such as `'accRateLimit'`, `'fillRatio'`, `'mainFillRatio'`, `'nextAccRateLimit'`, and `'ts'`.

---

```
get_trade_easy_convert_currency_list
    Get easy convert currency list
```

---

**Description**

Retrieve currencies available for easy convert.

**Usage**

```
get_trade_easy_convert_currency_list(
  source = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

source	Character or 'NULL'. Source account type filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with source and target currency metadata.

---

```
get_trade_easy_convert_history
    Get easy convert history
```

---

**Description**

Retrieve easy convert history.

**Usage**

```
get_trade_easy_convert_history(
  after = NULL,
  before = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with easy convert history rows.

---

get_trade_fills	<i>Get trade fills</i>
-----------------	------------------------

---

### Description

Retrieve recently filled transaction details from the last 3 days.

### Usage

```
get_trade_fills(
  inst_type = NULL,
  inst_family = NULL,
  inst_id = NULL,
  ord_id = NULL,
  sub_type = NULL,
  after = NULL,
  before = NULL,
  limit = NULL,
  begin = NULL,
  end = NULL,
  config,
  tz = .okx_default_tz
)
```

### Arguments

inst_type	Character or 'NULL'. Instrument type filter.
inst_family	Character or 'NULL'. Instrument family filter.
inst_id	Character or 'NULL'. Instrument ID filter.
ord_id	Character or 'NULL'. Order ID filter.
sub_type	Character or 'NULL'. Transaction subtype filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
begin	Character or 'NULL'. Begin timestamp in milliseconds.
end	Character or 'NULL'. End timestamp in milliseconds.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "'Asia/Hong_Kong"'.

### Value

A 'data.frame' with fill rows.

---

```
get_trade_fills_history
    Get trade fills history
```

---

### Description

Retrieve historical filled transaction details from the last 3 months.

### Usage

```
get_trade_fills_history(
    inst_type,
    inst_family = NULL,
    inst_id = NULL,
    ord_id = NULL,
    sub_type = NULL,
    after = NULL,
    before = NULL,
    limit = NULL,
    begin = NULL,
    end = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_type	Character. Instrument type, e.g. "SPOT" or "SWAP".
inst_family	Character or 'NULL'. Instrument family filter.
inst_id	Character or 'NULL'. Instrument ID filter.
ord_id	Character or 'NULL'. Order ID filter.
sub_type	Character or 'NULL'. Transaction subtype filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of rows to request.
begin	Character or 'NULL'. Begin timestamp in milliseconds.
end	Character or 'NULL'. End timestamp in milliseconds.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Value

A 'data.frame' with historical fill rows.

---

get\_trade\_one\_click\_repay\_currency\_list  
*Get one-click repay currency list*

---

**Description**

Retrieve repayable currencies for the legacy one-click repay endpoint.

**Usage**

```
get_trade_one_click_repay_currency_list(  
    debt_type = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

debt_type	Character or 'NULL'. Debt type filter.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with debt and repay currency metadata.

---

get\_trade\_one\_click\_repay\_currency\_list\_v2  
*Get one-click repay currency list v2*

---

**Description**

Retrieve repayable currencies for the new one-click repay endpoint.

**Usage**

```
get_trade_one_click_repay_currency_list_v2(  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with debt and repay currency metadata.

---

```
get_trade_one_click_repay_history
```

*Get one-click repay history*

---

**Description**

Retrieve legacy one-click repay history.

**Usage**

```
get_trade_one_click_repay_history(  
  after = NULL,  
  before = NULL,  
  limit = NULL,  
  config,  
  tz = .okx_default_tz  
)
```

**Arguments**

after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with one-click repay history rows.

---

```
get_trade_one_click_repay_history_v2
```

*Get one-click repay history v2*

---

**Description**

Retrieve new one-click repay history.

**Usage**

```

get_trade_one_click_repay_history_v2(
    after = NULL,
    before = NULL,
    limit = NULL,
    config,
    tz = .okx_default_tz
)

```

**Arguments**

after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with one-click repay history rows.

---

get_trade_order	<i>Get trade order details</i>
-----------------	--------------------------------

---

**Description**

Retrieve detailed information about a specific OKX order by either the exchange-assigned 'ord\_id' or your client-assigned 'cl\_ord\_id'.

**Usage**

```

get_trade_order(
  inst_id,
  ord_id = NULL,
  cl_ord_id = NULL,
  config,
  tz = .okx_default_tz
)

```

**Arguments**

inst_id	Character. Instrument ID, e.g. "ETH-USDT-SWAP" (perps), "BTC-USDT" (spot), or "BTC-USD-240927" (dated futures).
ord_id	Character, optional. The OKX order ID. Provide this <b>or</b> 'cl_ord_id'.
cl_ord_id	Character, optional. Your client order ID. Provide this <b>or</b> 'ord_id'.

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'. May also include 'base_url'.
tz	Character. Time zone for parsing timestamps. Default "Asia/Hong_Kong".

### Details

You must provide exactly one identifier: 'ord\_id' **\*\*or\*\*** 'cl\_ord\_id'. Timestamps in the response are converted to 'POSIXct' in the supplied 'tz'.

### Value

A 'data.frame' (one row) with order details following OKX schema (e.g., 'ordId', 'clOrdId', 'instId', 'ordType', 'px', 'sz', 'side', 'posSide', 'tdMode', 'accFillSz', 'fillPx', 'fillSz', 'fillTime', 'avgPx', 'state', 'lever', etc.). Timestamp columns are 'POSIXct' in 'tz'.

### Common errors

- 'Either 'ord\_id' or 'cl\_ord\_id' must be provided.' (client-side) - HTTP 401 Unauthorized (missing/invalid credentials) - OKX 'code' like '51000' invalid sign or '51603' order not found

### Note

Since okxr 0.1.1

### See Also

[get\_trade\_orders\_pending()], [get\_trade\_orders\_history\_7d()]

### Examples

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
get_trade_order(
  inst_id = "ETH-USDT-SWAP",
  ord_id = "1234567890",
  config = cfg
)

## End(Not run)
```

---

get\_trade\_orders\_algo\_history  
*Get algo order history*

---

## Description

Retrieve historical algo orders.

## Usage

```
get_trade_orders_algo_history(  
    ord_type,  
    state = NULL,  
    algo_id = NULL,  
    inst_type = NULL,  
    inst_id = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

## Arguments

ord_type	Character. Algo order type filter.
state	Character or 'NULL'. Algo order state filter.
algo_id	Character or 'NULL'. Algo order ID.
inst_type	Character or 'NULL'. Instrument type filter.
inst_id	Character or 'NULL'. Instrument ID filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

## Value

A 'data.frame' with algo order history rows.

---

get\_trade\_orders\_algo\_pending  
*Get pending algo orders*

---

## Description

Retrieve untriggered algo orders.

## Usage

```
get_trade_orders_algo_pending(  
    ord_type,  
    algo_id = NULL,  
    inst_type = NULL,  
    inst_id = NULL,  
    after = NULL,  
    before = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

## Arguments

ord_type	Character. Algo order type filter.
algo_id	Character or 'NULL'. Algo order ID.
inst_type	Character or 'NULL'. Instrument type filter.
inst_id	Character or 'NULL'. Instrument ID filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

## Value

A 'data.frame' with pending algo orders.

---

```
get_trade_orders_history
```

*Get trade orders history*

---

### Description

Retrieve completed orders from the last 7 days.

### Usage

```
get_trade_orders_history(  
    inst_type,  
    inst_family = NULL,  
    inst_id = NULL,  
    ord_type = NULL,  
    state = NULL,  
    category = NULL,  
    after = NULL,  
    before = NULL,  
    begin = NULL,  
    end = NULL,  
    limit = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

inst_type	Character. Instrument type.
inst_family	Character or 'NULL'. Instrument family filter.
inst_id	Character or 'NULL'. Instrument ID filter.
ord_type	Character or 'NULL'. Order type filter.
state	Character or 'NULL'. Order state filter.
category	Character or 'NULL'. Order category filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
begin	Character or 'NULL'. Begin timestamp in milliseconds.
end	Character or 'NULL'. End timestamp in milliseconds.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

### Value

A 'data.frame' with historical order rows.

---

get\_trade\_orders\_history\_7d  
*Get trade orders history (last 7 days)*

---

### Description

Retrieve recent order history for an instrument type.

### Usage

```
get_trade_orders_history_7d(  
    inst_type = "SWAP",  
    config,  
    tz = .okx_default_tz  
)
```

### Arguments

inst_type	Character. Instrument type. One of "SPOT", "MARGIN", "SWAP", "FUTURES", "OPTION". Default "SWAP".
config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'. May also include 'base_url'.
tz	Character. Time zone for parsing timestamps (e.g. "Asia/Hong_Kong").

### Details

This wraps '/api/v5/trade/orders-history' and covers about 7 days of data. Older data is available from OKX's archive endpoint.

### Value

A 'data.frame' with one row per historical order and columns following the OKX schema (same layout as pending orders, plus final states). Timestamp columns are 'POSIXct' in 'tz'.

### Common errors

- HTTP 401 Unauthorized - HTTP 400 Bad Request for invalid 'inst\_type'

### Note

Since okxr 0.1.2

### See Also

[get\_trade\_order()], [get\_trade\_orders\_pending()]

## Examples

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
hist <- get_trade_orders_history_7d(
  inst_type = "SWAP",
  config = cfg,
  tz = "Asia/Hong_Kong"
)
tail(hist)

## End(Not run)
```

---

```
get_trade_orders_history_archive
      Get archived trade orders history
```

---

## Description

Retrieve completed orders from the last 3 months.

## Usage

```
get_trade_orders_history_archive(
  inst_type,
  inst_family = NULL,
  inst_id = NULL,
  ord_type = NULL,
  state = NULL,
  category = NULL,
  after = NULL,
  before = NULL,
  begin = NULL,
  end = NULL,
  limit = NULL,
  config,
  tz = .okx_default_tz
)
```

## Arguments

inst_type	Character. Instrument type.
inst_family	Character or 'NULL'. Instrument family filter.
inst_id	Character or 'NULL'. Instrument ID filter.
ord_type	Character or 'NULL'. Order type filter.
state	Character or 'NULL'. Order state filter.

category	Character or 'NULL'. Order category filter.
after	Character or 'NULL'. Pagination cursor for earlier records.
before	Character or 'NULL'. Pagination cursor for newer records.
begin	Character or 'NULL'. Begin timestamp in milliseconds.
end	Character or 'NULL'. End timestamp in milliseconds.
limit	Integer or 'NULL'. Number of results to request.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with archived order rows.

---

```
get_trade_orders_pending
```

*Get all pending trade orders*

---

**Description**

Retrieve all currently open (unfilled) orders for your OKX account.

**Usage**

```
get_trade_orders_pending(config, tz = .okx_default_tz)
```

**Arguments**

config	List. API credentials/config, typically containing 'api_key', 'secret_key', and 'passphrase'. May also include 'base_url'.
tz	Character. Time zone for parsing timestamps (e.g. "Asia/Hong_Kong").

**Details**

Returns one row per open order. Timestamps are parsed to 'POSIXct' using 'tz'.

**Value**

A 'data.frame' with one row per pending order and columns following the OKX schema (e.g., 'cTime', 'ordId', 'clOrdId', 'tag', 'instId', 'ordType', 'px', 'sz', 'side', 'posSide', 'tdMode', 'accFillSz', 'fillPx', 'fillSz', 'fillTime', 'avgPx', 'state', 'lever', ...). Timestamp columns are 'POSIXct'.

**Common errors**

- HTTP 401 Unauthorized (missing/invalid credentials) - Rate limiting: HTTP 429 / OKX throttle codes

**Note**

Since okxr 0.1.1

**See Also**

[get\_trade\_order()], [get\_trade\_orders\_history\_7d()]

**Examples**

```
## Not run:
cfg <- list(api_key = "xxx", secret_key = "xxx", passphrase = "xxx")
df <- get_trade_orders_pending(config = cfg, tz = "Asia/Hong_Kong")
head(df)

## End(Not run)
```

---

get\_trade\_order\_algo    *Get a single algo order*

---

**Description**

Retrieve a specific algo order by algo ID or client algo order ID.

**Usage**

```
get_trade_order_algo(
  algo_id = NULL,
  algo_cl_ord_id = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

algo_id	Character or 'NULL'. Algo order ID.
algo_cl_ord_id	Character or 'NULL'. Client algo order ID.
config	List. API credentials/config.
tz	Character. Time zone for parsing timestamps.

**Value**

A 'data.frame' with algo order details.

get\_var\_label *Retrieve variable labels from OKX data frames*

---

### Description

Returns human-readable labels attached to a data frame produced by OKX API parsers. You can retrieve all labels or a label for a specific variable by name or index.

### Usage

```
get_var_label(df, var = NULL, default = NA_character_)
```

### Arguments

df	A data.frame with "var_labels" attribute (as returned by OKX API parsers).
var	Optional variable name (character) or index (numeric). If NULL, all labels are returned.
default	Value to return if the variable has no label (default: NA_character_).

### Value

A character label if var is provided, or a named character vector of all labels if var = NULL.

### Examples

```
df <- data.frame(ordId = "123", px = 10)
attr(df, "var_labels") <- c(ordId = "Order ID", px = "Price")

get_var_label(df, "ordId")
get_var_label(df, 2)
get_var_label(df)
```

---

post\_account\_account\_level\_switch\_preset  
*Preset Account Level Switch*

---

### Description

Preset required values before switching account mode.

**Usage**

```
post_account_account_level_switch_preset(  
    acct_lv,  
    lever = NULL,  
    risk_offset_type = NULL,  
    tz = .okx_default_tz,  
    config  
)
```

**Arguments**

acct_lv	Target account level.
lever	Optional leverage preset.
risk_offset_type	Optional deprecated risk offset type field.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' describing the stored preset values.

---

```
post_account_mmp_config  
    Configure MMP
```

---

**Description**

Set market maker protection thresholds for an options instrument family.

**Usage**

```
post_account_mmp_config(  
    inst_family,  
    time_interval,  
    frozen_interval,  
    qty_limit,  
    tz = .okx_default_tz,  
    config  
)
```

**Arguments**

inst_family	Instrument family.
time_interval	Time window in milliseconds.
frozen_interval	Frozen interval in milliseconds.
qty_limit	Quantity limit in number of contracts.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' describing the applied MMP configuration.

---

post\_account\_mmp\_reset

*Reset MMP Status*

---

**Description**

Reset market maker protection status for an instrument family.

**Usage**

```
post_account_mmp_reset(
  inst_family,
  inst_type = NULL,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

inst_family	Instrument family.
inst_type	Optional instrument type. Defaults to "OPTION" on OKX.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' with the request result.

---

post\_account\_move\_positions  
*Move Positions Between Accounts*

---

### Description

Move positions between accounts under the same master account.

### Usage

```
post_account_move_positions(  
    from_acct,  
    to_acct,  
    legs,  
    client_id,  
    tz = .okx_default_tz,  
    config  
)
```

### Arguments

from_acct	Source account name.
to_acct	Destination account name.
legs	List of move-position leg objects in the documented OKX shape.
client_id	Client-supplied request ID.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

### Value

A 'data.frame' describing the move-position request result.

---

post\_account\_position\_margin\_balance  
*Adjust Position Margin Balance*

---

### Description

Increase or reduce margin for an existing position.

**Usage**

```

post_account_position_margin_balance(
  inst_id,
  pos_side,
  type,
  amt,
  ccy = NULL,
  tz = .okx_default_tz,
  config
)

```

**Arguments**

<code>inst_id</code>	Instrument ID.
<code>pos_side</code>	Position side.
<code>type</code>	Margin adjustment type, typically "add" or "reduce".
<code>amt</code>	Amount to add or reduce.
<code>ccy</code>	Optional currency for isolated margin orders.
<code>tz</code>	Timezone used for any timestamp parsing.
<code>config</code>	A list containing API credentials.

**Value**

A 'data.frame' describing the applied margin adjustment.

---

`post_account_set_account_level`  
*Set Account Level*

---

**Description**

Switch the account mode.

**Usage**

```

post_account_set_account_level(
  acct_lv,
  tz = .okx_default_tz,
  config
)

```

**Arguments**

<code>acct_lv</code>	Account level string, such as "1", "2", "3", or "4".
<code>tz</code>	Timezone used for any timestamp parsing.
<code>config</code>	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied account level.

---

post\_account\_set\_auto\_loan  
*Set Account Auto Loan*

---

**Description**

Enable or disable automatic borrowing.

**Usage**

```
post_account_set_auto_loan(  
  auto_loan = TRUE,  
  tz = .okx_default_tz,  
  config  
)
```

**Arguments**

auto_loan	Logical. Whether auto loan should be enabled.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied auto-loan setting.

---

post\_account\_set\_auto\_repay  
*Set Account Auto Repay*

---

**Description**

Enable or disable spot-mode auto repay.

**Usage**

```
post_account_set_auto_repay(  
  auto_repay,  
  tz = .okx_default_tz,  
  config  
)
```

**Arguments**

auto_repay	Logical. Whether auto repay should be enabled.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied auto-repay setting.

---

post\_account\_set\_collateral\_assets  
*Set Account Collateral Assets*

---

**Description**

Configure whether all or selected assets are treated as collateral.

**Usage**

```
post_account_set_collateral_assets(
  type,
  collateral_enabled,
  ccy_list = NULL,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

type	Type of update, typically "all" or "custom".
collateral_enabled	Logical. Whether the selected assets should be collateral-enabled.
ccy_list	Optional character vector of currencies. Required when 'type = "custom"'.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied collateral asset setting.

---

post\_account\_set\_fee\_type  
*Set Account Fee Type*

---

**Description**

Configure the fee charging mode for spot trading.

**Usage**

```
post_account_set_fee_type(fee_type, tz = .okx_default_tz, config)
```

**Arguments**

fee_type	Fee type string, typically "0" or "1".
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied fee type.

---

post\_account\_set\_greeks  
*Set Account Greeks Display Type*

---

**Description**

Configure whether Greeks are displayed in PA or BS mode.

**Usage**

```
post_account_set_greeks(
  greeks_type,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

greeks_type	Greeks display type, typically "PA" or "BS".
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied Greeks display type.

---

```
post_account_set_leverage
    Set Account Leverage
```

---

**Description**

Sets the leverage level for a specific trading instrument and margin mode.

**Usage**

```
post_account_set_leverage(
    inst_id,
    lever,
    mgn_mode,
    pos_side = NULL,
    tz = .okx_default_tz,
    config
)
```

**Arguments**

inst_id	Instrument ID (e.g., "BTC-USDT").
lever	Leverage level to apply (as a string or numeric, e.g., "10").
mgn_mode	Margin mode: "cross" or "isolated".
pos_side	Optional. Position side: "long" or "short". Required for isolated mode.
tz	Timezone used for any timestamp parsing (default: "Asia/Hong_Kong").
config	API credential list with keys 'api_key', 'secret_key', and 'passphrase'.

**Value**

A data.frame with leverage update confirmation (including instrument ID and leverage settings).

---

```
post_account_set_position_mode
    Set Account Position Mode
```

---

**Description**

Set the account position mode.

**Usage**

```
post_account_set_position_mode(
    pos_mode,
    tz = .okx_default_tz,
    config
)
```

**Arguments**

pos_mode	Position mode. Use 'long_short_mode' or 'net_mode'.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' confirming the applied position mode.

---

```
post_account_spot_manual_borrow_repay
      Submit Spot Manual Borrow or Repay
```

---

**Description**

Manually borrow or repay under spot mode.

**Usage**

```
post_account_spot_manual_borrow_repay(
    ccy,
    side,
    amt,
    tz = .okx_default_tz,
    config
)
```

**Arguments**

ccy	Currency.
side	Action side, typically "borrow" or "repay".
amt	Amount.
tz	Timezone used for any timestamp parsing.
config	A list containing API credentials.

**Value**

A 'data.frame' describing the executed borrow/repay request.

---

`post_asset_cancel_withdrawal`*Cancel an Asset Withdrawal*

---

**Description**

Cancel a pending withdrawal request.

**Usage**

```
post_asset_cancel_withdrawal(wd_id, tz = .okx_default_tz, config)
```

**Arguments**

<code>wd_id</code>	Withdrawal request ID.
<code>tz</code>	Timezone used for any timestamp parsing.
<code>config</code>	API credential list.

**Value**

A 'data.frame' confirming the cancelled withdrawal ID.

---

`post_asset_convert_estimate_quote`*Estimate an Asset Convert Quote*

---

**Description**

Request a quote for an asset conversion without executing the trade.

**Usage**

```
post_asset_convert_estimate_quote(  
  base_ccy,  
  quote_ccy,  
  side,  
  rfq_sz,  
  rfq_sz_ccy,  
  cl_q_req_id = NULL,  
  tag = NULL,  
  convert_mode = NULL,  
  tz = .okx_default_tz,  
  config  
)
```

**Arguments**

base_ccy	Base currency.
quote_ccy	Quote currency.
side	Quote side, such as "buy" or "sell".
rfq_sz	RFQ size.
rfq_sz_ccy	Currency in which 'rfq_sz' is specified.
cl_q_req_id	Optional client quote request ID.
tag	Optional request tag.
convert_mode	Optional OKX convert mode.
tz	Timezone used for any timestamp parsing.
config	API credential list.

**Value**

A 'data.frame' describing the estimated conversion quote.

---

post\_asset\_convert\_trade

*Execute an Asset Convert Trade*

---

**Description**

Execute a confirmed asset conversion against a previously quoted price.

**Usage**

```
post_asset_convert_trade(
  quote_id,
  base_ccy,
  quote_ccy,
  side,
  sz,
  sz_ccy,
  cl_t_req_id = NULL,
  tag = NULL,
  convert_mode = NULL,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

quote_id	Quote ID returned by [post_asset_convert_estimate_quote()].
base_ccy	Base currency.
quote_ccy	Quote currency.
side	Trade side, such as "buy" or "sell".
sz	Trade size.
sz_ccy	Currency in which 'sz' is specified.
cl_t_req_id	Optional client trade request ID.
tag	Optional request tag.
convert_mode	Optional OKX convert mode.
tz	Timezone used for any timestamp parsing.
config	API credential list.

**Value**

A 'data.frame' describing the executed conversion trade.

---

post\_asset\_transfer     *Transfer Assets*

---

**Description**

Transfer assets between funding, trading, and related accounts.

**Usage**

```
post_asset_transfer(
  ccy,
  amt,
  from,
  to,
  type = "0",
  sub_acct = NULL,
  loan_trans = NULL,
  omit_pos_risk = NULL,
  client_id = NULL,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

ccy	Currency to transfer.
amt	Transfer amount.
from	Source account code, such as "6" for funding or "18" for trading.
to	Destination account code.
type	Optional transfer type code. Defaults to "0" for an internal transfer within the same account.
sub_acct	Optional sub-account name when the transfer type requires it.
loan_trans	Optional logical. Whether the transfer should be treated as a loan transfer.
omit_pos_risk	Optional logical. Whether to omit position risk checks where supported by OKX.
client_id	Optional client-supplied transfer request ID.
tz	Timezone used for any timestamp parsing.
config	API credential list.

**Value**

A 'data.frame' describing the submitted transfer request.

---

post\_asset\_withdrawal *Submit an Asset Withdrawal*

---

**Description**

Submit a withdrawal request from the OKX funding account.

**Usage**

```
post_asset_withdrawal(
  ccy,
  amt,
  dest,
  to_addr,
  chain = NULL,
  to_addr_type = NULL,
  area_code = NULL,
  rcvr_info = NULL,
  client_id = NULL,
  tz = .okx_default_tz,
  config
)
```

**Arguments**

ccy	Currency to withdraw.
amt	Withdrawal amount.
dest	Destination type code from the OKX API.
to_addr	Destination wallet address.
chain	Optional chain identifier, such as "USDT-ERC20".
to_addr_type	Optional destination address type code.
area_code	Optional phone area code when required by OKX.
rcvr_info	Optional named list in the documented 'rcvrInfo' shape.
client_id	Optional client-supplied withdrawal request ID.
tz	Timezone used for any timestamp parsing.
config	API credential list.

**Value**

A 'data.frame' describing the submitted withdrawal request.

---

post\_trade\_amend\_algos

*Amend an Algo Order*

---

**Description**

Amend a supported unfilled algo order.

**Usage**

```
post_trade_amend_algos(
  inst_id,
  algo_id = NULL,
  algo_cl_ord_id = NULL,
  cxl_on_fail = NULL,
  req_id = NULL,
  new_sz = NULL,
  new_tp_trigger_px = NULL,
  new_tp_ord_px = NULL,
  new_sl_trigger_px = NULL,
  new_sl_ord_px = NULL,
  new_tp_trigger_px_type = NULL,
  new_sl_trigger_px_type = NULL,
  new_trigger_px = NULL,
  new_ord_px = NULL,
  new_trigger_px_type = NULL,
```

```

    attach_algo_ords = NULL,
    config,
    tz = .okx_default_tz
)

```

### Arguments

<code>inst_id</code>	Instrument ID.
<code>algo_id</code>	Algo order ID. Optional if ‘ <code>algo_cl_ord_id</code> ’ is supplied.
<code>algo_cl_ord_id</code>	Client-supplied algo ID. Optional if ‘ <code>algo_id</code> ’ is supplied.
<code>cxl_on_fail</code>	Optional logical. Whether to cancel the order if the amendment fails.
<code>req_id</code>	Optional client amendment request ID.
<code>new_sz</code>	Optional new quantity after amendment.
<code>new_tp_trigger_px</code>	Optional new take-profit trigger price.
<code>new_tp_ord_px</code>	Optional new take-profit order price.
<code>new_sl_trigger_px</code>	Optional new stop-loss trigger price.
<code>new_sl_ord_px</code>	Optional new stop-loss order price.
<code>new_tp_trigger_px_type</code>	Optional new take-profit trigger price type.
<code>new_sl_trigger_px_type</code>	Optional new stop-loss trigger price type.
<code>new_trigger_px</code>	Optional new trigger price for trigger orders.
<code>new_ord_px</code>	Optional new order price for trigger orders.
<code>new_trigger_px_type</code>	Optional new trigger price type for trigger orders.
<code>attach_algo_ords</code>	Optional attached TP/SL amendment list.
<code>config</code>	A list with API credentials.
<code>tz</code>	Timezone for parsing response timestamps.

### Value

A ‘`data.frame`’ describing the algo amendment result.

---

post\_trade\_amend\_batch\_orders  
*Amend Multiple Trade Orders*

---

**Description**

Submit multiple amendment requests in one request.

**Usage**

```
post_trade_amend_batch_orders(  
    orders,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

orders	List of amendment specs. See post_trade_amend_order().
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with one row per amendment result.

---

post\_trade\_amend\_order  
*Amend a Trade Order*

---

**Description**

Submit an amendment request for an incomplete order.

**Usage**

```
post_trade_amend_order(  
    inst_id,  
    ord_id = NULL,  
    cl_ord_id = NULL,  
    req_id = NULL,  
    new_sz = NULL,  
    new_px = NULL,  
    cxl_on_fail = NULL,  
    new_px_usd = NULL,
```

```

    new_px_vol = NULL,
    px_amend_type = NULL,
    attach_algo_orcs = NULL,
    speed_bump = NULL,
    config,
    tz = .okx_default_tz
)

```

### Arguments

inst_id	Instrument ID.
ord_id	Order ID. Optional if 'cl_ord_id' is supplied.
cl_ord_id	Client order ID. Optional if 'ord_id' is supplied.
req_id	Optional client amendment request ID.
new_sz	Optional new total order size.
new_px	Optional new price.
cxl_on_fail	Optional logical. Whether to cancel the order if the amendment fails.
new_px_usd	Optional new option order USD price.
new_px_vol	Optional new option order implied volatility price.
px_amend_type	Optional price amendment mode.
attach_algo_orcs	Optional attached TP/SL amendment list.
speed_bump	Optional event-contract speed bump.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

### Value

A 'data.frame' describing the amendment request result.

---

post\_trade\_batch\_orders

*Place Multiple Trade Orders*

---

### Description

Submit multiple trade orders in one request.

### Usage

```
post_trade_batch_orders(orders, config, tz = .okx_default_tz)
```

**Arguments**

orders	List of order specs. See post_trade_order().
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with one row per submitted order result.

---

post\_trade\_cancel\_algos  
*Cancel Multiple Algo Orders*

---

**Description**

Cancel up to 10 unfilled algo orders in one request.

**Usage**

```
post_trade_cancel_algos(orders, config, tz = .okx_default_tz)
```

**Arguments**

orders	List of cancellation specification lists containing 'inst_id' plus either 'algo_id' or 'algo_cl_ord_id'.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with one row per algo cancellation result.

---

post\_trade\_cancel\_all\_after  
*Set Cancel-All-After*

---

**Description**

Set or disable the cancel-all-after countdown.

**Usage**

```
post_trade_cancel_all_after(
    time_out,
    tag = NULL,
    config,
    tz = .okx_default_tz
)
```

**Arguments**

time_out	Character or numeric. Countdown in seconds. '0' disables it.
tag	Optional cancel-all-after tag scope.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with the configured trigger time and tag.

---

post\_trade\_cancel\_batch\_orders  
*Cancel Multiple Trade Orders*

---

**Description**

Submit a batch cancellation request for incomplete orders.

**Usage**

```
post_trade_cancel_batch_orders(
    orders,
    config,
    tz = .okx_default_tz
)
```

**Arguments**

orders	List of cancellation specification lists containing 'inst_id' plus either 'ord_id' or 'cl_ord_id'.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with one row per cancellation result.

---

post\_trade\_cancel\_order

*Cancel a Trade Order*

---

### Description

Submits a cancellation request for a previously placed trade order.

### Usage

```
post_trade_cancel_order(
    inst_id,
    ord_id = NULL,
    cl_ord_id = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_id	Instrument ID (e.g., "BTC-USDT").
ord_id	Optional OKX order ID to cancel.
cl_ord_id	Optional client order ID to cancel. Provide this or 'ord_id'.
config	A list with API credentials: api_key, secret_key, passphrase.
tz	Timezone for parsing any timestamps (default: "Asia/Hong_Kong").

### Value

A data.frame containing cancellation result and timestamp.

---

post\_trade\_close\_position

*Close a Position*

---

### Description

Submits a request to close a position for a given instrument and position side.

### Usage

```
post_trade_close_position(
    inst_id,
    mgn_mode,
    pos_side,
    tz = .okx_default_tz,
    config
)
```

**Arguments**

inst_id	Instrument ID (e.g., "BTC-USDT").
mgn_mode	Margin mode: "cross" or "isolated".
pos_side	Position side to close: "long" or "short".
tz	Timezone for parsing any timestamps (default: "Asia/Hong_Kong").
config	A list with API credentials: api_key, secret_key, passphrase.

**Value**

A data.frame with close position confirmation details.

---

post\_trade\_mass\_cancel  
*Mass Cancel MMP Orders*

---

**Description**

Cancel all MMP pending orders for an options instrument family.

**Usage**

```
post_trade_mass_cancel(
  inst_type,
  inst_family,
  lock_interval = NULL,
  config,
  tz = .okx_default_tz
)
```

**Arguments**

inst_type	Instrument type. Currently 'OPTION'.
inst_family	Instrument family.
lock_interval	Optional lock interval in milliseconds.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with the request result.

---

post_trade_order	<i>Place a Trade Order</i>
------------------	----------------------------

---

### Description

Submits a trade order to the OKX exchange.

### Usage

```
post_trade_order(
    inst_id,
    td_mode,
    side,
    ord_type,
    sz,
    pos_side = NULL,
    px = NULL,
    reduce_only = NULL,
    tgt_ccy = NULL,
    cl_ord_id = NULL,
    tag = NULL,
    config,
    tz = .okx_default_tz
)
```

### Arguments

inst_id	Instrument ID (e.g., "BTC-USDT").
td_mode	Trade mode: "cross" or "isolated".
side	Order side: "buy" or "sell".
ord_type	Order type: "limit", "market", etc.
sz	Size of the order (quantity to buy/sell).
pos_side	Optional. Position side: "long" or "short".
px	Optional. Price (required for limit orders).
reduce_only	Optional. Logical flag to indicate a reduce-only order.
tgt_ccy	Optional. Quote currency (e.g., "base", "quote").
cl_ord_id	Optional. Custom client order ID (auto-generated if NULL).
tag	Optional. Tag used for identifying the strategy or bot.
config	A list with API credentials: api_key, secret_key, passphrase.
tz	Timezone for parsing any timestamps (default: "Asia/Hong_Kong").

### Value

A data.frame containing fields like order ID, client order ID, and timestamp.

---

post\_trade\_order\_precheck  
*Precheck a Trade Order*

---

**Description**

Submit an order precheck request without placing the order.

**Usage**

```
post_trade_order_precheck(  
    inst_id,  
    td_mode,  
    side,  
    ord_type,  
    sz,  
    ccy = NULL,  
    cl_ord_id = NULL,  
    tag = NULL,  
    pos_side = NULL,  
    px = NULL,  
    reduce_only = NULL,  
    tgt_ccy = NULL,  
    attach_algo_ords = NULL,  
    speed_bump = NULL,  
    outcome = NULL,  
    config,  
    tz = .okx_default_tz  
)
```

**Arguments**

inst_id	Instrument ID.
td_mode	Trade mode.
side	Order side.
ord_type	Order type.
sz	Order size.
ccy	Optional margin currency.
cl_ord_id	Optional client order ID.
tag	Optional order tag.
pos_side	Optional position side.
px	Optional order price.
reduce_only	Optional logical reduce-only flag.
tgt_ccy	Optional target currency mode.

attach_algo_ords	Optional attached TP/SL list.
speed_bump	Optional event-contract speed bump.
outcome	Optional event-contract outcome.
config	A list with API credentials.
tz	Timezone for parsing response timestamps.

**Value**

A 'data.frame' with projected account metrics after the precheck.

---

set_okxr_options	<i>Set or get okxr options</i>
------------------	--------------------------------

---

**Description**

Convenience wrapper to set global options for okxr, such as whether to return raw data instead of parsed data.

**Usage**

```
set_okxr_options(raw_data = NULL, timeout = NULL)
```

**Arguments**

raw_data	Logical. If 'TRUE', return raw API 'data'. If 'NULL', the current value is left unchanged.
timeout	Numeric. HTTP request timeout in seconds. If 'NULL', the current value is left unchanged.

**Value**

An invisible named list with the current package options: 'raw\_data' (logical) and 'timeout' (numeric seconds). This return value can be used to inspect the effective option state.

**Examples**

```
old <- getOption("okxr.raw_data")
old_timeout <- getOption("okxr.timeout")
set_okxr_options(raw_data = TRUE)
set_okxr_options(timeout = 5)
options(okxr.raw_data = old, okxr.timeout = old_timeout)

set_okxr_options() # check current values
```

# Index

## \* package

- okxr-package, 5
- .build\_request, 6
- .execute\_get\_action, 7
- .execute\_post\_action, 7
- .get\_headers, 8
  
- get\_account\_adjust\_leverage\_info, 8
- get\_account\_balance, 9
- get\_account\_bills, 10
- get\_account\_bills\_archive, 11
- get\_account\_bills\_history\_archive, 12
- get\_account\_collateral\_assets, 12
- get\_account\_config, 13
- get\_account\_greeks, 14
- get\_account\_instruments, 15
- get\_account\_interest\_accrued, 16
- get\_account\_interest\_limits, 17
- get\_account\_interest\_rate, 17
- get\_account\_leverage\_info, 18
- get\_account\_max\_avail\_size, 19
- get\_account\_max\_loan, 20
- get\_account\_max\_size, 21
- get\_account\_max\_withdrawal, 22
- get\_account\_mmp\_config, 22
- get\_account\_move\_positions\_history, 23
- get\_account\_position\_risk, 26
- get\_account\_position\_tiers, 26
- get\_account\_positions, 24
- get\_account\_positions\_history, 25
- get\_account\_precheck\_set\_delta\_neutral, 27
- get\_account\_risk\_state, 28
- get\_account\_set\_account\_switch\_precheck, 28
- get\_account\_spot\_borrow\_repay\_history, 29
- get\_account\_subaccount\_balances, 30
- get\_account\_subaccount\_max\_withdrawal, 30
  
- get\_account\_subtypes, 31
- get\_account\_trade\_fee, 32
- get\_asset\_asset\_valuation, 32
- get\_asset\_balances, 33
- get\_asset\_bills, 34
- get\_asset\_bills\_history, 35
- get\_asset\_convert\_currencies, 36
- get\_asset\_convert\_currency\_pair, 36
- get\_asset\_convert\_history, 37
- get\_asset\_currencies, 38
- get\_asset\_deposit\_address, 38
- get\_asset\_deposit\_history, 39
- get\_asset\_deposit\_withdraw\_status, 40
- get\_asset\_exchange\_list, 40
- get\_asset\_non\_tradable\_assets, 41
- get\_asset\_transfer\_state, 42
- get\_asset\_withdrawal\_history, 42
- get\_copy\_trade\_config, 43
- get\_copy\_trade\_current\_subpos, 44
- get\_copy\_trade\_historical\_subpos, 45
- get\_copy\_trade\_instruments, 46
- get\_copy\_trade\_my\_leaders, 47
- get\_copy\_trade\_profit\_sharing\_details, 48
- get\_copy\_trade\_public\_config, 49
- get\_copy\_trade\_public\_copy\_traders, 49
- get\_copy\_trade\_public\_current\_subpositions, 50
- get\_copy\_trade\_public\_lead\_traders, 51
- get\_copy\_trade\_public\_pnl, 52
- get\_copy\_trade\_public\_preference\_currency, 52
- get\_copy\_trade\_public\_stats, 53
- get\_copy\_trade\_public\_subpositions\_history, 54
- get\_copy\_trade\_public\_weekly\_pnl, 54
- get\_copy\_trade\_settings, 55
- get\_copy\_trade\_total\_profit\_sharing, 56

- get\_copy\_trade\_total\_unrealized\_profit\_sharing, 57
- get\_copy\_trade\_unrealized\_profit\_sharing\_details, 57
- get\_market\_block\_ticker, 58
- get\_market\_block\_tickers, 59
- get\_market\_books, 59
- get\_market\_candles, 60
- get\_market\_exchange\_rate, 61
- get\_market\_history\_candles, 62
- get\_market\_history\_index\_candles, 63
- get\_market\_history\_mark\_price\_candles, 64
- get\_market\_history\_trades, 65
- get\_market\_index\_candles, 65
- get\_market\_index\_components, 66
- get\_market\_index\_tickers, 67
- get\_market\_mark\_price\_candles, 68
- get\_market\_option\_instrument\_family\_trades, 69
- get\_market\_platform\_24\_volume, 69
- get\_market\_ticker, 70
- get\_market\_tickers, 70
- get\_market\_trades, 71
- get\_public\_block\_trades, 72
- get\_public\_convert\_contract\_coin, 72
- get\_public\_delivery\_exercise\_history, 73
- get\_public\_discount\_rate\_interest\_free\_quota, 74
- get\_public\_economic\_calendar, 75
- get\_public\_estimated\_price, 75
- get\_public\_estimated\_settlement\_info, 76
- get\_public\_funding\_rate, 77
- get\_public\_funding\_rate\_history, 77
- get\_public\_instrument\_tick\_bands, 79
- get\_public\_instruments, 78
- get\_public\_insurance\_fund, 80
- get\_public\_interest\_rate\_loan\_quota, 81
- get\_public\_mark\_price, 81
- get\_public\_open\_interest, 82
- get\_public\_opt\_summary, 84
- get\_public\_option\_trades, 83
- get\_public\_position\_tiers, 84
- get\_public\_premium\_history, 85
- get\_public\_price\_limit, 86
- get\_public\_settlement\_history, 87
- get\_public\_time, 87
- get\_public\_underlying, 88
- get\_trade\_account\_rate\_limit, 89
- get\_trade\_easy\_convert\_currency\_list, 89
- get\_trade\_easy\_convert\_history, 90
- get\_trade\_fills, 91
- get\_trade\_fills\_history, 92
- get\_trade\_one\_click\_repay\_currency\_list, 93
- get\_trade\_one\_click\_repay\_currency\_list\_v2, 93
- get\_trade\_one\_click\_repay\_history, 94
- get\_trade\_one\_click\_repay\_history\_v2, 94
- get\_trade\_order, 95
- get\_trade\_order\_algo, 103
- get\_trade\_orders\_algo\_history, 97
- get\_trade\_orders\_algo\_pending, 98
- get\_trade\_orders\_history, 99
- get\_trade\_orders\_history\_7d, 100
- get\_trade\_orders\_history\_archive, 101
- get\_trade\_orders\_pending, 102
- get\_var\_label, 104
- okxr (okxr-package), 5
- okxr-package, 5
- post\_account\_account\_level\_switch\_preset, 104
- post\_account\_mmp\_config, 105
- post\_account\_mmp\_reset, 106
- post\_account\_move\_positions, 107
- post\_account\_position\_margin\_balance, 107
- post\_account\_set\_account\_level, 108
- post\_account\_set\_auto\_loan, 109
- post\_account\_set\_auto\_repay, 109
- post\_account\_set\_collateral\_assets, 110
- post\_account\_set\_fee\_type, 111
- post\_account\_set\_greeks, 111
- post\_account\_set\_leverage, 112
- post\_account\_set\_position\_mode, 112
- post\_account\_spot\_manual\_borrow\_repay, 113
- post\_asset\_cancel\_withdrawal, 114
- post\_asset\_convert\_estimate\_quote, 114

post\_asset\_convert\_trade, [115](#)  
post\_asset\_transfer, [116](#)  
post\_asset\_withdrawal, [117](#)  
post\_trade\_amend\_algos, [118](#)  
post\_trade\_amend\_batch\_orders, [120](#)  
post\_trade\_amend\_order, [120](#)  
post\_trade\_batch\_orders, [121](#)  
post\_trade\_cancel\_algos, [122](#)  
post\_trade\_cancel\_all\_after, [122](#)  
post\_trade\_cancel\_batch\_orders, [123](#)  
post\_trade\_cancel\_order, [124](#)  
post\_trade\_close\_position, [124](#)  
post\_trade\_mass\_cancel, [125](#)  
post\_trade\_order, [126](#)  
post\_trade\_order\_precheck, [127](#)  
  
set\_okxr\_options, [128](#)